






Project	Contract	Station	Date	Parameter	Start Time	Result	Unit
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	05-Aug-19	1-hr TSP	09:03	36	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	05-Aug-19	1-hr TSP	10:03	41	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	05-Aug-19	1-hr TSP	11:03	41	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	10-Aug-19	1-hr TSP	12:45	50	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	10-Aug-19	1-hr TSP	13:45	45	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	10-Aug-19	1-hr TSP	14:45	41	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	15-Aug-19	1-hr TSP	09:12	18	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	15-Aug-19	1-hr TSP	10:12	16	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	15-Aug-19	1-hr TSP	11:12	17	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	21-Aug-19	1-hr TSP	09:12	45	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	21-Aug-19	1-hr TSP	10:12	42	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	21-Aug-19	1-hr TSP	11:12	42	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	27-Aug-19	1-hr TSP	09:07	43	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	27-Aug-19	1-hr TSP	10:07	42	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	27-Aug-19	1-hr TSP	11:07	43	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	05-Aug-19	1-hr TSP	13:08	47	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	05-Aug-19	1-hr TSP	14:08	45	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	05-Aug-19	1-hr TSP	15:08	42	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	10-Aug-19	1-hr TSP	08:09	50	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	10-Aug-19	1-hr TSP	09:09	37	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	10-Aug-19	1-hr TSP	10:09	35	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	15-Aug-19	1-hr TSP	13:00	27	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	15-Aug-19	1-hr TSP	14:00	21	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	15-Aug-19	1-hr TSP	15:00	15	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	21-Aug-19	1-hr TSP	13:06	37	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	21-Aug-19	1-hr TSP	14:06	26	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	21-Aug-19	1-hr TSP	15:06	20	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	27-Aug-19	1-hr TSP	12:50	45	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	27-Aug-19	1-hr TSP	13:50	44	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	27-Aug-19	1-hr TSP	14:50	42	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	05-Aug-19	1-hr TSP	08:12	39	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	05-Aug-19	1-hr TSP	09:12	36	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	05-Aug-19	1-hr TSP	10:12	38	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	10-Aug-19	1-hr TSP	11:58	51	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	10-Aug-19	1-hr TSP	12:58	46	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	10-Aug-19	1-hr TSP	13:58	45	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	15-Aug-19	1-hr TSP	08:14	30	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	15-Aug-19	1-hr TSP	09:14	40	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	15-Aug-19	1-hr TSP	10:14	31	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	21-Aug-19	1-hr TSP	08:13	48	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	21-Aug-19	1-hr TSP	09:13	45	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	21-Aug-19	1-hr TSP	10:13	47	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	27-Aug-19	1-hr TSP	08:21	49	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	27-Aug-19	1-hr TSP	09:21	42	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	27-Aug-19	1-hr TSP	10:21	23	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	05-Aug-19	24-hr TSP	12:15	34	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	10-Aug-19	24-hr TSP	12:52	39	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	15-Aug-19	24-hr TSP	09:19	41	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	21-Aug-19	24-hr TSP	09:21	41	µg/m ³
HKBCF	HY/2013/04	AMS2 Tung Chung Development Pier	27-Aug-19	24-hr TSP	09:16	39	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	05-Aug-19	24-hr TSP	13:13	58	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	10-Aug-19	24-hr TSP	08:19	66	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	15-Aug-19	24-hr TSP	13:10	45	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	21-Aug-19	24-hr TSP	13:16	73	µg/m ³
HKBCF	HY/2013/04	AMS3C Ying Tung Estate Market Rooftop	27-Aug-19	24-hr TSP	12:59	59	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	05-Aug-19	24-hr TSP	08:19	56	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	10-Aug-19	24-hr TSP	12:06	54	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	15-Aug-19	24-hr TSP	08:32	98	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	21-Aug-19	24-hr TSP	08:24	59	µg/m ³
HKBCF	HY/2013/04	AMS7B 3RS Site Office	27-Aug-19	24-hr TSP	08:30	45	µg/m ³






Air Quality Monitoring (24-hr TSP) at AMS3C





Air Quality Monitoring (24-hr TSP) at AMS7B



Project	Contract	Date	Station	Start Time	Noise Level for 30 min, dB(A)			Weather	Wind Speed, m/s	Facade / Free Field	Limit Level, dB(A)
					L _{eq}	L ₁₀	L ₉₀				
HKBCF	HY/2013/04	05-Aug-19	NMS2 Seaview Crescent	09:34	64	67	61	Sunny	<5	Facade	75
HKBCF	HY/2013/04	15-Aug-19	NMS2 Seaview Crescent	09:46	64	66	60	Sunny	<5	Facade	75
HKBCF	HY/2013/04	21-Aug-19	NMS2 Seaview Crescent	10:09	64	67	61	Sunny	<5	Facade	75
HKBCF	HY/2013/04	27-Aug-19	NMS2 Seaview Crescent	09:48	64	67	60	Sunny	<5	Facade	75
HKBCF	HY/2013/04	05-Aug-19	NMS3C Ying Tung Estate Refuse Collection Point	15:21	61	62	60	Sunny	<5	Free Field *	70
HKBCF	HY/2013/04	15-Aug-19	NMS3C Ying Tung Estate Refuse Collection Point	15:23	64	64	62	Sunny	<5	Free Field *	70
HKBCF	HY/2013/04	21-Aug-19	NMS3C Ying Tung Estate Refuse Collection Point	15:29	62	63	61	Sunny	<5	Free Field *	70
HKBCF	HY/2013/04	27-Aug-19	NMS3C Ying Tung Estate Refuse Collection Point	14:34	65	67	62	Sunny	<5	Free Field *	70

Remark: * Free field measurement; noise level shown includes +3dB(A) correction factor



Date (yyyy-mm-dd)	Tide	Station	Weather	Sea condition	Sampling Time	Water Depth (m)	Sampling Water Level	Replicate	Water Temperature (°C)	pH	Salinity (ppt)	DO (mg/L)	Average of DO (mg/L)	DO Saturation (%)	Turbidity (NTU)	Turbidity (NTU) (depth-averaged)	SS	SS (mg/L) (depth- averaged)
2019-08-19	Mid-Ebb	CS(M)5	Fine	Moderate	15:30:00	12.4	Surface	1st	28.8	7.8	21.8	5.2	4.7	76.5	3.2	7.5	5.5	5.5
	Mid-Ebb	CS(M)5					Surface	2nd	28.8	7.8	21.8	5.2		76.3	3.3		5.2	
	Mid-Ebb	CS(M)5					Middle	1st	27.2	7.8	25.7	4.1		59.9	7.8		5.0	
	Mid-Ebb	CS(M)5					Middle	2nd	27.3	7.8	25.7	4.1	4.3	60.2	7.8		5.0	
	Mid-Ebb	CS(M)5					Bottom	1st	26.9	7.8	28.6	4.3		63.7	11.6		6.3	
	Mid-Ebb	CS(M)5					Bottom	2nd	26.9	7.8	28.6	4.3		62.8	11.4		6.1	
2019-08-19	Mid-Ebb	SR3(N)	Fine	Calm	14:19:00	4.7	Surface	1st	29.5	7.8	21.1	5.5	5.5	80.3	5.2	6.3	6.0	9.2
	Mid-Ebb	SR3(N)					Surface	2nd	29.5	7.8	21.1	5.5		80.6	5.0		6.1	
	Mid-Ebb	SR3(N)					Middle	1st										
	Mid-Ebb	SR3(N)					Middle	2nd					5.1					
	Mid-Ebb	SR3(N)					Bottom	1st	29.0	7.8	21.6	5.1		74.2	7.6		12.3	
	Mid-Ebb	SR3(N)					Bottom	2nd	28.9	7.8	21.6	5.1		74.1	7.2		12.4	
2019-08-19	Mid-Ebb	CS2(A)	Fine	Moderate	13:44:00	6.4	Surface	1st	28.7	7.9	22.9	5.1	4.2	75.1	2.5	8.1	3.9	6.2
	Mid-Ebb	CS2(A)					Surface	2nd	28.6	7.9	23.1	4.9		71.5	2.4		3.0	
	Mid-Ebb	CS2(A)					Middle	1st	27.2	7.8	29.6	3.5		51.3	5.0		5.6	
	Mid-Ebb	CS2(A)					Middle	2nd	27.2	7.8	29.6	3.4	3.4	51.1	5.1		4.6	
	Mid-Ebb	CS2(A)					Bottom	1st	27.0	7.8	30.4	3.4		50.3	16.7		9.2	
	Mid-Ebb	CS2(A)					Bottom	2nd	27.0	7.8	30.4	3.4		49.8	17.0		10.8	
2019-08-19	Mid-Ebb	SR2(A)	Fine	Moderate	14:01:00	7.9	Surface	1st	29.1	7.8	22.8	5.0	4.2	73.9	5.8	11.0	8.8	12.9
	Mid-Ebb	SR2(A)					Surface	2nd	29.1	7.8	22.8	5.0		73.8	5.6		7.2	
	Mid-Ebb	SR2(A)					Middle	1st	27.3	7.8	29.3	3.3		48.2	11.3		11.1	
	Mid-Ebb	SR2(A)					Middle	2nd	27.3	7.8	29.3	3.3	3.4	48.2	11.1		12.0	
	Mid-Ebb	SR2(A)					Bottom	1st	27.2	7.8	29.6	3.4		50.2	15.9		19.3	
	Mid-Ebb	SR2(A)					Bottom	2nd	27.2	7.8	29.7	3.4		50.0	16.1		18.8	
2019-08-19	Mid-Flood	CS(M)5	Cloudy	Moderate	8:00:00	12.7	Surface	1st	28.7	7.8	20.3	5.2	4.7	75.0	5.2	6.5	4.5	5.4
	Mid-Flood	CS(M)5					Surface	2nd	28.7	7.8	20.3	5.2		74.9	7.6		4.8	
	Mid-Flood	CS(M)5					Middle	1st	27.5	7.8	25.8	4.1		60.2	3.9		5.6	
	Mid-Flood	CS(M)5					Middle	2nd	28.1	7.8	26.5	4.1	4.3	61.1	3.4		6.4	
	Mid-Flood	CS(M)5					Bottom	1st	26.9	7.6	28.8	4.3		62.6	9.4		4.7	
	Mid-Flood	CS(M)5					Bottom	2nd	26.9	7.6	28.8	4.2		61.9	9.4		6.4	
2019-08-19	Mid-Flood	SR3(N)	Cloudy	Calm	9:20:00	3.4	Surface	1st	28.7	7.9	21.1	5.2	5.2	75.2	10.2	10.6	11.2	21.2
	Mid-Flood	SR3(N)					Surface	2nd	28.7	7.9	21.1	5.2		75.1	10.0		12.5	
	Mid-Flood	SR3(N)					Middle	1st										
	Mid-Flood	SR3(N)					Middle	2nd					5.3					
	Mid-Flood	SR3(N)					Bottom	1st	28.7	7.9	21.1	5.3		76.4	11.0		30.4	
	Mid-Flood	SR3(N)					Bottom	2nd	28.7	7.9	21.1	5.2		76.0	11.0		30.5	
2019-08-19	Mid-Flood	CS2(A)	Cloudy	Moderate	9:56:00	6.7	Surface	1st	28.7	7.9	18.6	5.5	4.8	78.6	2.8	8.7	4.7	15.0
	Mid-Flood	CS2(A)					Surface	2nd	28.7	7.9	18.6	5.5		78.4	2.8		4.2	
	Mid-Flood	CS2(A)					Middle	1st	27.9	7.9	26.0	4.1		60.2	7.6		18.5	
	Mid-Flood	CS2(A)					Middle	2nd	28.0	7.9	26.0	4.1	4.1	60.0	7.8		16.8	
	Mid-Flood	CS2(A)					Bottom	1st	27.8	7.9	26.6	4.1		60.1	15.8		22.0	
	Mid-Flood	CS2(A)					Bottom	2nd	27.8	7.9	26.6	4.1		60.0	15.3		23.8	
2019-08-19	Mid-Flood	SR2(A)	Cloudy	Moderate	9:38:00	8.1	Surface	1st	28.6	7.9	21.0	5.1	5.1	74.5	6.2	7.2	9.8	10.4
	Mid-Flood	SR2(A)					Surface	2nd	28.6	7.9	21.0	5.1		74.5	6.1		10.7	
	Mid-Flood	SR2(A)					Middle	1st	28.5	7.9	21.7	5.0		72.0	6.5		9.7	
	Mid-Flood	SR2(A)					Middle	2nd	28.5	7.9	21.7	5.0	4.9	72.0	6.6		11.0	
	Mid-Flood	SR2(A)					Bottom	1st	28.4	7.9	23.0	4.9		71.3	9.0		11.4	
	Mid-Flood	SR2(A)					Bottom	2nd	28.4	7.9	23.0	4.9		71.2	9.0		10.0	

