


Air Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2024-01-02	AMS5	09:57	1-hr TSP	37	µg/m ³
HKLR	HY/2011/03	2024-01-02	AMS5	10:57	1-hr TSP	36	µg/m ³
HKLR	HY/2011/03	2024-01-02	AMS5	11:57	1-hr TSP	36	µg/m ³
HKLR	HY/2011/03	2024-01-08	AMS5	09:50	1-hr TSP	30	µg/m ³
HKLR	HY/2011/03	2024-01-08	AMS5	10:50	1-hr TSP	30	µg/m ³
HKLR	HY/2011/03	2024-01-08	AMS5	11:50	1-hr TSP	30	µg/m ³
HKLR	HY/2011/03	2024-01-12	AMS5	08:50	1-hr TSP	32	µg/m ³
HKLR	HY/2011/03	2024-01-12	AMS5	09:50	1-hr TSP	31	µg/m ³
HKLR	HY/2011/03	2024-01-12	AMS5	10:50	1-hr TSP	31	µg/m ³
HKLR	HY/2011/03	2024-01-18	AMS5	08:42	1-hr TSP	31	µg/m ³
HKLR	HY/2011/03	2024-01-18	AMS5	09:42	1-hr TSP	26	µg/m ³
HKLR	HY/2011/03	2024-01-18	AMS5	10:42	1-hr TSP	26	µg/m ³
HKLR	HY/2011/03	2024-01-24	AMS5	08:54	1-hr TSP	58	µg/m ³
HKLR	HY/2011/03	2024-01-24	AMS5	09:54	1-hr TSP	63	µg/m ³
HKLR	HY/2011/03	2024-01-24	AMS5	10:54	1-hr TSP	63	µg/m ³
HKLR	HY/2011/03	2024-01-30	AMS5	08:56	1-hr TSP	129	µg/m ³
HKLR	HY/2011/03	2024-01-30	AMS5	09:56	1-hr TSP	173	µg/m ³
HKLR	HY/2011/03	2024-01-30	AMS5	10:56	1-hr TSP	173	µg/m ³
HKLR	HY/2011/03	2024-01-05	AMS5	08:00	24-hr TSP	61	µg/m ³
HKLR	HY/2011/03	2024-01-11	AMS5	08:00	24-hr TSP	67	µg/m ³
HKLR	HY/2011/03	2024-01-17	AMS5	08:00	24-hr TSP	47	µg/m ³
HKLR	HY/2011/03	2024-01-23	AMS5	08:00	24-hr TSP	47	µg/m ³
HKLR	HY/2011/03	2024-01-29	AMS5	08:00	24-hr TSP	75	µg/m ³


Remarks:

1) The existing air quality monitoring location AMS6 - Dragonair / CNAC (Group) Building (HKIA) was handed over to Airport Authority Hong Kong on 31 March 2021. 1hr and 24 hr air quality monitoring at AMS6 was temporarily suspended starting from 1 April 2021.

Air Quality Monitoring Data (1-hour)



Air Quality Monitoring Data (24-hour)




Remarks:

- 1) The existing air quality monitoring location AMS6 - Dragonair / CNAC (Group) Building (HKIA) was handed over to Airport Authority Hong Kong on 31 March 2021. 24-hr TSP monitoring at AMS6 was temporarily suspended starting from 1 April 2021.

Project	Works	Date (yyyy-mm-dd)	Station	Start Time	Wind Speed, m/s	1st set 5mins	2nd set 5mins	3rd set 5mins	4th set 5mins	5th set 5mins	6th set 5mins	Overall (30mins)*	Unit
HKLR	HY/2011/03	2024-01-02	NMS5	09:15	<5	Leq: 55.9	Leq: 54.5	Leq: 52.6	Leq: 54.1	Leq: 55.1	Leq: 56.4	Leq: 58	dB(A)
						L10: 62.5	L10: 57.7	L10: 54.5	L10: 56.4	L10: 59.2	L10: 60.7	L10: 62	
						L90: 51.4	L90: 51.8	L90: 50.7	L90: 52.0	L90: 52.5	L90: 53.0	L90: 55	
HKLR	HY/2011/03	2024-01-08	NMS5	09:45	<5	Leq: 54.4	Leq: 57.4	Leq: 54.6	Leq: 53.5	Leq: 55.1	Leq: 58.7	Leq: 59	dB(A)
						L10: 56.7	L10: 60.7	L10: 56.6	L10: 55.6	L10: 57.9	L10: 58.7	L10: 61	
						L90: 50.5	L90: 51.9	L90: 51.4	L90: 51.0	L90: 51.1	L90: 52.0	L90: 54	
HKLR	HY/2011/03	2024-01-18	NMS5	09:30	<5	Leq: 55.3	Leq: 54.6	Leq: 53.9	Leq: 57.7	Leq: 57.7	Leq: 62.3	Leq: 61	dB(A)
						L10: 59.4	L10: 58.2	L10: 55.4	L10: 61.8	L10: 61.3	L10: 67.0	L10: 65	
						L90: 57.7	L90: 57.3	L90: 54.7	L90: 59.2	L90: 58.5	L90: 62.9	L90: 62	
HKLR	HY/2011/03	2024-01-24	NMS5	09:20	<5	Leq: 55.6	Leq: 56.2	Leq: 56.4	Leq: 58.5	Leq: 59.7	Leq: 59.6	Leq: 61	dB(A)
						L10: 57.4	L10: 58.5	L10: 58.5	L10: 61.7	L10: 62.5	L10: 62.4	L10: 64	
						L90: 52.8	L90: 53.1	L90: 53.8	L90: 54.0	L90: 54.9	L90: 54.9	L90: 57	
HKLR	HY/2011/03	2024-01-30	NMS5	08:51	<5	Leq: 61.5	Leq: 63.9	Leq: 63.7	Leq: 62.2	Leq: 63.0	Leq: 61.9	Leq: 66	dB(A)
						L10: 64.8	L10: 68.1	L10: 67.2	L10: 64.5	L10: 66.3	L10: 65.7	L10: 69	
						L90: 57.4	L90: 58.5	L90: 58.4	L90: 57.4	L90: 57.4	L90: 56.2	L90: 61	

Remark:
(1)* A free field correction of +3 dB(A) was applied to the measured noise level.

Continuous Noise Monitoring Data (NMS5)



Remarks:

(1) A free field correction of +3 dB(A) was applied to the measured noise level.

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS5	15:03:00	1.0	Surface	1	1	18.68	8.11	34.2	98.1	7.5	3.5	2.9
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS5	15:03:41	1.0	Surface	1	2	18.70	8.11	34.1	98.0	7.5	3.5	3.8
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS5	15:02:49	4.2	Middle	2	1	18.46	8.12	34.1	98.4	7.5	3.5	3.8
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS5	15:03:29	4.2	Middle	2	2	18.47	8.11	34.6	98.2	7.5	3.5	2.8
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS5	15:02:42	7.4	Bottom	3	1	18.48	8.11	34.6	98.2	7.5	3.5	3.5
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS5	15:03:09	7.4	Bottom	3	2	18.49	8.12	34.6	98.2	7.5	3.5	2.5
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS(Mf)6	15:12:08	1.0	Surface	1	1	18.71	8.11	34.1	98.2	7.5	3.4	1.8
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS(Mf)6	15:12:24	1.0	Surface	1	2	18.78	8.10	34.1	97.3	7.4	3.4	3.2
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS(Mf)6	15:11:56	2.0	Bottom	3	1	18.60	8.11	34.3	98.1	7.5	3.4	2.6
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS(Mf)6	15:12:17	2.0	Bottom	3	2	18.61	8.09	34.3	97.2	7.4	3.4	2.5
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS7	15:22:03	1.0	Surface	1	1	18.77	8.10	34.2	97.6	7.4	3.2	5.2
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS7	15:22:17	1.0	Surface	1	2	18.75	8.10	34.2	97.9	7.5	3.2	5.7
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS7	15:21:53	2.0	Bottom	3	1	18.75	8.10	34.4	96.9	7.4	3.2	3.4
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS7	15:22:10	2.0	Bottom	3	2	18.72	8.09	34.4	97.7	7.5	3.2	2.6
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS8(N)	15:56:20	1.0	Surface	1	1	18.67	8.11	34.1	95.8	7.3	3.4	3.8
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS8(N)	15:56:49	1.0	Surface	1	2	18.67	8.11	34.1	96.0	7.3	3.5	3.3
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS8(N)	15:56:09	2.6	Bottom	3	1	18.53	8.11	34.6	95.0	7.3	3.5	2.5
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS8(N)	15:56:32	2.6	Bottom	3	2	18.57	8.11	34.3	95.4	7.3	3.4	2.7
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS(Mf)9	15:32:56	1.0	Surface	1	1	18.77	8.11	34.1	97.7	7.5	3.4	3.8
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS(Mf)9	15:33:10	1.0	Surface	1	2	18.78	8.09	34.1	97.3	7.4	3.5	3.4
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS(Mf)9	15:32:46	2.4	Bottom	3	1	18.70	8.10	34.3	97.6	7.4	3.5	2.9
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	IS(Mf)9	15:33:03	2.4	Bottom	3	2	18.73	8.09	34.3	97.3	7.4	3.5	2.5
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	IS10(N)	16:05:58	1.0	Surface	1	1	18.19	8.10	31.7	87.2	6.0	3.0	3.3
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	IS10(N)	16:05:15	1.0	Surface	1	2	18.13	8.10	31.7	86.2	5.9	3.0	4.6
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	IS10(N)	16:05:00	5.2	Middle	2	1	17.88	8.09	33.2	85.4	5.9	3.3	5.1
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	IS10(N)	16:05:43	5.2	Middle	2	2	17.89	8.09	33.2	85.8	5.9	3.3	4.4
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	IS10(N)	16:04:51	9.4	Bottom	3	1	17.87	8.09	33.3	85.9	5.9	3.5	2.9
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	IS10(N)	16:05:34	9.4	Bottom	3	2	17.94	8.09	33.3	86.1	5.9	3.6	3.7
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	SR3(N)	14:51:05	1.0	Surface	1	1	18.73	8.06	34.1	96.0	7.4	3.4	4.6
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	SR3(N)	14:51:18	1.0	Surface	1	2	18.72	8.06	34.1	96.0	7.4	3.4	3.6
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	SR3(N)	14:50:52	2.0	Bottom	3	1	18.70	8.05	34.3	96.6	7.4	3.4	4.8
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	SR3(N)	14:51:12	2.0	Bottom	3	2	18.67	8.06	34.3	95.6	7.3	3.4	3.3
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	SR4(N3)	15:45:58	1.0	Surface	1	1	18.75	8.08	34.2	96.2	7.4	3.3	3.1
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	SR4(N3)	15:46:20	1.0	Surface	1	2	18.74	8.09	34.2	95.7	7.3	3.3	4.7
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	SR4(N3)	15:45:45	2.6	Bottom	3	1	18.72	8.09	34.4	97.6	7.5	3.3	3.4
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	SR4(N3)	15:46:09	2.6	Bottom	3	2	18.69	8.08	34.5	96.3	7.4	3.3	2.1
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	SR5(N)	15:56:37	1.0	Surface	1	1	18.13	8.10	31.7	87.2	6.0	2.5	4.2
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	SR5(N)	15:56:01	1.0	Surface	1	2	18.11	8.10	31.7	87.0	6.0	2.4	2.8
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	SR5(N)	15:56:25	4.8	Middle	2	1	17.91	8.09	33.1	85.9	5.9	2.7	1.6
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	SR5(N)	15:55:49	4.8	Middle	2	2	17.90	8.09	33.0	86.2	5.9	2.8	1.7
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	SR5(N)	15:56:14	8.5	Bottom	3	1	17.92	8.09	33.4	86.4	5.9	3.3	3.8
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	SR5(N)	15:55:39	8.5	Bottom	3	2	17.87	8.10	33.4	87.0	6.0	3.3	2.7
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	SR10A(N)	16:59:30	1.0	Surface	1	1	17.99	8.13	33.5	87.4	6.0	2.4	2.1
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	SR10A(N)	17:00:14	1.0	Surface	1	2	17.95	8.11	33.6	89.1	6.1	2.4	3.3
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	SR10A(N)	16:59:56	6.7	Middle	2	1	17.73	8.12	34.3	85.5	5.9	2.7	3.3
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	SR10A(N)	16:59:13	6.7	Middle	2	2	17.75	8.13	34.4	85.6	5.9	2.7	4.9
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	SR10A(N)	16:59:01	12.3	Bottom	3	1	17.77	8.15	34.5	85.4	5.8	2.8	2.8
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	SR10A(N)	16:59:46	12.3	Bottom	3	2	17.74	8.13	34.4	85.6	5.9	2.7	3.0
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	SR10B(N2)	17:11:03	1.0	Surface	1	1	17.96	8.12	33.6	85.7	5.9	2.4	4.4
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	SR10B(N2)	17:11:37	1.0	Surface	1	2	17.97	8.11	33.6	85.8	5.9	2.5	3.1
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	SR10B(N2)	17:10:52	3.5	Middle	2	1	17.83	8.11	34.1	85.1	5.8	2.8	5.2
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	SR10B(N2)	17:11:25	3.5	Middle	2	2	17.85	8.11	33.9	85.2	5.8	2.8	6.0
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	SR10B(N2)	17:10:41	6.0	Bottom	3	1	17.80	8.11	34.2	85.4	5.8	3.1	4.0
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	SR10B(N2)	17:11:15	6.0	Bottom	3	2	17.84	8.11	34.1	85.6	5.9	3.1	3.1
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	CS2(A)	14:58:43	1.0	Surface	1	1	18.14	8.12	32.0	90.2	6.2	2.5	2.2
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	CS2(A)	14:58:13	1.0	Surface	1	2	18.12	8.13	32.1	91.0	6.3	2.6	3.6
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	CS2(A)	14:58:33	3.4	Middle	2	1	17.96	8.12	33.1	88.3	6.1	2.8	2.6
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	CS2(A)	14:58:04	3.4	Middle	2	2	17.93	8.13	33.1	89.1	6.1	2.9	3.0

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	CS2(A)	14:57:54	5.7	Bottom	3	1	17.88	8.14	33.5	89.4	6.2	3.2	1.5
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Fine	CS2(A)	14:58:24	5.7	Bottom	3	2	17.98	8.12	33.5	88.8	6.1	3.1	2.6
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	CS(Mf)5	16:38:53	1.0	Surface	1	1	18.74	8.10	34.1	98.3	7.5	3.5	3.4
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	CS(Mf)5	16:39:36	1.0	Surface	1	2	18.67	8.09	34.2	98.3	7.5	3.4	3.9
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	CS(Mf)5	16:38:39	6.0	Middle	2	1	18.46	8.09	34.7	98.2	7.5	3.6	3.4
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	CS(Mf)5	16:39:15	6.0	Middle	2	2	18.45	8.09	34.7	98.1	7.5	3.4	3.7
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	CS(Mf)5	16:38:22	11.0	Bottom	3	1	18.49	8.09	34.6	97.0	7.4	3.4	2.6
HKLR	HY/2011/03	2024/01/01	Mid-Ebb	Sunny	CS(Mf)5	16:39:05	11.0	Bottom	3	2	18.47	8.09	34.7	95.4	7.3	3.5	4.4
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS5	11:26:10	1.0	Surface	1	1	18.73	8.11	34.0	96.9	7.4	3.3	3.0
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS5	11:26:49	1.0	Surface	1	2	18.61	8.12	34.1	97.3	7.4	3.2	3.7
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS5	11:25:57	4.1	Middle	2	1	18.65	8.12	34.5	96.9	7.4	3.3	4.1
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS5	11:26:30	4.1	Middle	2	2	18.75	8.11	34.6	97.2	7.4	3.2	2.7
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS5	11:25:42	7.2	Bottom	3	1	18.73	8.11	34.6	96.7	7.4	3.3	2.0
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS5	11:26:22	7.2	Bottom	3	2	18.47	8.12	34.6	97.3	7.4	3.4	2.2
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS(Mf)6	11:15:05	1.0	Surface	1	1	18.65	8.07	33.9	98.0	7.5	3.5	2.4
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS(Mf)6	11:15:31	1.0	Surface	1	2	18.70	8.07	33.9	95.9	7.3	3.4	2.4
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS(Mf)6	11:14:55	2.0	Bottom	3	1	18.58	8.06	34.3	96.7	7.4	3.5	4.0
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS(Mf)6	11:15:21	2.0	Bottom	3	2	18.62	8.07	34.3	98.5	7.5	3.5	3.6
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS7	11:05:32	1.0	Surface	1	1	18.51	8.07	34.0	99.7	7.6	3.4	3.5
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS7	11:05:55	1.0	Surface	1	2	18.52	8.05	33.9	99.9	7.6	3.4	2.3
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS7	11:05:22	2.0	Bottom	3	1	18.53	8.07	34.3	99.5	7.5	3.4	3.7
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS7	11:05:46	2.0	Bottom	3	2	18.71	8.04	34.2	99.8	7.6	3.5	2.1
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS8(N)	10:32:50	1.0	Surface	1	1	18.81	8.09	34.0	97.9	7.5	3.4	3.1
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS8(N)	10:33:11	1.0	Surface	1	2	18.83	8.09	34.0	97.7	7.4	3.5	2.0
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS8(N)	10:32:35	3.0	Bottom	3	1	18.70	8.08	34.3	97.8	7.5	3.5	3.7
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS8(N)	10:32:59	3.0	Bottom	3	2	18.70	8.08	34.2	97.5	7.4	3.3	2.4
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS(Mf)9	10:55:40	1.0	Surface	1	1	18.74	8.09	34.1	96.9	7.4	3.2	1.8
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS(Mf)9	10:55:57	1.0	Surface	1	2	18.76	8.09	34.0	96.7	7.4	3.2	2.0
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS(Mf)9	10:55:27	2.6	Bottom	3	1	18.65	8.09	34.3	96.9	7.4	3.2	2.8
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	IS(Mf)9	10:55:50	2.6	Bottom	3	2	18.69	8.09	34.3	96.6	7.4	3.3	2.5
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	IS10(N)	11:01:37	1.0	Surface	1	1	17.99	8.11	32.6	86.2	5.9	3.1	1.8
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	IS10(N)	11:00:54	1.0	Surface	1	2	17.98	8.11	32.5	86.1	5.9	3.0	3.4
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	IS10(N)	11:01:20	5.3	Middle	2	1	17.81	8.10	33.2	85.2	5.9	3.1	2.6
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	IS10(N)	11:00:38	5.3	Middle	2	2	17.80	8.10	33.2	85.3	5.9	3.1	2.2
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	IS10(N)	11:01:09	9.5	Bottom	3	1	17.83	8.10	33.3	85.6	5.9	3.7	3.7
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	IS10(N)	11:00:28	9.5	Bottom	3	2	17.81	8.10	33.3	85.5	5.9	3.5	4.8
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	SR3(N)	11:36:53	1.0	Surface	1	1	18.68	8.07	34.1	98.2	7.5	3.5	6.2
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	SR3(N)	11:37:20	1.0	Surface	1	2	18.68	8.07	34.0	97.9	7.5	3.4	4.9
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	SR3(N)	11:36:35	2.0	Bottom	3	1	18.61	8.06	34.3	97.5	7.5	3.5	3.9
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	SR3(N)	11:37:09	2.0	Bottom	3	2	18.65	8.06	34.2	97.8	7.5	3.4	5.3
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	SR4(N3)	10:42:42	1.0	Surface	1	1	18.82	8.11	33.9	96.8	7.4	3.4	2.8
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	SR4(N3)	10:43:01	1.0	Surface	1	2	18.81	8.11	33.9	96.7	7.4	3.2	2.2
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	SR4(N3)	10:42:32	2.6	Bottom	3	1	18.75	8.10	34.1	96.7	7.4	3.5	3.9
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	SR4(N3)	10:42:51	2.6	Bottom	3	2	18.75	8.10	34.2	96.5	7.3	3.2	3.2
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	SR5(N)	11:09:33	1.0	Surface	1	1	17.98	8.11	32.6	85.7	5.9	2.9	3.3
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	SR5(N)	11:10:21	1.0	Surface	1	2	17.98	8.11	32.6	86.1	5.9	3.0	2.8
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	SR5(N)	11:10:05	4.8	Middle	2	1	17.85	8.11	33.0	85.0	5.8	3.0	2.8
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	SR5(N)	11:09:20	4.8	Middle	2	2	17.84	8.10	33.0	85.2	5.9	3.1	2.2
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	SR5(N)	11:09:09	8.5	Bottom	3	1	17.80	8.10	33.3	85.4	5.9	3.6	2.4
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	SR5(N)	11:09:53	8.5	Bottom	3	2	17.83	8.10	33.2	85.3	5.9	3.8	3.1
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	SR10A(N)	10:06:47	1.0	Surface	1	1	18.00	8.10	32.6	85.6	5.9	2.0	4.4
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	SR10A(N)	10:06:02	1.0	Surface	1	2	18.01	8.10	32.6	85.6	5.9	2.1	3.8
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	SR10A(N)	10:05:44	6.7	Middle	2	1	17.79	8.10	33.3	84.8	5.8	2.2	2.2
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	SR10A(N)	10:06:28	6.7	Middle	2	2	17.78	8.10	33.3	84.4	5.8	2.2	2.7
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	SR10A(N)	10:06:17	12.4	Bottom	3	1	17.84	8.09	33.4	85.0	5.8	2.9	3.0
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	SR10A(N)	10:05:34	12.4	Bottom	3	2	17.80	8.10	33.4	85.1	5.8	2.9	3.0
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	SR10B(N2)	09:56:37	1.0	Surface	1	1	18.02	8.10	32.6	92.3	6.3	2.1	4.0
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	SR10B(N2)	09:55:56	1.0	Surface	1	2	18.02	8.10	32.5	91.1	6.3	2.1	2.6

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	SR10B(N2)	09:55:40	3.6	Middle	2	1	17.89	8.10	32.9	88.6	6.1	2.4	4.2
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	SR10B(N2)	09:56:24	3.6	Middle	2	2	17.88	8.10	33.0	87.0	6.0	2.3	2.6
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	SR10B(N2)	09:56:12	6.1	Bottom	3	1	17.83	8.09	33.2	86.5	5.9	2.7	3.1
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	SR10B(N2)	09:55:28	6.1	Bottom	3	2	17.82	8.09	33.3	86.3	5.9	2.7	3.1
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	CS2(A)	12:03:14	1.0	Surface	1	1	17.97	8.12	32.7	87.1	6.0	3.0	3.0
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	CS2(A)	12:02:37	1.0	Surface	1	2	17.98	8.13	32.7	87.2	6.0	3.0	1.8
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	CS2(A)	12:03:01	3.4	Middle	2	1	17.86	8.11	33.1	86.5	5.9	3.4	2.0
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	CS2(A)	12:02:23	3.4	Middle	2	2	17.90	8.12	33.1	86.7	6.0	3.3	3.4
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	CS2(A)	12:02:50	5.8	Bottom	3	1	17.83	8.12	33.3	86.6	6.0	3.8	2.0
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Fine	CS2(A)	12:02:12	5.8	Bottom	3	2	17.83	8.12	33.2	87.0	6.0	3.6	3.0
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	CS(Mf)5	09:51:56	1.0	Surface	1	1	18.70	8.10	33.9	99.7	7.5	3.3	13.6
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	CS(Mf)5	09:52:38	1.0	Surface	1	2	18.66	8.09	33.9	98.1	7.4	3.3	3.4
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	CS(Mf)5	09:51:37	6.0	Middle	2	1	18.42	8.08	34.6	99.2	7.5	3.3	3.5
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	CS(Mf)5	09:52:21	6.0	Middle	2	2	18.43	8.07	34.5	97.9	7.4	3.2	3.3
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	CS(Mf)5	09:51:01	11.0	Bottom	3	1	18.41	8.07	34.6	97.9	7.4	3.3	3.9
HKLR	HY/2011/03	2024/01/01	Mid-Flood	Sunny	CS(Mf)5	09:52:11	11.0	Bottom	3	2	18.43	8.07	34.5	97.1	7.4	3.2	4.2
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS5	05:11:03	1.0	Surface	1	1	18.18	8.18	32.2	93.2	6.5	2.8	2.4
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS5	05:10:10	1.0	Surface	1	2	18.19	8.18	32.2	94.8	6.6	2.7	2.0
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS5	05:09:53	4.2	Middle	2	1	17.98	8.15	32.6	90.4	6.3	3.0	2.7
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS5	05:10:45	4.2	Middle	2	2	17.97	8.15	32.6	90.7	6.3	3.0	3.0
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS5	05:10:27	7.4	Bottom	3	1	17.94	8.14	32.7	89.3	6.2	3.2	4.0
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS5	05:09:42	7.4	Bottom	3	2	17.96	8.15	32.7	89.4	6.2	3.1	3.6
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS(Mf)6	05:00:48	1.0	Surface	1	1	18.21	8.19	32.2	94.9	6.6	2.5	3.3
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS(Mf)6	05:00:33	1.0	Surface	1	2	18.20	8.19	32.2	94.8	6.6	2.5	3.0
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS(Mf)6	05:00:20	2.2	Bottom	3	1	18.20	8.18	32.3	94.6	6.5	2.7	3.8
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS(Mf)6	05:00:39	2.2	Bottom	3	2	18.20	8.18	32.2	94.7	6.6	2.7	3.4
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS7	04:51:04	1.0	Surface	1	1	18.20	8.19	32.2	94.6	6.6	2.5	3.3
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS7	04:51:19	1.0	Surface	1	2	18.23	8.18	32.1	94.9	6.6	2.5	3.6
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS7	04:51:11	2.3	Bottom	3	1	18.20	8.18	32.2	94.6	6.5	2.7	4.0
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS7	04:50:55	2.3	Bottom	3	2	18.19	8.18	32.2	94.4	6.5	2.8	3.6
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS8(N)	04:17:09	1.0	Surface	1	1	18.20	8.18	32.1	97.1	6.7	2.7	2.7
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS8(N)	04:16:44	1.0	Surface	1	2	18.20	8.18	32.1	95.7	6.7	2.7	3.0
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS8(N)	04:16:52	2.9	Bottom	3	1	18.18	8.17	32.3	95.3	6.6	2.9	4.1
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS8(N)	04:16:34	2.9	Bottom	3	2	18.16	8.18	32.3	94.3	6.5	2.9	3.7
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS(Mf)9	04:41:35	1.0	Surface	1	1	18.22	8.18	32.1	94.9	6.6	2.6	3.8
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS(Mf)9	04:41:18	1.0	Surface	1	2	18.22	8.19	32.1	94.7	6.6	2.6	4.2
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS(Mf)9	04:41:24	2.5	Bottom	3	1	18.21	8.18	32.2	94.3	6.5	2.9	4.8
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS(Mf)9	04:41:07	2.5	Bottom	3	2	18.19	8.18	32.2	94.0	6.5	2.9	5.3
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS10(N)	04:37:12	1.0	Surface	1	1	18.41	8.12	32.1	87.5	6.0	3.1	2.4
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS10(N)	04:36:32	1.0	Surface	1	2	18.36	8.12	32.1	87.2	6.0	2.9	2.8
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS10(N)	04:36:57	5.4	Middle	2	1	18.12	8.11	32.8	85.7	5.9	3.1	3.4
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS10(N)	04:36:18	5.4	Middle	2	2	18.10	8.11	32.8	86.2	5.9	3.0	3.7
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS10(N)	04:36:46	9.7	Bottom	3	1	18.16	8.11	32.9	86.1	5.9	3.7	4.1
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	IS10(N)	04:36:05	9.7	Bottom	3	2	18.12	8.11	32.9	86.1	5.9	3.6	4.4
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR3(N)	05:21:14	1.0	Surface	1	1	18.22	8.18	32.2	94.0	6.5	2.7	2.6
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR3(N)	05:20:58	1.0	Surface	1	2	18.21	8.18	32.2	93.4	6.5	2.8	3.0
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR3(N)	05:21:05	2.3	Bottom	3	1	18.20	8.18	32.2	93.3	6.5	2.9	3.9
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR3(N)	05:20:49	2.3	Bottom	3	2	18.17	8.18	32.2	92.7	6.4	2.9	3.6
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR4(N3)	04:26:58	1.0	Surface	1	1	18.20	8.18	32.1	94.4	6.6	2.5	2.1
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR4(N3)	04:27:17	1.0	Surface	1	2	18.22	8.18	32.1	94.4	6.5	2.6	2.5
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR4(N3)	04:27:08	2.9	Bottom	3	1	18.18	8.17	32.3	94.2	6.5	2.8	1.5
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR4(N3)	04:26:45	2.9	Bottom	3	2	18.16	8.18	32.3	94.3	6.5	2.8	1.7
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR5(N)	04:47:03	1.0	Surface	1	1	18.36	8.13	32.1	86.8	5.9	3.3	5.0
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR5(N)	04:46:18	1.0	Surface	1	2	18.37	8.13	32.1	86.5	5.9	3.2	4.6
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR5(N)	04:46:47	4.6	Middle	2	1	18.16	8.12	32.6	85.3	5.8	3.4	4.3
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR5(N)	04:46:05	4.6	Middle	2	2	18.16	8.11	32.7	85.5	5.8	3.5	4.0
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR5(N)	04:46:36	8.2	Bottom	3	1	18.15	8.11	32.9	85.6	5.8	3.9	3.7
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR5(N)	04:45:55	8.2	Bottom	3	2	18.12	8.11	32.9	85.6	5.8	3.9	3.9

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR10A(N)	03:46:02	1.0	Surface	1	1	18.46	8.10	32.4	86.1	5.9	2.0	3.2
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR10A(N)	03:45:17	1.0	Surface	1	2	18.46	8.10	32.4	85.7	5.8	2.2	3.6
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR10A(N)	03:45:42	6.6	Middle	2	1	18.12	8.09	33.1	83.9	5.7	2.3	2.8
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR10A(N)	03:45:00	6.6	Middle	2	2	18.12	8.09	33.1	84.2	5.7	2.2	2.5
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR10A(N)	03:45:30	12.2	Bottom	3	1	18.19	8.08	33.3	84.4	5.7	2.6	2.2
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR10A(N)	03:44:50	12.2	Bottom	3	2	18.14	8.09	33.2	84.3	5.7	2.6	2.1
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR10B(N2)	03:36:40	1.0	Surface	1	1	18.48	8.10	32.4	90.9	6.2	2.3	2.2
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR10B(N2)	03:35:59	1.0	Surface	1	2	18.49	8.10	32.3	91.0	6.2	2.3	2.5
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR10B(N2)	03:35:42	3.6	Middle	2	1	18.25	8.08	32.8	87.5	6.0	2.6	3.0
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR10B(N2)	03:36:27	3.6	Middle	2	2	18.26	8.10	32.8	86.7	5.9	2.5	2.8
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR10B(N2)	03:35:30	6.2	Bottom	3	1	18.16	8.07	33.2	86.1	5.9	2.9	4.6
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	SR10B(N2)	03:36:15	6.2	Bottom	3	2	18.20	8.09	33.1	85.7	5.8	2.9	4.1
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	CS2(A)	05:35:17	1.0	Surface	1	1	18.35	8.15	32.3	87.8	6.0	2.9	2.5
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	CS2(A)	05:35:54	1.0	Surface	1	2	18.35	8.14	32.3	87.8	6.0	2.9	2.1
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	CS2(A)	05:35:42	3.3	Middle	2	1	18.19	8.12	32.7	86.8	5.9	3.2	3.3
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	CS2(A)	05:35:04	3.3	Middle	2	2	18.21	8.14	32.7	86.8	5.9	3.2	3.7
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	CS2(A)	05:34:52	5.5	Bottom	3	1	18.12	8.14	32.9	86.6	5.9	3.5	4.4
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	CS2(A)	05:35:29	5.5	Bottom	3	2	18.14	8.13	32.9	86.5	5.9	3.7	4.1
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	CS(Mf)5	03:41:53	1.0	Surface	1	1	18.30	8.15	32.3	94.3	6.5	2.2	2.3
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	CS(Mf)5	03:41:05	1.0	Surface	1	2	18.29	8.14	32.4	95.0	6.6	2.3	2.5
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	CS(Mf)5	03:41:33	6.3	Middle	2	1	18.05	8.12	32.8	92.4	6.4	2.7	3.0
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	CS(Mf)5	03:40:49	6.3	Middle	2	2	18.06	8.12	32.9	92.8	6.4	2.6	2.7
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	CS(Mf)5	03:40:38	11.6	Bottom	3	1	18.07	8.12	33.0	91.7	6.4	3.0	3.2
HKLR	HY/2011/03	2024/01/03	Mid-Ebb	Fine	CS(Mf)5	03:41:21	11.6	Bottom	3	2	18.06	8.13	32.9	90.5	6.3	2.9	3.5
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS5	11:36:41	1.0	Surface	1	1	18.26	8.18	32.2	94.4	6.6	2.3	1.9
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS5	11:36:03	1.0	Surface	1	2	18.24	8.18	32.2	94.2	6.5	2.4	1.8
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS5	11:35:51	4.3	Middle	2	1	18.11	8.17	32.5	93.3	6.5	2.9	2.1
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS5	11:36:26	4.3	Middle	2	2	18.10	8.16	32.5	93.1	6.5	2.8	2.4
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS5	11:36:16	7.5	Bottom	3	1	18.10	8.17	32.6	92.4	6.4	3.0	2.7
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS5	11:35:41	7.5	Bottom	3	2	18.09	8.17	32.6	92.6	6.5	3.0	2.4
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS(Mf)6	11:44:53	1.0	Surface	1	1	18.26	8.20	32.2	97.3	6.8	2.4	1.6
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS(Mf)6	11:45:09	1.0	Surface	1	2	18.27	8.18	32.2	98.4	6.8	2.4	1.4
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS(Mf)6	11:44:44	2.2	Bottom	3	1	18.21	8.20	32.3	95.3	6.6	2.6	2.1
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS(Mf)6	11:45:02	2.2	Bottom	3	2	18.26	8.19	32.3	96.5	6.7	2.6	2.3
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS7	11:55:23	1.0	Surface	1	1	18.28	8.19	32.2	97.1	6.7	2.4	2.1
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS7	11:55:07	1.0	Surface	1	2	18.27	8.19	32.2	96.9	6.7	2.5	2.3
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS7	11:55:00	2.3	Bottom	3	1	18.24	8.19	32.3	96.5	6.7	2.6	4.4
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS7	11:55:14	2.3	Bottom	3	2	18.25	8.19	32.2	96.7	6.7	2.6	4.0
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS8(N)	12:28:09	1.0	Surface	1	1	18.26	8.18	32.2	95.1	6.6	2.6	3.0
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS8(N)	12:28:26	1.0	Surface	1	2	18.28	8.18	32.2	95.5	6.6	2.6	3.2
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS8(N)	12:28:18	2.9	Bottom	3	1	18.26	8.18	32.2	95.1	6.6	2.8	2.1
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS8(N)	12:28:00	2.9	Bottom	3	2	18.21	8.17	32.3	94.3	6.6	2.9	2.4
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS(Mf)9	12:05:05	1.0	Surface	1	1	18.27	8.19	32.2	96.5	6.7	2.4	2.9
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS(Mf)9	12:04:44	1.0	Surface	1	2	18.27	8.18	32.2	96.3	6.7	2.5	3.3
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS(Mf)9	12:04:54	2.6	Bottom	3	1	18.25	8.18	32.3	96.1	6.7	2.6	2.2
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS(Mf)9	12:04:35	2.6	Bottom	3	2	18.23	8.18	32.3	95.9	6.7	2.5	2.4
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS10(N)	12:46:11	1.0	Surface	1	1	18.61	8.12	31.4	89.0	6.1	2.6	4.2
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS10(N)	12:45:33	1.0	Surface	1	2	18.55	8.12	31.5	87.8	6.0	2.6	4.6
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS10(N)	12:45:19	5.2	Middle	2	1	18.25	8.11	32.7	86.8	5.9	2.9	3.8
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS10(N)	12:45:56	5.2	Middle	2	2	18.26	8.10	32.7	87.3	6.0	2.9	3.4
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS10(N)	12:45:48	9.4	Bottom	3	1	18.32	8.10	32.8	87.1	5.9	3.0	2.4
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	IS10(N)	12:45:09	9.4	Bottom	3	2	18.23	8.10	32.8	86.7	5.9	3.1	2.6
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR3(N)	11:26:09	1.0	Surface	1	1	18.28	8.19	32.2	98.2	6.8	2.5	3.9
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR3(N)	11:25:51	1.0	Surface	1	2	18.28	8.19	32.1	96.9	6.7	2.5	3.5
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR3(N)	11:25:40	2.2	Bottom	3	1	18.25	8.18	32.2	95.7	6.6	2.7	2.9
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR3(N)	11:26:00	2.2	Bottom	3	2	18.26	8.19	32.2	96.4	6.7	2.6	3.2
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR4(N3)	12:19:05	1.0	Surface	1	1	18.28	8.18	32.2	95.5	6.6	2.7	2.7
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR4(N3)	12:18:49	1.0	Surface	1	2	18.28	8.18	32.2	95.3	6.6	2.7	2.4

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR4(N3)	12:18:40	2.9	Bottom	3	1	18.24	8.17	32.3	94.7	6.6	2.8	2.9
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR4(N3)	12:18:59	2.9	Bottom	3	2	18.27	8.18	32.2	95.0	6.6	2.8	3.2
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR5(N)	12:35:15	1.0	Surface	1	1	18.53	8.12	31.5	88.5	6.0	2.4	3.0
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR5(N)	12:35:53	1.0	Surface	1	2	18.58	8.12	31.5	89.4	6.1	2.5	3.4
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR5(N)	12:35:41	4.6	Middle	2	1	18.32	8.11	32.5	87.5	6.0	2.7	2.7
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR5(N)	12:35:04	4.6	Middle	2	2	18.28	8.11	32.5	87.1	5.9	2.7	2.9
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR5(N)	12:35:31	8.2	Bottom	3	1	18.30	8.10	32.8	87.7	6.0	3.0	2.4
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR5(N)	12:34:54	8.2	Bottom	3	2	18.24	8.12	32.9	87.1	5.9	3.0	2.5
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR10A(N)	13:40:52	1.0	Surface	1	1	18.44	8.15	32.9	87.8	6.0	2.3	2.8
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR10A(N)	13:41:36	1.0	Surface	1	2	18.41	8.13	33.0	88.6	6.0	2.3	3.0
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR10A(N)	13:40:35	6.8	Middle	2	1	18.17	8.14	33.7	85.4	5.8	2.6	3.2
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR10A(N)	13:41:19	6.8	Middle	2	2	18.13	8.13	33.8	85.3	5.8	2.6	3.4
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR10A(N)	13:40:23	12.5	Bottom	3	1	18.19	8.17	33.9	85.3	5.8	2.6	3.7
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR10A(N)	13:41:08	12.5	Bottom	3	2	18.15	8.14	33.8	85.6	5.8	2.6	3.8
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR10B(N2)	13:51:15	1.0	Surface	1	1	18.45	8.12	33.0	86.3	5.8	2.1	2.6
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR10B(N2)	13:50:41	1.0	Surface	1	2	18.42	8.13	33.0	86.1	5.8	2.1	2.4
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR10B(N2)	13:50:30	3.7	Middle	2	1	18.26	8.13	33.4	85.3	5.8	2.4	3.1
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR10B(N2)	13:51:03	3.7	Middle	2	2	18.27	8.12	33.3	85.2	5.8	2.4	2.8
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR10B(N2)	13:50:19	6.3	Bottom	3	1	18.24	8.13	33.6	85.4	5.8	2.6	4.4
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	SR10B(N2)	13:50:52	6.3	Bottom	3	2	18.25	8.12	33.6	85.5	5.8	2.6	4.0
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	CS2(A)	11:34:11	1.0	Surface	1	1	18.51	8.15	31.9	90.7	6.2	2.6	3.5
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	CS2(A)	11:34:41	1.0	Surface	1	2	18.51	8.14	31.9	90.5	6.2	2.5	3.2
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	CS2(A)	11:34:30	3.4	Middle	2	1	18.30	8.14	32.8	88.6	6.1	2.7	4.1
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	CS2(A)	11:34:00	3.4	Middle	2	2	18.26	8.15	32.8	88.5	6.0	2.9	3.8
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	CS2(A)	11:33:51	5.7	Bottom	3	1	18.23	8.15	33.2	88.5	6.0	3.2	4.3
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	CS2(A)	11:34:22	5.7	Bottom	3	2	18.33	8.14	33.1	88.8	6.1	3.2	4.7
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	CS(Mf)5	13:15:53	1.0	Surface	1	1	18.36	8.18	32.4	92.0	6.4	2.3	2.3
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	CS(Mf)5	13:16:36	1.0	Surface	1	2	18.34	8.18	32.5	92.5	6.4	2.3	2.1
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	CS(Mf)5	13:15:37	6.3	Middle	2	1	18.06	8.14	33.1	90.0	6.2	2.7	2.5
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	CS(Mf)5	13:16:20	6.3	Middle	2	2	18.07	8.14	33.1	89.7	6.2	2.5	2.8
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	CS(Mf)5	13:15:26	11.6	Bottom	3	1	18.06	8.14	33.1	89.1	6.2	2.8	3.4
HKLR	HY/2011/03	2024/01/03	Mid-Flood	Fine	CS(Mf)5	13:16:10	11.6	Bottom	3	2	18.07	8.14	32.7	88.9	6.2	3.0	3.0
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS5	06:35:19	1.0	Surface	1	1	18.18	8.12	32.6	92.3	6.3	2.6	2.2
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS5	06:34:23	1.0	Surface	1	2	18.20	8.12	32.6	94.1	6.4	2.5	2.4
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS5	06:34:08	4.2	Middle	2	1	17.93	8.09	33.1	90.7	6.1	2.7	2.2
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS5	06:35:05	4.2	Middle	2	2	17.92	8.08	33.1	90.4	6.1	2.7	2.4
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS5	06:34:40	7.4	Bottom	3	1	17.87	8.08	33.2	89.6	6.0	3.0	2.6
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS5	06:33:57	7.4	Bottom	3	2	17.92	8.08	33.2	90.2	6.1	3.0	2.4
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS(Mf)6	06:24:43	1.0	Surface	1	1	18.27	8.13	32.6	95.6	6.5	2.4	2.2
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS(Mf)6	06:24:28	1.0	Surface	1	2	18.25	8.13	32.6	95.6	6.5	2.4	2.6
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS(Mf)6	06:24:16	2.2	Bottom	3	1	18.20	8.12	32.8	95.3	6.4	2.6	1.5
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS(Mf)6	06:24:34	2.2	Bottom	3	2	18.22	8.12	32.7	95.4	6.4	2.6	1.4
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS7	06:14:28	1.0	Surface	1	1	18.25	8.13	32.6	95.1	6.4	2.4	2.6
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS7	06:14:43	1.0	Surface	1	2	18.28	8.13	32.6	95.5	6.5	2.3	2.3
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS7	06:14:35	2.3	Bottom	3	1	18.24	8.12	32.7	95.1	6.4	2.6	1.6
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS7	06:14:20	2.3	Bottom	3	2	18.21	8.12	32.7	95.0	6.4	2.6	1.8
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS8(N)	05:39:34	1.0	Surface	1	1	18.23	8.12	32.6	96.3	6.5	2.6	1.5
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS8(N)	05:39:07	1.0	Surface	1	2	18.26	8.12	32.6	95.6	6.5	2.5	1.5
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS8(N)	05:39:15	3.0	Bottom	3	1	18.19	8.11	32.8	95.3	6.4	2.8	1.8
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS8(N)	05:38:56	3.0	Bottom	3	2	18.14	8.12	32.8	94.1	6.4	2.7	1.7
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS(Mf)9	06:04:50	1.0	Surface	1	1	18.28	8.13	32.6	95.3	6.4	2.4	2.1
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS(Mf)9	06:04:35	1.0	Surface	1	2	18.26	8.13	32.6	95.0	6.4	2.5	2.0
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS(Mf)9	06:04:42	2.5	Bottom	3	1	18.25	8.12	32.7	94.4	6.4	2.8	2.9
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS(Mf)9	06:04:26	2.5	Bottom	3	2	18.17	8.12	32.7	93.9	6.3	2.8	3.3
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS10(N)	05:47:36	1.0	Surface	1	1	18.49	8.13	32.3	90.5	6.2	2.5	1.9
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS10(N)	05:46:56	1.0	Surface	1	2	18.40	8.12	32.3	90.0	6.1	2.5	1.6
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS10(N)	05:47:20	5.4	Middle	2	1	18.14	8.12	32.9	88.5	6.1	2.6	1.7
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS10(N)	05:46:43	5.4	Middle	2	2	18.12	8.12	32.9	88.8	6.1	2.6	1.5

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS10(N)	05:47:11	9.7	Bottom	3	1	18.18	8.12	32.9	89.3	6.1	3.0	1.4
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	IS10(N)	05:46:30	9.7	Bottom	3	2	18.13	8.12	32.9	89.3	6.1	3.0	1.4
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR3(N)	06:44:48	1.0	Surface	1	1	18.25	8.13	32.6	94.0	6.4	2.6	1.6
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR3(N)	06:44:33	1.0	Surface	1	2	18.23	8.12	32.6	93.5	6.3	2.7	1.8
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR3(N)	06:44:40	2.3	Bottom	3	1	18.21	8.12	32.7	93.1	6.3	2.9	2.4
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR3(N)	06:44:25	2.3	Bottom	3	2	18.16	8.12	32.8	92.3	6.2	2.8	2.1
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR4(N3)	05:50:13	1.0	Surface	1	1	18.25	8.12	32.6	94.7	6.4	2.4	1.1
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR4(N3)	05:49:55	1.0	Surface	1	2	18.21	8.12	32.6	94.6	6.4	2.4	1.4
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR4(N3)	05:50:04	2.9	Bottom	3	1	18.18	8.11	32.8	94.3	6.4	2.6	2.0
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR4(N3)	05:49:44	2.9	Bottom	3	2	18.14	8.12	32.8	94.6	6.4	2.6	2.2
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR5(N)	05:57:43	1.0	Surface	1	1	18.41	8.13	32.3	90.1	6.1	2.6	1.5
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR5(N)	05:56:59	1.0	Surface	1	2	18.42	8.13	32.3	89.9	6.1	2.6	1.5
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR5(N)	05:57:26	4.7	Middle	2	1	18.20	8.12	32.7	88.6	6.0	2.7	1.8
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR5(N)	05:56:45	4.7	Middle	2	2	18.19	8.12	32.7	88.7	6.1	2.8	1.9
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR5(N)	05:57:16	8.3	Bottom	3	1	18.17	8.12	32.9	89.0	6.1	3.1	2.1
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR5(N)	05:56:35	8.3	Bottom	3	2	18.15	8.12	32.9	89.1	6.1	3.1	2.4
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR10A(N)	04:55:08	1.0	Surface	1	1	18.52	8.11	32.4	90.4	6.1	1.8	2.5
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR10A(N)	04:54:22	1.0	Surface	1	2	18.54	8.11	32.4	89.3	6.1	2.0	2.1
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR10A(N)	04:54:06	6.6	Middle	2	1	18.13	8.10	33.1	87.5	6.0	2.0	1.6
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR10A(N)	04:54:47	6.6	Middle	2	2	18.13	8.11	33.1	87.3	6.0	2.1	1.8
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR10A(N)	04:53:56	12.2	Bottom	3	1	18.14	8.11	33.1	88.0	6.0	2.4	1.4
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR10A(N)	04:54:37	12.2	Bottom	3	2	18.18	8.10	33.2	88.1	6.0	2.4	1.6
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR10B(N2)	04:45:34	1.0	Surface	1	1	18.56	8.12	32.4	93.8	6.4	1.9	1.8
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR10B(N2)	04:44:51	1.0	Surface	1	2	18.58	8.11	32.4	93.8	6.4	2.0	1.5
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR10B(N2)	04:44:30	3.8	Middle	2	1	18.24	8.10	32.8	90.8	6.2	2.2	2.8
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR10B(N2)	04:45:20	3.8	Middle	2	2	18.29	8.11	32.7	90.5	6.2	2.1	2.3
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR10B(N2)	04:45:05	6.6	Bottom	3	1	18.22	8.11	33.0	88.9	6.1	2.4	2.7
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	SR10B(N2)	04:44:18	6.6	Bottom	3	2	18.14	8.09	33.1	89.0	6.1	2.5	3.0
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	CS2(A)	06:47:24	1.0	Surface	1	1	18.40	8.14	32.4	90.6	6.2	2.5	1.5
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	CS2(A)	06:48:04	1.0	Surface	1	2	18.41	8.14	32.4	90.8	6.2	2.5	1.5
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	CS2(A)	06:47:51	3.3	Middle	2	1	18.24	8.13	32.7	89.5	6.1	2.8	1.6
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	CS2(A)	06:47:11	3.3	Middle	2	2	18.24	8.13	32.7	89.4	6.1	2.8	1.8
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	CS2(A)	06:46:59	5.6	Bottom	3	1	18.14	8.13	32.9	89.3	6.1	2.9	2.2
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	CS2(A)	06:47:39	5.6	Bottom	3	2	18.16	8.13	32.9	89.4	6.1	3.1	2.3
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	CS(Mf)5	04:53:46	1.0	Surface	1	1	18.27	8.11	32.7	94.3	6.3	2.1	1.2
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	CS(Mf)5	04:52:59	1.0	Surface	1	2	18.24	8.09	32.7	94.2	6.4	2.2	1.4
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	CS(Mf)5	04:53:27	6.3	Middle	2	1	17.96	8.08	33.2	91.6	6.2	2.4	1.5
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	CS(Mf)5	04:52:44	6.3	Middle	2	2	17.97	8.08	33.2	92.2	6.2	2.4	1.4
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	CS(Mf)5	04:52:32	11.6	Bottom	3	1	17.98	8.08	33.3	91.1	6.2	2.7	1.8
HKLR	HY/2011/03	2024/01/05	Mid-Ebb	Fine	CS(Mf)5	04:53:15	11.6	Bottom	3	2	17.96	8.08	33.3	90.9	6.1	2.7	1.6
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS5	12:33:14	1.0	Surface	1	1	18.28	8.12	32.7	95.6	6.5	2.4	1.6
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS5	12:33:53	1.0	Surface	1	2	18.33	8.12	32.6	96.4	6.5	2.4	1.8
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS5	12:33:03	4.3	Middle	2	1	18.13	8.11	33.0	94.9	6.4	2.8	1.6
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS5	12:33:40	4.3	Middle	2	2	18.14	8.10	33.0	94.7	6.4	2.7	1.5
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS5	12:33:29	7.5	Bottom	3	1	18.13	8.11	33.0	94.6	6.4	3.0	1.4
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS5	12:32:53	7.5	Bottom	3	2	18.12	8.11	33.0	94.9	6.4	2.9	1.3
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS(Mf)6	12:44:07	1.0	Surface	1	1	18.33	8.13	32.6	98.5	6.7	2.3	1.6
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS(Mf)6	12:43:52	1.0	Surface	1	2	18.30	8.14	32.6	97.6	6.6	2.3	1.8
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS(Mf)6	12:44:00	2.2	Bottom	3	1	18.30	8.13	32.7	96.7	6.6	2.6	2.5
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS(Mf)6	12:43:44	2.2	Bottom	3	2	18.25	8.14	32.8	95.9	6.5	2.6	2.2
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS7	12:53:42	1.0	Surface	1	1	18.33	8.13	32.6	97.9	6.6	2.4	2.1
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS7	12:53:26	1.0	Surface	1	2	18.31	8.13	32.6	97.8	6.6	2.5	2.4
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS7	12:53:19	2.3	Bottom	3	1	18.28	8.13	32.8	97.6	6.6	2.6	3.2
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS7	12:53:33	2.3	Bottom	3	2	18.29	8.13	32.7	97.6	6.6	2.6	2.8
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS8(N)	13:27:37	1.0	Surface	1	1	18.30	8.12	32.6	96.1	6.5	2.6	1.9
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS8(N)	13:27:54	1.0	Surface	1	2	18.30	8.13	32.6	96.6	6.5	2.6	1.6
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS8(N)	13:27:45	3.0	Bottom	3	1	18.29	8.12	32.7	96.2	6.5	2.7	3.2
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS8(N)	13:27:28	3.0	Bottom	3	2	18.23	8.11	32.8	95.5	6.5	2.9	3.0

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS(Mf)9	13:04:10	1.0	Surface	1	1	18.32	8.13	32.6	97.5	6.6	2.3	2.5
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS(Mf)9	13:03:51	1.0	Surface	1	2	18.31	8.12	32.6	97.2	6.6	2.4	2.3
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS(Mf)9	13:04:00	2.6	Bottom	3	1	18.29	8.12	32.8	97.1	6.6	2.6	2.9
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS(Mf)9	13:03:43	2.6	Bottom	3	2	18.26	8.12	32.8	97.0	6.6	2.5	3.3
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS10(N)	13:33:44	1.0	Surface	1	1	18.55	8.13	32.0	90.8	6.2	2.5	2.5
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS10(N)	13:33:07	1.0	Surface	1	2	18.50	8.13	32.0	89.9	6.1	2.5	2.2
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS10(N)	13:32:54	5.2	Middle	2	1	18.22	8.12	32.8	89.1	6.1	2.7	2.1
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS10(N)	13:33:29	5.2	Middle	2	2	18.24	8.12	32.8	89.4	6.1	2.7	2.2
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS10(N)	13:33:22	9.4	Bottom	3	1	18.29	8.12	32.8	89.3	6.1	2.8	1.7
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	IS10(N)	13:32:43	9.4	Bottom	3	2	18.20	8.11	32.9	88.9	6.1	2.9	1.8
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR3(N)	12:22:24	1.0	Surface	1	1	18.33	8.14	32.6	98.4	6.7	2.6	1.5
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR3(N)	12:22:41	1.0	Surface	1	2	18.35	8.14	32.6	99.4	6.7	2.6	1.3
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR3(N)	12:22:30	2.2	Bottom	3	1	18.32	8.14	32.7	97.8	6.6	2.7	1.5
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR3(N)	12:22:14	2.2	Bottom	3	2	18.29	8.13	32.7	97.0	6.6	2.8	1.4
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR4(N3)	13:18:46	1.0	Surface	1	1	18.30	8.13	32.6	96.2	6.5	2.7	2.2
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR4(N3)	13:18:31	1.0	Surface	1	2	18.30	8.12	32.6	96.0	6.5	2.8	2.0
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR4(N3)	13:18:23	2.8	Bottom	3	1	18.27	8.11	32.8	95.2	6.5	2.9	1.9
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR4(N3)	13:18:40	2.8	Bottom	3	2	18.30	8.12	32.8	95.7	6.5	2.9	1.8
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR5(N)	13:23:26	1.0	Surface	1	1	18.49	8.13	32.0	90.8	6.2	2.3	1.3
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR5(N)	13:24:03	1.0	Surface	1	2	18.54	8.13	32.0	91.3	6.2	2.4	1.3
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR5(N)	13:23:50	4.7	Middle	2	1	18.29	8.12	32.6	89.7	6.1	2.5	1.6
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR5(N)	13:23:13	4.7	Middle	2	2	18.27	8.12	32.6	89.7	6.1	2.5	1.7
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR5(N)	13:23:03	8.3	Bottom	3	1	18.24	8.13	32.8	90.0	6.1	2.8	1.7
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR5(N)	13:23:41	8.3	Bottom	3	2	18.28	8.12	32.8	90.2	6.1	2.8	1.9
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR10A(N)	14:25:32	1.0	Surface	1	1	18.44	8.13	32.8	90.6	6.2	2.2	2.4
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR10A(N)	14:24:46	1.0	Surface	1	2	18.43	8.14	32.7	90.0	6.1	2.2	2.1
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR10A(N)	14:24:29	6.7	Middle	2	1	18.17	8.13	33.3	88.1	6.0	2.4	1.6
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR10A(N)	14:25:13	6.7	Middle	2	2	18.15	8.13	33.4	87.8	6.0	2.4	1.8
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR10A(N)	14:25:02	12.4	Bottom	3	1	18.16	8.13	33.4	88.2	6.0	2.5	1.4
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR10A(N)	14:24:16	12.4	Bottom	3	2	18.18	8.15	33.4	88.5	6.0	2.5	1.4
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR10B(N2)	14:35:54	1.0	Surface	1	1	18.46	8.13	32.8	89.4	6.1	2.0	2.3
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR10B(N2)	14:35:20	1.0	Surface	1	2	18.43	8.13	32.8	89.4	6.1	2.0	2.5
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR10B(N2)	14:35:08	3.8	Middle	2	1	18.25	8.13	33.1	88.6	6.0	2.2	1.9
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR10B(N2)	14:35:42	3.8	Middle	2	2	18.25	8.13	33.0	88.3	6.0	2.2	1.8
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR10B(N2)	14:34:58	6.5	Bottom	3	1	18.26	8.13	33.2	89.1	6.1	2.4	1.4
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	SR10B(N2)	14:35:32	6.5	Bottom	3	2	18.23	8.12	33.2	88.6	6.0	2.4	1.3
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	CS2(A)	12:32:28	1.0	Surface	1	1	18.48	8.13	32.2	92.2	6.3	2.3	1.5
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	CS2(A)	12:31:58	1.0	Surface	1	2	18.48	8.14	32.2	92.4	6.3	2.3	1.4
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	CS2(A)	12:32:17	3.3	Middle	2	1	18.29	8.14	32.7	90.9	6.2	2.5	1.7
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	CS2(A)	12:31:47	3.3	Middle	2	2	18.26	8.14	32.7	90.7	6.2	2.6	1.6
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	CS2(A)	12:32:09	5.5	Bottom	3	1	18.33	8.14	32.9	91.2	6.2	2.8	1.9
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	CS2(A)	12:31:38	5.5	Bottom	3	2	18.22	8.14	33.0	91.0	6.2	2.8	1.7
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	CS(Mf)5	14:15:10	1.0	Surface	1	1	18.32	8.12	32.8	92.7	6.3	2.4	1.7
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	CS(Mf)5	14:15:50	1.0	Surface	1	2	18.31	8.12	32.8	93.3	6.3	2.3	1.9
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	CS(Mf)5	14:15:36	6.3	Middle	2	1	17.92	8.08	33.4	90.3	6.1	2.6	1.4
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	CS(Mf)5	14:14:55	6.3	Middle	2	2	17.91	8.08	33.4	90.4	6.1	2.6	1.2
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	CS(Mf)5	14:15:26	11.6	Bottom	3	1	17.93	8.08	32.8	89.1	6.0	2.9	1.1
HKLR	HY/2011/03	2024/01/05	Mid-Flood	Fine	CS(Mf)5	14:14:44	11.6	Bottom	3	2	17.90	8.08	33.4	89.3	6.0	2.8	1.3
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS5	11:37:50	1.0	Surface	1	1	18.34	8.15	33.0	91.6	6.3	2.9	2.5
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS5	11:36:55	1.0	Surface	1	2	18.37	8.15	33.0	93.4	6.3	2.8	2.8
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS5	11:37:38	4.2	Middle	2	1	17.99	8.10	33.5	89.8	6.1	3.0	3.3
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS5	11:36:42	4.2	Middle	2	2	18.01	8.11	33.5	90.0	6.1	3.0	3.2
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS5	11:37:11	7.4	Bottom	3	1	17.88	8.10	33.6	88.7	6.0	3.3	3.7
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS5	11:36:31	7.4	Bottom	3	2	18.02	8.10	33.6	89.2	6.0	3.3	3.5
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS(Mf)6	11:27:45	1.0	Surface	1	1	18.45	8.17	33.0	96.7	6.6	2.7	2.4
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS(Mf)6	11:28:01	1.0	Surface	1	2	18.47	8.17	33.0	96.8	6.6	2.7	2.1
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS(Mf)6	11:27:35	2.2	Bottom	3	1	18.39	8.16	33.2	96.5	6.6	2.9	2.7
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS(Mf)6	11:27:52	2.2	Bottom	3	2	18.42	8.16	33.1	96.6	6.6	3.0	2.8

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS7	11:17:28	1.0	Surface	1	1	18.43	8.17	33.0	96.0	6.5	2.5	4.1
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS7	11:17:43	1.0	Surface	1	2	18.47	8.17	33.0	96.4	6.5	2.4	3.7
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS7	11:17:34	2.3	Bottom	3	1	18.42	8.15	33.1	96.0	6.5	3.1	4.6
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS7	11:17:20	2.3	Bottom	3	2	18.39	8.15	33.1	96.0	6.5	3.0	5.0
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS8(N)	10:45:16	1.0	Surface	1	1	18.39	8.15	33.0	96.1	6.5	2.7	3.3
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS8(N)	10:44:48	1.0	Surface	1	2	18.44	8.15	32.9	95.2	6.5	2.6	3.7
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS8(N)	10:44:55	3.1	Bottom	3	1	18.34	8.14	33.2	95.2	6.5	3.0	4.8
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS8(N)	10:44:36	3.1	Bottom	3	2	18.32	8.16	33.3	93.8	6.4	2.9	5.2
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS(Mf)9	11:06:36	1.0	Surface	1	1	18.49	8.17	32.9	96.2	6.5	2.5	3.3
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS(Mf)9	11:06:22	1.0	Surface	1	2	18.47	8.17	33.0	95.8	6.5	2.7	3.0
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS(Mf)9	11:06:28	2.5	Bottom	3	1	18.46	8.16	33.1	94.9	6.4	3.1	3.8
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS(Mf)9	11:06:13	2.5	Bottom	3	2	18.37	8.17	33.1	94.1	6.4	3.1	4.3
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS10(N)	10:59:57	1.0	Surface	1	1	18.35	8.15	32.7	91.7	6.4	2.7	2.5
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS10(N)	11:00:37	1.0	Surface	1	2	18.42	8.16	32.7	92.2	6.4	2.8	2.3
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS10(N)	11:00:21	5.3	Middle	2	1	18.14	8.14	33.3	90.3	6.2	3.0	2.8
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS10(N)	10:59:43	5.3	Middle	2	2	18.15	8.14	33.3	90.5	6.3	3.0	2.8
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS10(N)	11:00:11	9.6	Bottom	3	1	18.20	8.13	33.4	91.2	6.3	3.3	3.1
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	IS10(N)	10:59:32	9.6	Bottom	3	2	18.15	8.13	33.4	91.0	6.3	3.4	3.5
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR3(N)	11:48:31	1.0	Surface	1	1	18.43	8.17	33.0	94.2	6.4	2.9	3.3
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR3(N)	11:48:16	1.0	Surface	1	2	18.40	8.15	33.0	93.4	6.4	3.1	3.1
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR3(N)	11:48:23	2.3	Bottom	3	1	18.39	8.15	33.1	92.7	6.3	3.1	2.6
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR3(N)	11:48:08	2.3	Bottom	3	2	18.31	8.14	33.2	91.5	6.2	3.3	2.7
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR4(N3)	10:54:12	1.0	Surface	1	1	18.44	8.16	32.9	95.2	6.5	2.5	2.9
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR4(N3)	10:53:53	1.0	Surface	1	2	18.36	8.15	33.0	95.2	6.5	2.4	2.6
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR4(N3)	10:54:02	2.9	Bottom	3	1	18.33	8.14	33.2	94.8	6.4	2.7	2.3
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR4(N3)	10:53:43	2.9	Bottom	3	2	18.29	8.15	33.3	95.3	6.5	2.8	2.0
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR5(N)	11:08:24	1.0	Surface	1	1	18.34	8.15	32.7	91.3	6.3	2.9	3.2
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR5(N)	11:07:43	1.0	Surface	1	2	18.35	8.15	32.7	91.4	6.3	2.9	3.0
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR5(N)	11:08:09	4.7	Middle	2	1	18.18	8.14	33.2	90.0	6.2	3.0	3.7
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR5(N)	11:07:30	4.7	Middle	2	2	18.19	8.14	33.2	90.3	6.2	3.1	3.4
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR5(N)	11:07:59	8.3	Bottom	3	1	18.15	8.13	33.4	90.5	6.2	3.4	4.1
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR5(N)	11:07:19	8.3	Bottom	3	2	18.12	8.13	33.5	90.6	6.2	3.4	3.8
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR10A(N)	10:06:38	1.0	Surface	1	1	18.43	8.15	32.9	91.0	6.3	2.3	2.3
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR10A(N)	10:05:54	1.0	Surface	1	2	18.45	8.15	32.9	90.6	6.3	2.4	2.5
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR10A(N)	10:05:37	6.6	Middle	2	1	18.13	8.12	33.5	89.0	6.1	2.5	2.8
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR10A(N)	10:06:21	6.6	Middle	2	2	18.13	8.13	33.5	88.9	6.1	2.5	2.6
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR10A(N)	10:05:27	12.1	Bottom	3	1	18.13	8.13	33.6	89.7	6.2	2.8	3.0
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR10A(N)	10:06:10	12.1	Bottom	3	2	18.20	8.12	33.7	89.8	6.2	2.8	3.3
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR10B(N2)	09:56:49	1.0	Surface	1	1	18.48	8.15	32.9	95.2	6.5	2.3	2.1
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR10B(N2)	09:56:09	1.0	Surface	1	2	18.49	8.14	32.8	95.0	6.6	2.4	2.3
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR10B(N2)	09:55:45	3.7	Middle	2	1	18.24	8.12	33.3	92.5	6.4	2.7	2.8
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR10B(N2)	09:56:36	3.7	Middle	2	2	18.27	8.13	33.2	91.7	6.3	2.5	2.5
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR10B(N2)	09:56:24	6.4	Bottom	3	1	18.19	8.13	33.5	90.5	6.3	2.8	4.0
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	SR10B(N2)	09:55:34	6.4	Bottom	3	2	18.15	8.12	33.6	90.7	6.3	2.8	3.7
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	CS2(A)	12:01:57	1.0	Surface	1	1	18.36	8.16	32.8	92.5	6.4	2.8	2.4
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	CS2(A)	12:01:21	1.0	Surface	1	2	18.35	8.17	32.8	92.4	6.4	2.8	2.1
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	CS2(A)	12:01:45	3.3	Middle	2	1	18.24	8.15	33.1	91.4	6.3	3.1	2.9
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	CS2(A)	12:01:09	3.3	Middle	2	2	18.25	8.15	33.1	91.2	6.3	3.1	2.6
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	CS2(A)	12:00:57	5.6	Bottom	3	1	18.16	8.14	33.3	91.3	6.3	3.3	3.6
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	CS2(A)	12:01:35	5.6	Bottom	3	2	18.19	8.15	33.3	91.5	6.3	3.4	3.2
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	CS(Mf)5	10:03:53	1.0	Surface	1	1	18.37	8.14	33.0	94.2	6.4	2.4	2.4
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	CS(Mf)5	10:03:08	1.0	Surface	1	2	18.35	8.13	33.1	93.6	6.4	2.5	2.2
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	CS(Mf)5	10:03:36	6.3	Middle	2	1	18.04	8.12	33.6	91.2	6.2	2.6	2.6
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	CS(Mf)5	10:02:53	6.3	Middle	2	2	18.07	8.12	33.6	91.9	6.3	2.7	3.0
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	CS(Mf)5	10:03:24	11.6	Bottom	3	1	18.01	8.11	33.7	90.5	6.1	2.9	3.4
HKLR	HY/2011/03	2024/01/08	Mid-Ebb	Fine	CS(Mf)5	10:02:42	11.6	Bottom	3	2	18.09	8.12	33.7	90.2	6.2	2.9	3.7
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS5	14:26:53	1.0	Surface	1	1	18.64	8.16	32.9	98.5	6.7	2.6	2.6
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS5	14:26:12	1.0	Surface	1	2	18.57	8.15	32.9	97.4	6.6	2.5	2.1

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS5	14:26:02	4.2	Middle	2	1	18.40	8.14	33.3	96.7	6.6	3.1	3.3
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS5	14:26:38	4.2	Middle	2	2	18.42	8.14	33.3	96.8	6.6	3.0	3.0
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS5	14:26:27	7.4	Bottom	3	1	18.41	8.14	33.3	96.7	6.6	3.1	4.0
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS5	14:25:52	7.4	Bottom	3	2	18.40	8.14	33.4	96.8	6.6	3.1	4.2
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS(Mf)6	14:35:34	1.0	Surface	1	1	18.59	8.16	32.9	99.2	6.8	2.5	2.8
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS(Mf)6	14:35:19	1.0	Surface	1	2	18.56	8.17	32.9	98.2	6.7	2.4	3.0
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS(Mf)6	14:35:26	2.2	Bottom	3	1	18.55	8.16	33.0	97.0	6.6	2.9	3.2
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS(Mf)6	14:35:10	2.2	Bottom	3	2	18.50	8.18	33.0	95.5	6.5	2.9	3.6
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS7	14:44:58	1.0	Surface	1	1	18.59	8.17	32.9	99.3	6.8	2.6	2.8
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS7	14:44:41	1.0	Surface	1	2	18.56	8.16	32.9	99.1	6.7	2.8	3.2
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS7	14:44:34	2.3	Bottom	3	1	18.52	8.16	33.1	98.9	6.7	3.0	1.6
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS7	14:44:48	2.3	Bottom	3	2	18.54	8.16	33.1	98.9	6.7	3.0	1.7
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS8(N)	15:19:27	1.0	Surface	1	1	18.55	8.15	32.9	97.2	6.6	2.9	3.1
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS8(N)	15:19:43	1.0	Surface	1	2	18.55	8.16	32.9	97.8	6.7	2.9	3.5
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS8(N)	15:19:34	3.0	Bottom	3	1	18.54	8.15	33.0	97.3	6.6	3.0	4.2
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS8(N)	15:19:18	3.0	Bottom	3	2	18.47	8.14	33.1	96.8	6.6	3.2	4.6
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS(Mf)9	14:57:06	1.0	Surface	1	1	18.58	8.16	32.9	99.1	6.7	2.5	4.2
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS(Mf)9	14:56:48	1.0	Surface	1	2	18.57	8.15	32.9	98.7	6.7	2.6	3.9
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS(Mf)9	14:56:57	2.5	Bottom	3	1	18.53	8.15	33.1	98.6	6.7	2.8	5.1
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS(Mf)9	14:56:40	2.5	Bottom	3	2	18.49	8.15	33.1	98.5	6.7	2.7	4.8
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS10(N)	15:25:20	1.0	Surface	1	1	18.48	8.16	32.6	91.2	6.3	2.8	6.2
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS10(N)	15:25:58	1.0	Surface	1	2	18.53	8.16	32.6	92.1	6.4	2.8	5.8
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS10(N)	15:25:08	5.2	Middle	2	1	18.16	8.13	33.4	90.5	6.2	3.0	5.5
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS10(N)	15:25:44	5.2	Middle	2	2	18.17	8.13	33.4	90.9	6.3	3.1	5.2
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS10(N)	15:25:35	9.4	Bottom	3	1	18.19	8.13	33.4	90.3	6.2	3.2	4.9
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	IS10(N)	15:24:57	9.4	Bottom	3	2	18.15	8.13	33.5	90.4	6.2	3.2	4.6
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR3(N)	14:15:58	1.0	Surface	1	1	18.61	8.17	32.9	99.1	6.7	2.8	5.2
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR3(N)	14:16:15	1.0	Surface	1	2	18.63	8.17	32.9	100.2	6.8	2.8	5.6
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR3(N)	14:16:04	2.3	Bottom	3	1	18.60	8.17	33.0	98.4	6.7	2.9	3.4
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR3(N)	14:15:48	2.3	Bottom	3	2	18.56	8.16	33.0	96.9	6.6	3.0	2.9
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR4(N3)	15:10:07	1.0	Surface	1	1	18.55	8.16	32.9	97.1	6.6	2.9	5.8
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR4(N3)	15:09:52	1.0	Surface	1	2	18.55	8.15	32.9	96.8	6.6	3.0	5.2
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR4(N3)	15:10:01	2.8	Bottom	3	1	18.53	8.15	33.1	96.2	6.5	3.0	4.0
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR4(N3)	15:09:45	2.8	Bottom	3	2	18.51	8.14	33.1	95.4	6.5	3.0	3.6
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR5(N)	15:16:24	1.0	Surface	1	1	18.50	8.17	32.6	93.2	6.4	2.8	4.8
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR5(N)	15:15:44	1.0	Surface	1	2	18.46	8.17	32.6	92.6	6.4	2.8	4.6
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR5(N)	15:16:10	4.6	Middle	2	1	18.22	8.14	33.2	90.6	6.2	2.9	3.6
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR5(N)	15:15:31	4.6	Middle	2	2	18.23	8.14	33.2	90.6	6.2	3.0	3.3
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR5(N)	15:16:00	8.2	Bottom	3	1	18.18	8.13	33.4	91.1	6.3	3.4	2.3
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR5(N)	15:15:20	8.2	Bottom	3	2	18.16	8.14	33.5	90.8	6.2	3.3	2.4
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR10A(N)	16:28:30	1.0	Surface	1	1	18.36	8.17	33.2	92.3	6.3	2.4	3.8
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR10A(N)	16:27:45	1.0	Surface	1	2	18.42	8.17	33.2	92.2	6.3	2.3	3.4
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR10A(N)	16:27:29	6.6	Middle	2	1	18.15	8.16	33.8	90.5	6.2	2.8	4.1
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR10A(N)	16:28:13	6.6	Middle	2	2	18.14	8.16	33.8	90.2	6.2	2.8	4.4
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR10A(N)	16:28:18	12.2	Bottom	3	1	18.15	8.17	33.9	91.0	6.2	2.8	4.6
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR10A(N)	16:28:02	12.2	Bottom	3	2	18.17	8.16	33.9	91.0	6.2	2.9	5.0
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR10B(N2)	16:39:56	1.0	Surface	1	1	18.42	8.16	33.3	92.0	6.3	2.3	3.0
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR10B(N2)	16:39:21	1.0	Surface	1	2	18.40	8.16	33.3	91.6	6.3	2.2	2.6
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR10B(N2)	16:39:08	3.7	Middle	2	1	18.24	8.15	33.6	90.9	6.2	2.5	2.8
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR10B(N2)	16:39:44	3.7	Middle	2	2	18.24	8.15	33.6	90.8	6.2	2.5	2.4
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR10B(N2)	16:38:58	6.4	Bottom	3	1	18.20	8.15	33.8	90.8	6.2	2.7	2.2
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	SR10B(N2)	16:39:33	6.4	Bottom	3	2	18.23	8.15	33.7	90.5	6.2	2.7	2.0
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	CS2(A)	14:14:56	1.0	Surface	1	1	18.46	8.18	32.7	95.6	6.6	2.7	2.4
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	CS2(A)	14:15:28	1.0	Surface	1	2	18.46	8.18	32.7	95.4	6.6	2.6	2.2
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	CS2(A)	14:15:17	3.3	Middle	2	1	18.30	8.16	33.3	93.6	6.5	2.9	2.5
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	CS2(A)	14:14:45	3.3	Middle	2	2	18.23	8.16	33.3	93.2	6.4	3.1	2.8
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	CS2(A)	14:14:36	5.5	Bottom	3	1	18.21	8.16	33.5	93.4	6.4	3.3	3.3
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	CS2(A)	14:15:08	5.5	Bottom	3	2	18.26	8.15	33.4	94.1	6.5	3.2	3.1

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	CS(Mf)5	16:01:26	1.0	Surface	1	1	18.51	8.14	33.0	90.8	6.2	2.5	2.9
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	CS(Mf)5	16:02:05	1.0	Surface	1	2	18.50	8.14	33.0	91.5	6.2	2.3	3.2
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	CS(Mf)5	16:01:12	6.3	Middle	2	1	17.87	8.09	33.8	88.2	6.0	2.6	3.6
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	CS(Mf)5	16:01:51	6.3	Middle	2	2	17.88	8.09	33.8	88.5	6.0	2.7	3.3
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	CS(Mf)5	16:01:42	11.6	Bottom	3	1	17.88	8.09	32.8	87.5	5.9	3.0	3.8
HKLR	HY/2011/03	2024/01/08	Mid-Flood	Fine	CS(Mf)5	16:01:01	11.6	Bottom	3	2	17.85	8.09	33.8	87.7	6.0	2.9	4.2
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS5	11:05:42	1.0	Surface	1	1	18.61	8.28	32.0	94.6	6.5	2.6	2.8
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS5	11:06:22	1.0	Surface	1	2	18.65	8.28	32.0	94.6	6.5	2.7	3.2
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS5	11:05:31	4.2	Middle	2	1	18.39	8.26	32.6	93.6	6.5	3.1	4.0
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS5	11:06:07	4.2	Middle	2	2	18.41	8.26	32.7	93.4	6.5	3.0	3.6
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS5	11:05:20	7.4	Bottom	3	1	18.39	8.26	32.9	93.3	6.5	3.1	4.7
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS5	11:05:57	7.4	Bottom	3	2	18.40	8.26	32.8	93.0	6.4	3.1	4.3
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS(Mf)6	11:15:06	1.0	Surface	1	1	18.62	8.28	31.9	96.3	6.6	2.6	4.7
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS(Mf)6	11:14:51	1.0	Surface	1	2	18.61	8.29	31.9	95.6	6.6	2.5	4.3
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS(Mf)6	11:14:58	2.2	Bottom	3	1	18.57	8.28	32.1	94.9	6.5	2.9	4.0
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS(Mf)6	11:14:40	2.2	Bottom	3	2	18.54	8.30	32.1	94.2	6.5	2.9	3.7
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS7	11:25:02	1.0	Surface	1	1	18.62	8.29	32.0	96.1	6.6	2.5	3.8
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS7	11:24:44	1.0	Surface	1	2	18.60	8.28	32.0	96.1	6.6	2.6	4.0
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS7	11:24:51	2.3	Bottom	3	1	18.56	8.28	32.1	95.7	6.6	2.8	4.8
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS7	11:24:36	2.3	Bottom	3	2	18.53	8.28	32.2	95.9	6.6	2.8	4.6
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS8(N)	11:57:29	1.0	Surface	1	1	18.61	8.27	32.0	94.2	6.5	2.7	3.2
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS8(N)	11:57:47	1.0	Surface	1	2	18.62	8.28	32.0	94.4	6.5	2.8	3.6
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS8(N)	11:57:38	3.0	Bottom	3	1	18.58	8.27	32.1	94.0	6.5	3.0	4.5
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS8(N)	11:57:19	3.0	Bottom	3	2	18.52	8.26	32.2	93.6	6.5	3.1	4.8
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS(Mf)9	11:33:45	1.0	Surface	1	1	18.62	8.28	32.0	95.3	6.6	2.5	5.2
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS(Mf)9	11:33:25	1.0	Surface	1	2	18.61	8.28	32.0	95.2	6.6	2.6	4.8
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS(Mf)9	11:33:35	2.6	Bottom	3	1	18.55	8.28	32.2	95.0	6.6	2.7	3.3
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS(Mf)9	11:33:16	2.6	Bottom	3	2	18.52	8.28	32.2	94.9	6.5	2.7	3.5
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS10(N)	12:07:40	1.0	Surface	1	1	18.39	8.26	31.3	90.7	6.3	2.8	2.8
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS10(N)	12:08:20	1.0	Surface	1	2	18.44	8.26	31.3	91.4	6.3	2.8	2.6
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS10(N)	12:08:05	5.3	Middle	2	1	18.14	8.24	32.6	90.1	6.2	3.2	3.5
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS10(N)	12:07:28	5.3	Middle	2	2	18.13	8.24	32.6	89.9	6.2	3.1	3.2
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS10(N)	12:07:55	9.5	Bottom	3	1	18.17	8.24	32.7	89.9	6.2	3.4	4.1
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	IS10(N)	12:07:18	9.5	Bottom	3	2	18.13	8.24	32.7	90.0	6.2	3.3	3.8
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR3(N)	10:55:47	1.0	Surface	1	1	18.64	8.28	32.0	97.5	6.7	2.7	2.5
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR3(N)	10:55:30	1.0	Surface	1	2	18.63	8.28	31.9	96.1	6.7	2.7	2.1
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR3(N)	10:55:37	2.3	Bottom	3	1	18.61	8.28	32.2	95.7	6.6	2.8	2.7
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR3(N)	10:55:20	2.3	Bottom	3	2	18.58	8.27	32.2	94.8	6.6	2.8	3.0
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR4(N3)	11:49:19	1.0	Surface	1	1	18.59	8.27	32.0	93.4	6.4	2.5	2.7
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR4(N3)	11:49:03	1.0	Surface	1	2	18.60	8.27	32.0	93.2	6.4	2.6	3.0
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR4(N3)	11:49:12	2.8	Bottom	3	1	18.54	8.27	32.2	92.8	6.4	2.7	4.0
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR4(N3)	11:48:54	2.8	Bottom	3	2	18.55	8.26	32.2	92.4	6.4	2.7	4.4
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR5(N)	11:59:36	1.0	Surface	1	1	18.41	8.27	31.3	92.3	6.4	2.6	2.8
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR5(N)	11:58:58	1.0	Surface	1	2	18.39	8.28	31.3	91.9	6.4	2.6	3.1
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR5(N)	11:59:22	4.6	Middle	2	1	18.17	8.25	32.5	90.3	6.2	3.0	3.4
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR5(N)	11:58:45	4.6	Middle	2	2	18.18	8.26	32.4	90.2	6.2	3.0	3.8
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR5(N)	11:58:34	8.2	Bottom	3	1	18.13	8.25	32.9	90.5	6.2	3.4	4.3
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR5(N)	11:59:12	8.2	Bottom	3	2	18.17	8.24	32.9	90.7	6.2	3.5	4.6
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR10A(N)	13:04:30	1.0	Surface	1	1	18.32	8.28	32.7	92.4	6.3	2.2	3.4
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR10A(N)	13:05:15	1.0	Surface	1	2	18.28	8.28	32.7	92.8	6.4	2.2	3.7
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR10A(N)	13:04:14	6.5	Middle	2	1	18.07	8.28	33.6	90.6	6.2	2.6	3.2
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR10A(N)	13:04:57	6.5	Middle	2	2	18.07	8.27	33.6	89.7	6.1	2.6	2.8
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR10A(N)	13:04:03	12.0	Bottom	3	1	18.08	8.29	33.7	90.4	6.2	2.7	2.5
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR10A(N)	13:04:46	12.0	Bottom	3	2	18.10	8.27	33.6	90.3	6.2	2.7	2.2
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR10B(N2)	13:15:52	1.0	Surface	1	1	18.31	8.27	32.8	90.9	6.2	2.1	4.2
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR10B(N2)	13:15:16	1.0	Surface	1	2	18.30	8.27	32.8	90.9	6.2	2.1	3.8
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR10B(N2)	13:15:40	3.6	Middle	2	1	18.16	8.26	33.2	89.9	6.2	2.4	3.5
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR10B(N2)	13:15:04	3.6	Middle	2	2	18.16	8.27	33.2	89.9	6.2	2.4	3.2

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR10B(N2)	13:14:54	6.2	Bottom	3	1	18.13	8.26	33.4	90.0	6.2	2.6	2.6
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	SR10B(N2)	13:15:28	6.2	Bottom	3	2	18.16	8.26	33.4	89.9	6.2	2.7	2.9
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	CS2(A)	11:01:11	1.0	Surface	1	1	18.34	8.28	31.4	95.3	6.6	2.7	2.8
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	CS2(A)	11:00:39	1.0	Surface	1	2	18.33	8.29	31.5	95.6	6.6	2.7	2.5
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	CS2(A)	11:00:59	3.3	Middle	2	1	18.19	8.27	32.5	92.9	6.4	3.1	3.4
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	CS2(A)	11:00:29	3.3	Middle	2	2	18.15	8.28	32.5	93.2	6.5	3.2	3.2
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	CS2(A)	11:00:18	5.5	Bottom	3	1	18.13	8.28	32.8	92.7	6.4	3.5	4.0
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	CS2(A)	11:00:51	5.5	Bottom	3	2	18.18	8.26	32.7	93.1	6.4	3.5	3.8
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	CS(Mf)5	12:41:10	1.0	Surface	1	1	18.57	8.27	32.4	90.4	6.2	2.2	4.3
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	CS(Mf)5	12:40:27	1.0	Surface	1	2	18.58	8.27	32.3	90.2	6.2	2.3	4.0
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	CS(Mf)5	12:40:11	6.3	Middle	2	1	18.07	8.23	33.3	87.8	6.0	2.5	3.7
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	CS(Mf)5	12:40:53	6.3	Middle	2	2	18.08	8.23	33.3	88.2	6.1	2.5	3.9
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	CS(Mf)5	12:40:43	11.5	Bottom	3	1	18.08	8.22	32.5	87.3	6.0	2.8	3.5
HKLR	HY/2011/03	2024/01/10	Mid-Ebb	Fine	CS(Mf)5	12:40:00	11.5	Bottom	3	2	18.06	8.23	33.5	87.3	6.0	2.7	3.3
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS5	07:33:03	1.0	Surface	1	1	18.49	8.28	32.0	90.8	6.3	2.7	2.5
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS5	07:32:14	1.0	Surface	1	2	18.51	8.28	31.9	92.8	6.4	2.6	2.9
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS5	07:31:59	4.2	Middle	2	1	18.23	8.24	32.8	89.6	6.2	3.0	3.2
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS5	07:32:49	4.2	Middle	2	2	18.22	8.24	32.9	89.0	6.2	3.0	3.6
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS5	07:32:29	7.4	Bottom	3	1	18.16	8.23	33.0	88.5	6.1	3.2	4.2
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS5	07:31:49	7.4	Bottom	3	2	18.23	8.24	33.0	89.1	6.1	3.2	3.8
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS(Mf)6	07:22:11	1.0	Surface	1	1	18.54	8.29	32.0	93.8	6.4	2.5	3.0
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS(Mf)6	07:22:28	1.0	Surface	1	2	18.56	8.29	32.0	93.7	6.4	2.5	2.6
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS(Mf)6	07:22:00	2.2	Bottom	3	1	18.48	8.28	32.2	93.6	6.4	2.7	3.1
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS(Mf)6	07:22:19	2.2	Bottom	3	2	18.50	8.28	32.2	93.5	6.4	2.8	3.5
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS7	07:13:29	1.0	Surface	1	1	18.56	8.28	31.9	94.0	6.5	2.4	4.1
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS7	07:13:12	1.0	Surface	1	2	18.51	8.29	32.0	93.9	6.5	2.4	3.8
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS7	07:13:19	2.3	Bottom	3	1	18.49	8.27	32.1	93.7	6.4	2.8	3.0
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS7	07:13:01	2.3	Bottom	3	2	18.47	8.28	32.1	94.4	6.5	2.8	3.4
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS8(N)	06:39:20	1.0	Surface	1	1	18.55	8.28	32.0	93.2	6.5	2.4	2.9
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS8(N)	06:39:47	1.0	Surface	1	2	18.51	8.27	32.0	93.6	6.5	2.4	3.3
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS8(N)	06:39:28	3.1	Bottom	3	1	18.43	8.26	32.6	92.9	6.4	2.7	3.9
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS8(N)	06:39:08	3.1	Bottom	3	2	18.41	8.28	32.6	92.3	6.4	2.7	4.2
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS(Mf)9	07:03:07	1.0	Surface	1	1	18.56	8.29	32.0	93.7	6.4	2.4	4.8
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS(Mf)9	07:03:23	1.0	Surface	1	2	18.58	8.29	32.0	93.8	6.5	2.3	4.3
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS(Mf)9	07:03:14	2.6	Bottom	3	1	18.52	8.28	32.2	93.1	6.4	2.7	3.4
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS(Mf)9	07:02:57	2.6	Bottom	3	2	18.47	8.29	32.1	92.8	6.4	2.7	3.8
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS10(N)	06:46:13	1.0	Surface	1	1	18.22	8.27	31.8	91.8	6.4	2.7	2.9
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS10(N)	06:46:54	1.0	Surface	1	2	18.28	8.28	31.8	92.2	6.4	2.7	3.2
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS10(N)	06:46:38	5.3	Middle	2	1	18.06	8.26	32.8	90.0	6.2	3.0	3.7
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS10(N)	06:46:00	5.3	Middle	2	2	18.06	8.26	32.8	90.3	6.2	3.0	3.4
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS10(N)	06:46:29	9.6	Bottom	3	1	18.10	8.25	32.9	90.2	6.2	3.4	3.8
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	IS10(N)	06:45:48	9.6	Bottom	3	2	18.07	8.25	32.9	90.0	6.2	3.4	4.0
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR3(N)	07:42:35	1.0	Surface	1	1	18.52	8.27	31.9	92.7	6.4	2.7	4.8
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR3(N)	07:42:52	1.0	Surface	1	2	18.54	8.28	31.9	93.1	6.4	2.5	4.4
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR3(N)	07:42:43	2.3	Bottom	3	1	18.49	8.27	32.2	92.2	6.4	2.8	3.6
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR3(N)	07:42:26	2.3	Bottom	3	2	18.44	8.26	32.1	91.8	6.4	2.9	3.3
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR4(N3)	06:49:11	1.0	Surface	1	1	18.55	8.27	32.1	93.6	6.5	2.3	2.8
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR4(N3)	06:48:52	1.0	Surface	1	2	18.51	8.27	32.1	93.4	6.5	2.3	3.1
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR4(N3)	06:49:01	2.9	Bottom	3	1	18.44	8.26	32.5	92.7	6.4	2.5	2.4
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR4(N3)	06:48:40	2.9	Bottom	3	2	18.40	8.27	32.6	93.1	6.4	2.5	2.1
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR5(N)	06:56:58	1.0	Surface	1	1	18.23	8.27	31.8	91.0	6.3	2.7	2.4
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR5(N)	06:56:16	1.0	Surface	1	2	18.25	8.27	31.9	91.0	6.3	2.7	2.1
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR5(N)	06:56:44	4.6	Middle	2	1	18.10	8.26	32.7	89.9	6.2	3.1	2.7
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR5(N)	06:56:03	4.6	Middle	2	2	18.10	8.26	32.7	89.9	6.2	3.1	2.5
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR5(N)	06:56:34	8.2	Bottom	3	1	18.08	8.25	32.9	90.3	6.2	3.5	3.0
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR5(N)	06:55:52	8.2	Bottom	3	2	18.06	8.25	32.9	90.2	6.2	3.4	3.3
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR10A(N)	05:55:46	1.0	Surface	1	1	18.32	8.27	32.0	90.8	6.3	1.9	2.7
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR10A(N)	05:55:02	1.0	Surface	1	2	18.32	8.27	32.1	90.6	6.3	2.0	2.3

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR10A(N)	05:54:47	6.5	Middle	2	1	18.07	8.24	33.0	89.0	6.1	2.3	3.2
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR10A(N)	05:55:28	6.5	Middle	2	2	18.07	8.25	33.0	88.8	6.1	2.3	2.8
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR10A(N)	05:55:19	12.0	Bottom	3	1	18.12	8.24	33.2	89.4	6.1	2.7	3.4
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR10A(N)	05:54:36	12.0	Bottom	3	2	18.08	8.25	33.2	89.3	6.1	2.7	3.7
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR10B(N2)	05:48:46	1.0	Surface	1	1	18.33	8.27	32.0	95.2	6.5	2.1	3.1
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR10B(N2)	05:48:06	1.0	Surface	1	2	18.34	8.25	32.0	95.5	6.6	2.2	3.3
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR10B(N2)	05:47:48	3.7	Middle	2	1	18.15	8.24	32.9	92.4	6.4	2.4	2.6
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR10B(N2)	05:48:32	3.7	Middle	2	2	18.17	8.25	32.8	91.3	6.3	2.3	3.0
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR10B(N2)	05:48:20	6.3	Bottom	3	1	18.12	8.24	33.1	90.5	6.2	2.7	2.3
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	SR10B(N2)	05:47:36	6.3	Bottom	3	2	18.16	8.23	33.2	90.7	6.3	2.6	2.7
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	CS2(A)	07:46:13	1.0	Surface	1	1	18.21	8.28	31.9	92.4	6.4	2.9	3.8
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	CS2(A)	07:45:36	1.0	Surface	1	2	18.20	8.29	31.8	92.4	6.4	2.8	4.3
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	CS2(A)	07:46:01	3.3	Middle	2	1	18.09	8.27	32.6	91.4	6.3	3.2	3.2
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	CS2(A)	07:45:24	3.3	Middle	2	2	18.10	8.27	32.6	91.3	6.3	3.2	3.5
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	CS2(A)	07:45:12	5.5	Bottom	3	1	18.04	8.27	32.9	91.3	6.3	3.5	2.6
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	CS2(A)	07:45:51	5.5	Bottom	3	2	18.07	8.27	32.9	91.4	6.3	3.6	2.9
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	CS(Mf)5	05:56:52	1.0	Surface	1	1	18.48	8.26	32.2	93.5	6.4	2.1	3.2
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	CS(Mf)5	05:56:03	1.0	Surface	1	2	18.44	8.26	32.2	92.9	6.4	2.2	2.8
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	CS(Mf)5	05:56:32	6.2	Middle	2	1	18.13	8.24	33.2	90.7	6.2	2.4	3.8
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	CS(Mf)5	05:55:48	6.2	Middle	2	2	18.15	8.24	33.1	91.4	6.3	2.5	3.5
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	CS(Mf)5	05:55:36	11.4	Bottom	3	1	18.15	8.24	33.3	89.5	6.2	2.7	4.6
HKLR	HY/2011/03	2024/01/10	Mid-Flood	Fine	CS(Mf)5	05:56:20	11.4	Bottom	3	2	18.10	8.24	33.3	89.5	6.2	2.7	4.3
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS5	12:36:19	1.0	Surface	1	1	18.46	8.24	32.7	97.7	6.7	2.6	2.6
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS5	12:36:59	1.0	Surface	1	2	18.53	8.24	32.7	98.3	6.7	2.6	2.2
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS5	12:36:09	4.3	Middle	2	1	18.27	8.22	33.3	96.9	6.6	3.0	2.6
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS5	12:36:45	4.3	Middle	2	2	18.29	8.22	33.3	96.8	6.6	3.0	3.0
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS5	12:35:58	7.5	Bottom	3	1	18.26	8.22	33.4	96.9	6.6	3.1	3.2
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS5	12:36:35	7.5	Bottom	3	2	18.28	8.22	33.3	96.7	6.6	3.1	3.5
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS(Mf)6	12:45:42	1.0	Surface	1	1	18.49	8.24	32.7	99.9	6.8	2.5	1.4
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS(Mf)6	12:45:28	1.0	Surface	1	2	18.46	8.25	32.7	99.0	6.8	2.4	1.2
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS(Mf)6	12:45:34	2.2	Bottom	3	1	18.44	8.24	32.9	97.8	6.7	2.9	2.7
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS(Mf)6	12:45:18	2.2	Bottom	3	2	18.39	8.26	32.9	96.7	6.6	2.9	2.3
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS7	12:55:04	1.0	Surface	1	1	18.48	8.25	32.7	99.2	6.8	2.6	1.7
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS7	12:54:46	1.0	Surface	1	2	18.46	8.24	32.7	99.2	6.8	2.8	1.6
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS7	12:54:39	2.3	Bottom	3	1	18.40	8.24	32.9	99.1	6.8	2.9	2.2
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS7	12:54:53	2.3	Bottom	3	2	18.42	8.24	32.9	98.9	6.7	2.9	2.5
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS8(N)	13:27:37	1.0	Surface	1	1	18.46	8.23	32.7	97.3	6.6	2.9	1.7
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS8(N)	13:27:54	1.0	Surface	1	2	18.46	8.24	32.7	97.7	6.7	2.9	1.9
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS8(N)	13:27:45	3.0	Bottom	3	1	18.43	8.23	32.9	97.3	6.6	3.2	2.1
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS8(N)	13:27:28	3.0	Bottom	3	2	18.36	8.22	33.0	96.8	6.6	3.3	2.3
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS(Mf)9	13:05:11	1.0	Surface	1	1	18.48	8.24	32.7	98.7	6.7	2.5	1.7
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS(Mf)9	13:04:52	1.0	Surface	1	2	18.47	8.24	32.7	98.5	6.7	2.6	1.6
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS(Mf)9	13:05:01	2.6	Bottom	3	1	18.42	8.24	33.0	98.4	6.7	2.8	2.4
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS(Mf)9	13:04:44	2.6	Bottom	3	2	18.38	8.23	33.0	98.3	6.7	2.7	2.2
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS10(N)	13:55:30	1.0	Surface	1	1	18.26	8.25	32.2	92.8	6.4	3.1	2.1
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS10(N)	13:56:08	1.0	Surface	1	2	18.30	8.25	32.2	93.5	6.4	3.0	2.4
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS10(N)	13:55:19	5.3	Middle	2	1	18.07	8.23	33.0	92.3	6.3	3.3	1.8
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS10(N)	13:55:53	5.3	Middle	2	2	18.08	8.24	33.0	92.4	6.3	3.3	1.5
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS10(N)	13:55:44	9.5	Bottom	3	1	18.11	8.24	33.1	92.3	6.3	3.4	1.1
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	IS10(N)	13:54:41	9.5	Bottom	3	2	18.06	8.23	33.1	92.3	6.3	3.3	1.3
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR3(N)	12:25:43	1.0	Surface	1	1	18.49	8.24	32.7	99.6	6.8	2.7	1.8
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR3(N)	12:25:59	1.0	Surface	1	2	18.51	8.24	32.7	101.1	6.9	2.8	1.6
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR3(N)	12:25:49	2.3	Bottom	3	1	18.48	8.24	32.8	99.0	6.8	2.9	1.3
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR3(N)	12:25:32	2.3	Bottom	3	2	18.44	8.24	32.9	97.7	6.7	3.0	1.5
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR4(N3)	13:18:33	1.0	Surface	1	1	18.44	8.24	32.8	96.7	6.6	2.8	1.3
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR4(N3)	13:18:17	1.0	Surface	1	2	18.45	8.23	32.7	96.5	6.6	2.9	1.2
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR4(N3)	13:18:26	2.8	Bottom	3	1	18.41	8.23	32.9	96.0	6.5	3.1	1.4
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR4(N3)	13:18:09	2.8	Bottom	3	2	18.41	8.22	32.9	95.4	6.5	3.1	1.6

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR5(N)	13:45:28	1.0	Surface	1	1	18.30	8.25	32.2	94.1	6.4	2.8	1.5
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR5(N)	13:44:50	1.0	Surface	1	2	18.25	8.25	32.2	93.8	6.4	2.8	1.3
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR5(N)	13:45:15	4.7	Middle	2	1	18.12	8.24	32.9	92.7	6.3	3.0	1.6
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR5(N)	13:44:37	4.7	Middle	2	2	18.11	8.24	32.9	92.7	6.3	3.0	1.8
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR5(N)	13:44:26	8.4	Bottom	3	1	18.08	8.24	33.2	92.9	6.3	3.4	2.0
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR5(N)	13:45:04	8.4	Bottom	3	2	18.11	8.23	33.2	93.0	6.4	3.5	2.4
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR10A(N)	14:53:27	1.0	Surface	1	1	18.25	8.25	33.1	94.8	6.5	2.4	1.2
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR10A(N)	14:52:42	1.0	Surface	1	2	18.25	8.26	33.0	94.3	6.4	2.3	1.3
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR10A(N)	14:52:26	6.6	Middle	2	1	18.05	8.25	33.6	92.5	6.3	2.7	1.5
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR10A(N)	14:53:09	6.6	Middle	2	2	18.05	8.25	33.7	91.8	6.3	2.7	1.2
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR10A(N)	14:52:14	12.1	Bottom	3	1	18.06	8.26	33.7	92.8	6.3	2.8	1.6
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR10A(N)	14:52:59	12.1	Bottom	3	2	18.07	8.25	33.7	92.4	6.3	2.8	1.9
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR10B(N2)	15:03:53	1.0	Surface	1	1	18.26	8.25	33.1	93.2	6.4	2.3	2.8
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR10B(N2)	15:03:17	1.0	Surface	1	2	18.24	8.25	33.1	93.3	6.4	2.3	2.6
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR10B(N2)	15:03:41	3.8	Middle	2	1	18.11	8.25	33.4	92.3	6.3	2.5	2.4
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR10B(N2)	15:03:04	3.8	Middle	2	2	18.12	8.25	33.4	92.4	6.3	2.5	2.2
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR10B(N2)	15:02:55	6.5	Bottom	3	1	18.12	8.25	33.5	92.7	6.3	2.7	2.0
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	SR10B(N2)	15:03:29	6.5	Bottom	3	2	18.11	8.24	33.5	92.4	6.3	2.7	2.0
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	CS2(A)	12:40:48	1.0	Surface	1	1	18.22	8.26	32.3	96.7	6.6	2.8	2.9
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	CS2(A)	12:41:19	1.0	Surface	1	2	18.23	8.25	32.3	96.2	6.6	2.8	2.5
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	CS2(A)	12:41:08	3.3	Middle	2	1	18.11	8.25	32.9	94.2	6.5	3.0	2.1
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	CS2(A)	12:40:37	3.3	Middle	2	2	18.09	8.25	32.9	94.5	6.5	3.2	2.3
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	CS2(A)	12:40:28	5.6	Bottom	3	1	18.07	8.25	33.1	94.4	6.5	3.4	2.1
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	CS2(A)	12:40:59	5.6	Bottom	3	2	18.12	8.24	33.1	94.6	6.5	3.4	2.0
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	CS(Mf)5	14:08:57	1.0	Surface	1	1	18.39	8.23	33.0	92.3	6.3	2.4	2.8
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	CS(Mf)5	14:09:36	1.0	Surface	1	2	18.39	8.23	33.0	93.0	6.3	2.3	2.4
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	CS(Mf)5	14:08:42	6.3	Middle	2	1	17.87	8.19	33.9	89.6	6.1	2.5	1.7
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	CS(Mf)5	14:09:21	6.3	Middle	2	2	17.88	8.18	33.9	90.1	6.1	2.6	1.9
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	CS(Mf)5	14:09:12	11.5	Bottom	3	1	17.88	8.18	32.9	89.0	6.0	2.9	1.5
HKLR	HY/2011/03	2024/01/12	Mid-Ebb	Fine	CS(Mf)5	14:08:31	11.5	Bottom	3	2	17.85	8.19	34.0	89.0	6.0	2.8	1.7
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS5	09:14:20	1.0	Surface	1	1	18.31	8.23	32.7	92.8	6.4	2.9	1.8
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS5	09:13:26	1.0	Surface	1	2	18.34	8.24	32.7	95.2	6.5	2.8	1.6
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS5	09:13:11	4.2	Middle	2	1	18.01	8.23	33.4	91.2	6.2	3.0	2.4
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS5	09:14:08	4.2	Middle	2	2	17.99	8.19	33.4	90.9	6.2	3.1	2.0
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS5	09:13:41	7.4	Bottom	3	1	17.90	8.18	33.5	90.1	6.1	3.3	2.6
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS5	09:13:01	7.4	Bottom	3	2	18.01	8.23	33.5	90.7	6.2	3.3	2.8
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS(Mf)6	09:04:42	1.0	Surface	1	1	18.40	8.24	32.7	96.7	6.6	2.6	3.0
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS(Mf)6	09:04:58	1.0	Surface	1	2	18.42	8.25	32.7	96.7	6.6	2.6	2.7
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS(Mf)6	09:04:27	2.2	Bottom	3	1	18.33	8.24	32.9	96.5	6.6	2.8	2.5
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS(Mf)6	09:04:50	2.2	Bottom	3	2	18.35	8.24	32.9	96.5	6.6	2.9	2.2
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS7	08:54:30	1.0	Surface	1	1	18.37	8.24	32.7	96.5	6.6	2.5	1.2
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS7	08:54:47	1.0	Surface	1	2	18.43	8.24	32.7	96.7	6.6	2.4	1.5
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS7	08:54:37	2.3	Bottom	3	1	18.35	8.23	32.8	96.3	6.6	3.0	2.3
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS7	08:54:21	2.3	Bottom	3	2	18.32	8.24	32.9	96.8	6.6	2.9	2.1
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS8(N)	08:20:26	1.0	Surface	1	1	18.41	8.24	32.7	96.1	6.6	2.5	2.5
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS8(N)	08:21:08	1.0	Surface	1	2	18.35	8.23	32.7	96.9	6.6	2.6	2.2
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS8(N)	08:20:34	3.1	Bottom	3	1	18.28	8.23	33.2	95.8	6.5	2.9	1.8
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS8(N)	08:20:14	3.1	Bottom	3	2	18.25	8.24	33.2	94.6	6.5	2.8	1.9
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS(Mf)9	08:43:44	1.0	Surface	1	1	18.41	8.25	32.7	96.1	6.5	2.6	2.1
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS(Mf)9	08:44:00	1.0	Surface	1	2	18.44	8.25	32.7	96.4	6.6	2.4	2.4
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS(Mf)9	08:43:50	2.5	Bottom	3	1	18.39	8.24	32.9	95.4	6.5	2.9	3.0
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS(Mf)9	08:43:34	2.5	Bottom	3	2	18.31	8.25	32.9	94.8	6.4	2.9	2.7
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS10(N)	08:48:23	1.0	Surface	1	1	18.21	8.25	32.5	94.5	6.5	2.7	2.1
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS10(N)	08:47:42	1.0	Surface	1	2	18.15	8.24	32.5	94.2	6.5	2.7	2.1
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS10(N)	08:48:07	5.4	Middle	2	1	17.99	8.24	33.2	92.2	6.3	3.0	2.4
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS10(N)	08:47:29	5.4	Middle	2	2	17.98	8.24	33.1	92.5	6.3	3.0	2.4
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS10(N)	08:47:57	9.7	Bottom	3	1	18.02	8.23	33.2	92.7	6.3	3.3	2.8
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	IS10(N)	08:47:17	9.7	Bottom	3	2	17.99	8.24	33.2	92.5	6.3	3.4	2.4

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR3(N)	09:24:29	1.0	Surface	1	1	18.36	8.23	32.7	94.4	6.4	3.0	2.6
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR3(N)	09:24:45	1.0	Surface	1	2	18.39	8.24	32.6	95.0	6.5	2.8	2.3
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR3(N)	09:24:36	2.3	Bottom	3	1	18.33	8.23	32.9	93.7	6.4	3.1	2.0
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR3(N)	09:24:19	2.3	Bottom	3	2	18.27	8.22	32.9	92.9	6.3	3.1	1.7
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR4(N3)	08:29:56	1.0	Surface	1	1	18.40	8.23	32.8	95.8	6.5	2.4	1.9
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR4(N3)	08:29:37	1.0	Surface	1	2	18.34	8.23	32.8	95.8	6.5	2.3	1.8
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR4(N3)	08:29:45	2.9	Bottom	3	1	18.28	8.22	33.1	95.2	6.5	2.6	2.3
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR4(N3)	08:29:26	2.9	Bottom	3	2	18.24	8.23	33.2	95.7	6.5	2.7	2.1
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR5(N)	08:58:08	1.0	Surface	1	1	18.16	8.25	32.5	93.4	6.4	2.8	1.6
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR5(N)	08:57:27	1.0	Surface	1	2	18.17	8.25	32.5	93.3	6.4	2.8	2.0
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR5(N)	08:57:53	4.7	Middle	2	1	18.03	8.24	33.0	92.3	6.3	3.0	2.4
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR5(N)	08:57:14	4.7	Middle	2	2	18.02	8.24	33.1	92.3	6.3	3.0	2.2
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR5(N)	08:57:44	8.4	Bottom	3	1	18.01	8.24	33.2	92.7	6.3	3.4	2.6
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR5(N)	08:57:03	8.4	Bottom	3	2	17.99	8.24	33.2	92.7	6.3	3.3	2.8
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR10A(N)	07:51:46	1.0	Surface	1	1	18.29	8.25	32.7	93.2	6.4	2.2	1.8
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR10A(N)	07:51:01	1.0	Surface	1	2	18.30	8.24	32.7	92.6	6.3	2.3	1.6
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR10A(N)	07:50:45	6.5	Middle	2	1	18.04	8.22	33.4	91.1	6.2	2.5	2.1
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR10A(N)	07:51:29	6.5	Middle	2	2	18.04	8.23	33.3	91.0	6.2	2.5	2.4
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR10A(N)	07:51:19	12.0	Bottom	3	1	18.07	8.23	33.4	91.7	6.3	2.8	2.4
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR10A(N)	07:50:34	12.0	Bottom	3	2	18.05	8.23	33.4	91.6	6.3	2.8	2.7
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR10B(N2)	07:41:25	1.0	Surface	1	1	18.31	8.24	32.7	97.1	6.6	2.3	2.5
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR10B(N2)	07:40:43	1.0	Surface	1	2	18.33	8.23	32.6	97.5	6.7	2.4	2.7
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR10B(N2)	07:40:24	3.8	Middle	2	1	18.11	8.22	33.2	94.5	6.5	2.6	2.4
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR10B(N2)	07:41:10	3.8	Middle	2	2	18.14	8.23	33.1	93.5	6.4	2.5	2.1
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR10B(N2)	07:40:57	6.5	Bottom	3	1	18.09	8.22	33.3	92.5	6.3	2.8	1.7
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	SR10B(N2)	07:40:12	6.5	Bottom	3	2	18.08	8.21	33.4	92.6	6.3	2.8	1.5
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	CS2(A)	09:57:42	1.0	Surface	1	1	18.14	8.25	32.5	94.0	6.5	2.9	1.6
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	CS2(A)	09:56:56	1.0	Surface	1	2	18.14	8.26	32.5	94.0	6.5	2.8	1.8
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	CS2(A)	09:57:30	3.3	Middle	2	1	18.04	8.25	33.0	93.0	6.4	3.1	2.2
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	CS2(A)	09:56:44	3.3	Middle	2	2	18.04	8.25	33.0	92.9	6.4	3.2	2.1
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	CS2(A)	09:56:31	5.6	Bottom	3	1	17.97	8.25	33.2	93.0	6.4	3.4	2.5
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	CS2(A)	09:57:12	5.6	Bottom	3	2	18.00	8.25	33.2	93.1	6.4	3.5	2.2
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	CS(Mf)5	07:38:45	1.0	Surface	1	1	18.35	8.22	32.9	95.0	6.4	2.2	1.6
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	CS(Mf)5	07:37:58	1.0	Surface	1	2	18.31	8.22	32.9	94.3	6.4	2.3	1.8
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	CS(Mf)5	07:38:27	6.2	Middle	2	1	18.00	8.20	33.7	92.0	6.3	2.5	1.6
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	CS(Mf)5	07:37:43	6.2	Middle	2	2	18.02	8.20	33.6	92.9	6.3	2.6	1.6
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	CS(Mf)5	07:37:32	11.4	Bottom	3	1	18.03	8.20	33.7	91.2	6.2	2.9	1.3
HKLR	HY/2011/03	2024/01/12	Mid-Flood	Fine	CS(Mf)5	07:38:15	11.4	Bottom	3	2	17.96	8.20	33.8	91.4	6.2	2.9	1.5
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS5	15:11:17	1.0	Surface	1	1	20.47	8.15	32.48	101.6	7.2	3.5	3.8
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS5	15:11:58	1.0	Surface	1	2	20.49	8.15	32.52	102.2	7.2	3.5	3.5
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS5	15:11:06	4.3	Middle	2	1	20.25	8.14	32.98	100.9	7.2	3.4	3.0
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS5	15:11:46	4.3	Middle	2	2	20.26	8.14	33.03	101.9	7.2	3.6	3.2
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS5	15:10:59	7.6	Bottom	3	1	20.27	8.14	33	100.8	7.1	3.4	2.7
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS5	15:11:31	7.6	Bottom	3	2	20.28	8.14	33.02	101.9	7.2	3.5	2.5
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS(Mf)6	15:21:53	1.0	Surface	1	1	20.5	8.15	32.59	102.5	7.3	3.4	2.0
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS(Mf)6	15:22:10	1.0	Surface	1	2	20.49	8.16	32.55	102.8	7.3	3.5	1.7
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS(Mf)6	15:21:43	2.0	Bottom	3	1	20.47	8.14	32.83	102.4	7.3	3.4	2.6
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS(Mf)6	15:22:04	2.0	Bottom	3	2	20.44	8.15	32.82	102.1	7.2	3.5	2.3
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS7	15:31:35	1.0	Surface	1	1	20.46	8.15	32.63	101.5	7.2	3.6	4.4
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS7	15:31:51	1.0	Surface	1	2	20.53	8.15	32.62	101.9	7.2	3.5	4.8
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS7	15:31:26	2.0	Bottom	3	1	20.35	8.14	32.89	101.2	7.2	3.6	2.8
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS7	15:31:43	2.0	Bottom	3	2	20.36	8.15	32.83	101.6	7.2	3.5	3.2
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS8(N)	16:01:45	1.0	Surface	1	1	20.52	8.15	32.51	103.1	7.3	3.5	2.7
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS8(N)	16:02:05	1.0	Surface	1	2	20.53	8.15	32.51	102.9	7.3	3.5	2.4
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS8(N)	16:01:36	3.0	Bottom	3	1	20.45	8.15	32.66	102.9	7.3	3.5	3.4
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS8(N)	16:01:57	3.0	Bottom	3	2	20.48	8.15	32.7	102.8	7.3	3.5	3.0
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS(Mf)9	15:40:10	1.0	Surface	1	1	20.45	8.15	32.47	102.7	7.3	3.8	2.5
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS(Mf)9	15:40:25	1.0	Surface	1	2	20.45	8.15	32.52	102.6	7.3	3.7	2.9

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS(Mf)9	15:40:00	2.6	Bottom	3	1	20.31	8.15	32.59	102.5	7.3	3.8	2.9
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS(Mf)9	15:40:16	2.6	Bottom	3	2	20.35	8.15	32.68	102.5	7.3	3.6	3.3
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS10(N)	15:52:03	1.0	Surface	1	1	21	8.14	32.98	100.4	7.3	3.5	4.6
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS10(N)	15:52:49	1.0	Surface	1	2	20.95	8.14	32.99	99.9	7.3	3.4	4.8
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS10(N)	15:51:51	5.4	Middle	2	1	20.77	8.13	33.43	100.0	7.3	3.4	3.8
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS10(N)	15:52:34	5.4	Middle	2	2	20.75	8.13	33.49	98.7	7.2	3.4	3.5
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS10(N)	15:51:39	9.8	Bottom	3	1	20.79	8.13	33.4	99.6	7.2	3.4	3.1
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	IS10(N)	15:52:26	9.8	Bottom	3	2	20.78	8.13	33.41	98.7	7.2	3.5	3.3
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR3(N)	15:01:25	1.0	Surface	1	1	20.53	8.15	32.45	103.6	7.3	3.5	2.3
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR3(N)	15:01:39	1.0	Surface	1	2	20.53	8.15	32.45	103.4	7.3	3.5	2.6
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR3(N)	15:01:12	2.0	Bottom	3	1	20.46	8.14	32.71	103.2	7.3	3.6	3.3
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR3(N)	15:01:32	2.0	Bottom	3	2	20.5	8.15	32.62	103.4	7.3	3.5	2.8
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR4(N3)	15:50:54	1.0	Surface	1	1	20.52	8.16	32.47	102.7	7.3	3.6	1.4
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR4(N3)	15:51:16	1.0	Surface	1	2	20.5	8.16	32.46	102.9	7.3	3.6	1.7
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR4(N3)	15:50:47	2.6	Bottom	3	1	20.5	8.15	32.7	102.9	7.3	3.7	2.1
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR4(N3)	15:51:05	2.6	Bottom	3	2	20.47	8.15	32.67	102.8	7.3	3.8	2.3
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR5(N)	15:41:44	1.0	Surface	1	1	21.02	8.13	33.5	99.9	7.3	3.3	2.2
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR5(N)	15:42:12	1.0	Surface	1	2	21.03	8.14	33.5	99.5	7.2	3.2	2.5
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR5(N)	15:41:36	4.5	Middle	2	1	20.76	8.13	33.5	99.8	7.3	3.3	2.9
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR5(N)	15:42:01	4.5	Middle	2	2	20.77	8.13	33.5	99.4	7.2	3.3	3.3
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR5(N)	15:41:23	8.0	Bottom	3	1	20.81	8.13	33.0	99.1	7.2	3.2	4.4
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR5(N)	15:41:53	8.0	Bottom	3	2	20.83	8.13	32.9	99.0	7.2	3.3	4.0
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR10A(N)	16:46:29	1.0	Surface	1	1	21.01	8.12	33.1	100.3	7.3	3.2	3.5
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR10A(N)	16:47:02	1.0	Surface	1	2	21.02	8.12	33.1	99.8	7.3	3.3	3.2
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR10A(N)	16:46:20	5.9	Middle	2	1	20.75	8.11	33.5	100.0	7.3	3.3	3.8
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR10A(N)	16:46:51	5.9	Middle	2	2	20.76	8.11	33.5	99.5	7.2	3.3	4.2
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR10A(N)	16:46:01	10.8	Bottom	3	1	20.83	8.11	33.5	99.3	7.2	3.3	4.4
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR10A(N)	16:46:41	10.8	Bottom	3	2	20.84	8.11	33.4	99.2	7.2	3.3	4.6
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR10B(N2)	16:56:45	1.0	Surface	1	1	21.05	8.14	33.0	100.3	7.3	3.2	3.1
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR10B(N2)	16:57:26	1.0	Surface	1	2	21.02	8.14	33.0	100.0	7.3	3.2	3.2
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR10B(N2)	16:56:34	4.0	Middle	2	1	20.76	8.13	33.4	100.2	7.3	3.2	3.6
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR10B(N2)	16:57:03	4.0	Middle	2	2	20.74	8.13	33.5	99.7	7.2	3.2	4.0
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR10B(N2)	16:56:22	7.0	Bottom	3	1	20.82	8.14	33.4	99.8	7.3	3.1	4.0
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	SR10B(N2)	16:56:55	7.0	Bottom	3	2	20.75	8.14	33.5	99.5	7.2	3.3	4.4
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	CS2(A)	14:41:58	1.0	Surface	1	1	21.08	8.13	33.5	100.8	7.3	3.4	2.3
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	CS2(A)	14:42:25	1.0	Surface	1	2	21.08	8.13	33.5	101.0	7.3	3.5	2.6
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	CS2(A)	14:41:48	3.2	Middle	2	1	20.83	8.13	33.5	100.5	7.3	3.5	2.8
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	CS2(A)	14:42:15	3.2	Middle	2	2	20.79	8.13	33.5	100.6	7.3	3.5	3.1
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	CS2(A)	14:41:37	5.4	Bottom	3	1	20.87	8.13	33.1	100.1	7.3	3.5	3.6
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	CS2(A)	14:42:07	5.4	Bottom	3	2	20.86	8.12	33.1	100.4	7.3	3.5	3.2
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	CS(Mf)5	16:41:00	1.0	Surface	1	1	20.45	8.16	32.6	101.2	7.2	3.6	3.7
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	CS(Mf)5	16:41:40	1.0	Surface	1	2	20.52	8.15	32.5	101.0	7.2	3.6	3.4
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	CS(Mf)5	16:40:47	5.9	Middle	2	1	20.23	8.15	33.1	100.6	7.1	3.6	3.1
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	CS(Mf)5	16:41:25	5.9	Middle	2	2	20.24	8.15	33.1	100.9	7.2	3.6	2.8
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	CS(Mf)5	16:40:34	10.8	Bottom	3	1	20.25	8.15	33.1	100.2	7.1	3.6	2.3
HKLR	HY/2011/03	2024/01/15	Mid-Ebb	Cloudy	CS(Mf)5	16:41:12	10.8	Bottom	3	2	20.27	8.15	33.0	100.6	7.1	3.7	2.1
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS5	11:07:44	1.0	Surface	1	1	20.46	8.14	32.4	103.0	7.3	3.7	1.8
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS5	11:08:25	1.0	Surface	1	2	20.54	8.15	32.5	104.8	7.4	3.7	1.6
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS5	11:07:33	4.3	Middle	2	1	20.26	8.14	33.0	101.6	7.2	3.7	2.4
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS5	11:08:08	4.3	Middle	2	2	20.26	8.14	33.0	102.9	7.3	3.8	2.1
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS5	11:07:22	7.6	Bottom	3	1	20.28	8.14	33.0	101.2	7.2	3.7	2.9
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS5	11:07:58	7.6	Bottom	3	2	20.27	8.14	33.0	102.9	7.3	3.6	3.2
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS(Mf)6	10:57:46	1.0	Surface	1	1	20.49	8.14	32.4	102.7	7.3	3.5	4.7
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS(Mf)6	10:58:09	1.0	Surface	1	2	20.51	8.14	32.4	102.5	7.3	3.6	5.0
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS(Mf)6	10:57:37	2.2	Bottom	3	1	20.40	8.13	32.7	102.6	7.3	3.5	4.0
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS(Mf)6	10:57:59	2.2	Bottom	3	2	20.44	8.13	32.7	102.3	7.2	3.6	3.6
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS7	10:46:58	1.0	Surface	1	1	20.44	8.12	32.5	102.6	7.3	3.7	3.8
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS7	10:47:21	1.0	Surface	1	2	20.49	8.12	32.4	102.4	7.3	3.7	3.4

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS7	10:46:48	2.0	Bottom	3	1	20.37	8.11	32.7	102.6	7.3	3.7	2.7
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS7	10:47:12	2.0	Bottom	3	2	20.41	8.11	32.7	102.3	7.2	3.8	3.1
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS8(N)	10:15:33	1.0	Surface	1	1	20.52	8.14	32.4	102.5	7.3	3.8	3.0
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS8(N)	10:15:54	1.0	Surface	1	2	20.52	8.14	32.4	102.4	7.3	3.8	2.7
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS8(N)	10:15:24	3.0	Bottom	3	1	20.40	8.13	32.7	102.4	7.3	3.8	3.4
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS8(N)	10:15:42	3.0	Bottom	3	2	20.44	8.13	32.7	102.2	7.2	3.7	3.8
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS(Mf)9	10:37:05	1.0	Surface	1	1	20.54	8.13	32.5	102.2	7.2	3.6	3.1
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS(Mf)9	10:37:22	1.0	Surface	1	2	20.53	8.13	32.4	102.2	7.2	3.5	3.3
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS(Mf)9	10:36:56	2.6	Bottom	3	1	20.47	8.12	32.8	101.8	7.2	3.6	3.8
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS(Mf)9	10:37:14	2.6	Bottom	3	2	20.47	8.13	32.7	102.1	7.2	3.6	3.6
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS10(N)	10:19:59	1.0	Surface	1	1	21.02	8.12	33.4	101.1	7.3	3.4	3.7
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS10(N)	10:20:35	1.0	Surface	1	2	20.99	8.12	33.4	99.9	7.3	3.4	4.0
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS10(N)	10:19:49	5.3	Middle	2	1	20.75	8.11	33.4	100.0	7.3	3.5	3.3
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS10(N)	10:20:21	5.3	Middle	2	2	20.74	8.12	33.4	99.8	7.3	3.5	3.6
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS10(N)	10:19:36	9.6	Bottom	3	1	20.78	8.11	33.1	99.6	7.2	3.5	3.3
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	IS10(N)	10:20:13	9.6	Bottom	3	2	20.74	8.12	33.1	99.4	7.2	3.5	3.1
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR3(N)	11:18:28	1.0	Surface	1	1	20.54	8.15	32.4	105.5	7.5	3.5	5.4
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR3(N)	11:18:51	1.0	Surface	1	2	20.53	8.15	32.4	104.3	7.4	3.5	5.0
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR3(N)	11:18:08	2.2	Bottom	3	1	20.51	8.15	32.5	104.5	7.4	3.5	4.2
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR3(N)	11:18:43	2.2	Bottom	3	2	20.48	8.14	32.7	104.3	7.4	3.5	3.9
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR4(N3)	10:26:26	1.0	Surface	1	1	20.53	8.15	32.4	102.7	7.3	3.5	2.8
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR4(N3)	10:26:44	1.0	Surface	1	2	20.55	8.15	32.4	102.5	7.3	3.6	2.5
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR4(N3)	10:26:16	2.8	Bottom	3	1	20.42	8.14	32.6	102.6	7.3	3.7	3.7
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR4(N3)	10:26:34	2.8	Bottom	3	2	20.42	8.14	32.7	102.3	7.2	3.8	4.0
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR5(N)	10:31:20	1.0	Surface	1	1	20.99	8.14	33.5	100.4	7.3	3.4	4.6
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR5(N)	10:31:55	1.0	Surface	1	2	20.96	8.14	33.5	100.4	7.3	3.5	5.0
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR5(N)	10:31:09	4.6	Middle	2	1	20.71	8.13	33.5	100.0	7.3	3.5	4.4
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR5(N)	10:31:44	4.6	Middle	2	2	20.71	8.13	33.4	99.6	7.2	3.6	4.2
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR5(N)	10:30:59	8.2	Bottom	3	1	20.77	8.14	33.0	99.9	7.3	3.6	3.6
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR5(N)	10:31:34	8.2	Bottom	3	2	20.78	8.14	33.0	99.5	7.2	3.6	3.8
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR10A(N)	09:26:36	1.0	Surface	1	1	21.04	8.10	33.5	100.2	7.3	3.3	4.3
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR10A(N)	09:27:13	1.0	Surface	1	2	20.91	8.11	33.5	100.3	7.3	3.3	4.6
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR10A(N)	09:26:24	5.8	Middle	2	1	20.67	8.10	33.5	99.9	7.3	3.3	4.2
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR10A(N)	09:27:04	5.8	Middle	2	2	20.67	8.10	33.5	99.5	7.2	3.3	3.8
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR10A(N)	09:26:13	10.6	Bottom	3	1	20.71	8.10	33.0	99.5	7.2	3.2	3.2
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR10A(N)	09:26:48	10.6	Bottom	3	2	20.71	8.10	33.1	98.9	7.2	3.4	3.5
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR10B(N2)	09:16:21	1.0	Surface	1	1	20.94	8.12	33.5	100.4	7.3	3.2	4.0
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR10B(N2)	09:17:01	1.0	Surface	1	2	20.92	8.12	33.5	100.4	7.3	3.2	3.6
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR10B(N2)	09:16:09	3.9	Middle	2	1	20.69	8.11	33.5	100.0	7.3	3.3	3.3
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR10B(N2)	09:16:51	3.9	Middle	2	2	20.69	8.11	33.5	100.1	7.3	3.3	2.9
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR10B(N2)	09:15:48	6.8	Bottom	3	1	20.68	8.11	33.1	100.0	7.3	3.3	2.8
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	SR10B(N2)	09:16:34	6.8	Bottom	3	2	20.68	8.11	33.1	99.8	7.3	3.3	2.5
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	CS2(A)	11:26:32	1.0	Surface	1	1	20.90	8.12	33.5	100.7	7.3	3.3	4.8
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	CS2(A)	11:27:09	1.0	Surface	1	2	20.93	8.12	33.5	100.5	7.3	3.2	5.0
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	CS2(A)	11:26:23	3.2	Middle	2	1	20.67	8.11	33.5	100.7	7.3	3.3	4.5
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	CS2(A)	11:26:57	3.2	Middle	2	2	20.67	8.11	33.5	100.3	7.3	3.3	4.2
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	CS2(A)	11:26:08	5.4	Bottom	3	1	20.69	8.12	33.0	100.1	7.3	3.2	3.8
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	CS2(A)	11:26:50	5.4	Bottom	3	2	20.71	8.12	33.0	99.9	7.3	3.3	3.4
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	CS(Mf)5	09:31:22	1.0	Surface	1	1	20.53	8.11	32.4	101.8	7.2	3.6	2.6
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	CS(Mf)5	09:32:04	1.0	Surface	1	2	20.49	8.14	32.4	103.4	7.3	3.6	2.2
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	CS(Mf)5	09:31:03	6.0	Middle	2	1	20.25	8.09	33.0	101.6	7.2	3.6	2.8
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	CS(Mf)5	09:31:47	6.0	Middle	2	2	20.26	8.12	33.1	102.9	7.3	3.6	3.2
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	CS(Mf)5	09:30:48	11.0	Bottom	3	1	20.24	8.08	33.0	100.8	7.1	3.6	4.0
HKLR	HY/2011/03	2024/01/15	Mid-Flood	Cloudy	CS(Mf)5	09:31:37	11.0	Bottom	3	2	20.26	8.11	33.1	101.6	7.2	3.5	3.6
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS5	05:22:43	1.0	Surface	1	1	20.36	8.12	32.2	106.1	7.4	3.4	3.4
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS5	05:23:24	1.0	Surface	1	2	20.28	8.13	32.1	104.3	7.2	3.4	3.7
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS5	05:22:32	4.2	Middle	2	1	20.08	8.12	32.7	104.2	7.2	3.4	2.8
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS5	05:23:07	4.2	Middle	2	2	20.08	8.12	32.7	102.9	7.1	3.5	3.2

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS5	05:22:21	7.4	Bottom	3	1	20.09	8.12	32.7	104.2	7.2	3.4	2.6
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS5	05:22:57	7.4	Bottom	3	2	20.10	8.12	32.7	102.5	7.1	3.4	2.2
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS(Mf)6	05:10:45	1.0	Surface	1	1	20.31	8.12	32.1	103.8	7.2	3.6	3.1
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS(Mf)6	05:11:08	1.0	Surface	1	2	20.33	8.12	32.1	103.7	7.2	3.5	2.7
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS(Mf)6	05:10:36	2.2	Bottom	3	1	20.31	8.11	32.5	103.7	7.2	3.6	3.8
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS(Mf)6	05:10:58	2.2	Bottom	3	2	20.26	8.11	32.5	103.5	7.2	3.5	4.0
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS7	04:59:59	1.0	Surface	1	1	20.35	8.15	32.2	104.0	7.2	3.5	3.0
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS7	05:00:20	1.0	Surface	1	2	20.08	8.15	32.1	103.8	7.2	3.5	3.3
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS7	04:59:47	2.2	Bottom	3	1	20.07	8.14	32.5	103.9	7.2	3.5	2.4
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS7	05:00:11	2.2	Bottom	3	2	20.08	8.14	32.4	103.6	7.2	3.5	2.7
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS8(N)	04:28:32	1.0	Surface	1	1	20.37	8.17	32.1	104.0	7.2	3.5	2.5
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS8(N)	04:28:53	1.0	Surface	1	2	20.36	8.17	32.1	103.8	7.2	3.6	2.4
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS8(N)	04:28:20	2.8	Bottom	3	1	20.24	8.16	32.3	103.9	7.2	3.6	3.6
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS8(N)	04:28:41	2.8	Bottom	3	2	20.29	8.16	32.4	103.6	7.2	3.5	3.2
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS(Mf)9	04:50:04	1.0	Surface	1	1	20.31	8.16	32.2	103.9	7.2	3.6	3.1
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS(Mf)9	04:50:21	1.0	Surface	1	2	20.06	8.16	32.2	103.7	7.2	3.6	3.4
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS(Mf)9	04:49:55	2.6	Bottom	3	1	20.23	8.15	32.5	103.9	7.2	3.6	2.6
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS(Mf)9	04:50:13	2.6	Bottom	3	2	20.22	8.16	32.4	103.6	7.2	3.6	2.3
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS10(N)	04:39:24	1.0	Surface	1	1	21.16	8.17	33.8	100.6	7.2	3.4	3.4
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS10(N)	04:40:00	1.0	Surface	1	2	21.13	8.17	33.8	100.6	7.2	3.3	3.2
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS10(N)	04:39:14	5.2	Middle	2	1	20.88	8.16	33.8	100.2	7.2	3.3	2.6
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS10(N)	04:39:46	5.2	Middle	2	2	20.88	8.16	33.8	100.3	7.2	3.4	3.0
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS10(N)	04:39:01	9.4	Bottom	3	1	20.94	8.17	33.4	100.2	7.2	3.3	2.1
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	IS10(N)	04:39:38	9.4	Bottom	3	2	20.95	8.17	33.3	100.0	7.2	3.4	2.4
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR3(N)	05:33:27	1.0	Surface	1	1	20.36	8.13	32.1	104.9	7.3	3.6	1.9
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR3(N)	05:33:50	1.0	Surface	1	2	20.35	8.13	32.2	104.7	7.3	3.6	1.6
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR3(N)	05:33:02	2.0	Bottom	3	1	20.33	8.13	32.3	104.5	7.2	3.6	1.2
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR3(N)	05:33:42	2.0	Bottom	3	2	20.30	8.12	32.4	104.7	7.2	3.6	1.4
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR4(N3)	04:39:25	1.0	Surface	1	1	20.35	8.18	32.2	103.5	7.2	3.5	2.2
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR4(N3)	04:39:40	1.0	Surface	1	2	20.26	8.18	32.2	103.5	7.2	3.5	2.6
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR4(N3)	04:39:15	2.8	Bottom	3	1	20.29	8.17	32.5	103.1	7.1	3.5	3.2
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR4(N3)	04:39:35	2.8	Bottom	3	2	20.19	8.17	32.5	103.4	7.2	3.5	3.0
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR5(N)	04:50:45	1.0	Surface	1	1	21.21	8.15	33.8	100.6	7.2	3.5	2.9
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR5(N)	04:51:20	1.0	Surface	1	2	21.08	8.15	33.8	100.6	7.2	3.4	3.2
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR5(N)	04:50:34	4.5	Middle	2	1	20.84	8.14	33.7	100.2	7.2	3.4	2.4
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR5(N)	04:51:09	4.5	Middle	2	2	20.84	8.14	33.8	99.8	7.2	3.5	2.7
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR5(N)	04:50:24	8.0	Bottom	3	1	20.88	8.14	33.3	100.1	7.2	3.5	2.1
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR5(N)	04:50:59	8.0	Bottom	3	2	20.88	8.14	33.3	99.7	7.2	3.5	2.2
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR10A(N)	03:41:58	1.0	Surface	1	1	21.19	8.15	33.7	101.3	7.3	3.5	1.7
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR10A(N)	03:42:35	1.0	Surface	1	2	21.16	8.15	33.7	100.1	7.2	3.5	1.6
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR10A(N)	03:41:46	5.9	Middle	2	1	20.92	8.14	33.7	100.2	7.2	3.5	2.1
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR10A(N)	03:42:26	5.9	Middle	2	2	20.91	8.15	33.7	100.0	7.2	3.5	2.4
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR10A(N)	03:41:35	10.8	Bottom	3	1	20.95	8.14	33.3	99.8	7.2	3.5	3.0
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR10A(N)	03:42:10	10.8	Bottom	3	2	20.91	8.15	33.3	99.6	7.2	3.6	2.6
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR10B(N2)	03:31:43	1.0	Surface	1	1	21.09	8.13	33.8	100.4	7.2	3.5	3.5
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR10B(N2)	03:32:23	1.0	Surface	1	2	21.11	8.14	33.8	100.5	7.2	3.4	3.2
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR10B(N2)	03:31:31	4.0	Middle	2	1	20.86	8.13	33.8	100.1	7.2	3.5	3.0
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR10B(N2)	03:32:13	4.0	Middle	2	2	20.86	8.13	33.7	99.7	7.2	3.5	2.6
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR10B(N2)	03:31:10	7.0	Bottom	3	1	20.85	8.13	33.3	99.7	7.2	3.5	1.7
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	SR10B(N2)	03:31:56	7.0	Bottom	3	2	20.85	8.13	33.3	99.1	7.1	3.6	1.9
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	CS2(A)	05:44:57	1.0	Surface	1	1	21.07	8.16	33.8	101.0	7.3	3.4	2.2
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	CS2(A)	05:45:34	1.0	Surface	1	2	21.10	8.16	33.8	101.2	7.3	3.4	2.7
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	CS2(A)	05:44:48	3.3	Middle	2	1	20.84	8.16	33.8	100.7	7.2	3.3	3.0
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	CS2(A)	05:45:22	3.3	Middle	2	2	20.84	8.16	33.8	100.8	7.3	3.5	3.1
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	CS2(A)	05:44:33	5.6	Bottom	3	1	20.86	8.16	33.3	100.3	7.2	3.3	3.9
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	CS2(A)	05:45:15	5.6	Bottom	3	2	20.88	8.15	33.4	100.6	7.2	3.3	3.6
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	CS(Mf)5	03:51:12	1.0	Surface	1	1	20.26	8.14	32.2	104.7	7.3	3.5	4.2
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	CS(Mf)5	03:51:57	1.0	Surface	1	2	20.35	8.17	32.1	103.1	7.1	3.4	4.5

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	CS(Mf)5	03:50:56	6.0	Middle	2	1	20.34	8.12	32.8	104.2	7.2	3.4	3.2
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	CS(Mf)5	03:51:40	6.0	Middle	2	2	20.24	8.15	32.8	102.9	7.1	3.5	3.7
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	CS(Mf)5	03:50:41	11.0	Bottom	3	1	20.22	8.11	32.8	102.9	7.1	3.4	2.5
HKLR	HY/2011/03	2024/01/17	Mid-Ebb	Cloudy	CS(Mf)5	03:51:30	11.0	Bottom	3	2	20.34	8.14	32.8	102.1	7.1	3.5	3.0
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS5	11:11:16	1.0	Surface	1	1	20.32	8.13	32.3	103.5	7.2	3.5	3.2
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS5	11:11:57	1.0	Surface	1	2	20.31	8.13	32.2	102.9	7.1	3.5	3.4
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS5	11:11:05	4.1	Middle	2	1	20.35	8.12	32.8	103.2	7.1	3.5	3.7
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS5	11:11:45	4.1	Middle	2	2	20.08	8.12	32.7	102.2	7.1	3.5	4.0
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS5	11:10:58	7.2	Bottom	3	1	20.28	8.12	32.8	103.2	7.2	3.5	5.0
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS5	11:11:30	7.2	Bottom	3	2	20.35	8.12	32.7	102.1	7.1	3.4	4.7
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS(Mf)6	11:21:52	1.0	Surface	1	1	20.32	8.13	32.2	102.8	7.1	3.3	3.5
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS(Mf)6	11:22:09	1.0	Surface	1	2	20.31	8.14	32.3	103.2	7.2	3.3	3.0
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS(Mf)6	11:21:41	2.0	Bottom	3	1	20.29	8.12	32.3	102.5	7.1	3.4	2.8
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS(Mf)6	11:22:03	2.0	Bottom	3	2	20.26	8.13	32.4	102.9	7.1	3.3	2.5
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS7	11:31:34	1.0	Surface	1	1	20.27	8.13	32.2	104.0	7.2	3.3	1.9
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS7	11:31:50	1.0	Surface	1	2	20.27	8.13	32.2	103.9	7.2	3.4	1.9
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS7	11:31:25	2.0	Bottom	3	1	20.13	8.12	32.4	103.8	7.2	3.3	1.5
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS7	11:31:42	2.0	Bottom	3	2	20.17	8.13	32.4	103.8	7.2	3.3	1.7
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS8(N)	12:02:44	1.0	Surface	1	1	20.28	8.13	32.4	103.8	7.2	3.6	1.6
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS8(N)	12:03:04	1.0	Surface	1	2	20.35	8.13	32.4	104.1	7.2	3.6	1.8
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS8(N)	12:02:31	2.8	Bottom	3	1	20.17	8.13	32.6	103.7	7.2	3.6	2.4
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS8(N)	12:02:56	2.8	Bottom	3	2	20.18	8.13	32.6	103.4	7.2	3.6	2.8
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS(Mf)9	11:42:09	1.0	Surface	1	1	20.34	8.13	32.2	104.0	7.2	3.5	2.9
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS(Mf)9	11:42:29	1.0	Surface	1	2	20.32	8.13	32.2	104.2	7.2	3.5	2.5
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS(Mf)9	11:41:59	2.6	Bottom	3	1	20.32	8.13	32.4	104.2	7.2	3.5	3.7
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS(Mf)9	11:42:15	2.6	Bottom	3	2	20.29	8.13	32.4	104.1	7.2	3.5	4.0
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS10(N)	11:41:28	1.0	Surface	1	1	21.18	8.15	33.4	100.6	7.2	3.3	2.1
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS10(N)	11:42:14	1.0	Surface	1	2	21.19	8.15	33.3	100.1	7.2	3.3	2.6
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS10(N)	11:41:16	5.2	Middle	2	1	20.92	8.14	33.8	100.2	7.2	3.3	3.0
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS10(N)	11:41:59	5.2	Middle	2	2	20.93	8.14	33.8	98.9	7.1	3.3	2.8
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS10(N)	11:41:04	9.4	Bottom	3	1	21.00	8.14	33.7	99.8	7.2	3.3	3.5
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	IS10(N)	11:41:51	9.4	Bottom	3	2	21.01	8.14	33.7	98.9	7.1	3.5	3.7
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR3(N)	11:01:24	1.0	Surface	1	1	20.07	8.13	32.2	106.8	7.4	3.7	3.0
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR3(N)	11:01:38	1.0	Surface	1	2	20.10	8.13	32.2	105.6	7.3	3.6	2.5
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR3(N)	11:01:11	2.0	Bottom	3	1	20.09	8.12	32.4	105.8	7.3	3.7	3.9
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR3(N)	11:01:31	2.0	Bottom	3	2	20.29	8.13	32.4	105.6	7.3	3.6	3.5
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR4(N3)	11:51:53	1.0	Surface	1	1	20.34	8.14	32.3	104.4	7.2	3.4	3.7
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR4(N3)	11:52:15	1.0	Surface	1	2	20.35	8.14	32.3	104.2	7.2	3.4	3.2
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR4(N3)	11:51:46	2.6	Bottom	3	1	20.27	8.13	32.6	104.2	7.2	3.4	4.2
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR4(N3)	11:52:04	2.6	Bottom	3	2	20.30	8.13	32.6	104.1	7.2	3.4	4.0
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR5(N)	11:31:09	1.0	Surface	1	1	21.17	8.15	33.3	100.5	7.2	3.6	3.1
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR5(N)	11:31:37	1.0	Surface	1	2	21.12	8.15	33.3	100.2	7.2	3.6	3.4
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR5(N)	11:31:01	4.6	Middle	2	1	20.94	8.14	33.7	100.4	7.2	3.6	2.2
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR5(N)	11:31:26	4.6	Middle	2	2	20.92	8.14	33.8	99.9	7.2	3.6	2.6
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR5(N)	11:30:48	8.2	Bottom	3	1	20.96	8.15	33.7	100.0	7.2	3.6	1.9
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR5(N)	11:31:18	8.2	Bottom	3	2	20.95	8.15	33.7	99.7	7.2	3.5	1.6
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR10A(N)	12:42:54	1.0	Surface	1	1	21.22	8.17	33.2	100.5	7.2	3.4	4.6
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR10A(N)	12:43:27	1.0	Surface	1	2	21.19	8.17	33.3	100.0	7.2	3.4	4.2
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR10A(N)	12:42:45	5.8	Middle	2	1	20.93	8.16	33.7	100.2	7.2	3.4	3.0
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR10A(N)	12:43:16	5.8	Middle	2	2	20.91	8.16	33.7	99.7	7.2	3.5	2.7
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR10A(N)	12:42:26	10.6	Bottom	3	1	20.99	8.17	33.7	99.5	7.2	3.5	1.9
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR10A(N)	12:43:06	10.6	Bottom	3	2	20.92	8.17	33.8	99.4	7.2	3.5	1.7
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR10B(N2)	12:52:10	1.0	Surface	1	1	21.25	8.17	33.8	100.9	7.3	3.3	3.2
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR10B(N2)	12:52:51	1.0	Surface	1	2	21.25	8.17	33.8	100.7	7.2	3.3	3.5
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR10B(N2)	12:51:59	3.9	Middle	2	1	21.00	8.16	33.8	100.9	7.2	3.3	3.0
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR10B(N2)	12:52:28	3.9	Middle	2	2	20.96	8.16	33.8	100.5	7.2	3.3	3.3
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR10B(N2)	12:51:47	6.8	Bottom	3	1	21.04	8.16	33.2	100.3	7.2	3.3	2.8
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	SR10B(N2)	12:52:20	6.8	Bottom	3	2	21.03	8.16	33.1	100.1	7.2	3.2	2.4

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	CS2(A)	10:36:23	1.0	Surface	1	1	21.19	8.16	33.8	100.1	7.2	3.6	3.0
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	CS2(A)	10:36:50	1.0	Surface	1	2	21.20	8.17	33.8	99.7	7.2	3.5	2.8
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	CS2(A)	10:36:13	3.2	Middle	2	1	20.93	8.16	33.7	100.0	7.2	3.6	2.3
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	CS2(A)	10:36:40	3.2	Middle	2	2	20.94	8.16	33.7	99.6	7.2	3.5	2.5
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	CS2(A)	10:36:02	5.4	Bottom	3	1	20.98	8.16	33.3	99.3	7.1	3.6	2.3
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	CS2(A)	10:36:32	5.4	Bottom	3	2	21.00	8.16	33.3	99.2	7.1	3.6	2.1
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	CS(Mf)5	12:42:59	1.0	Surface	1	1	20.27	8.14	32.2	102.3	7.1	3.6	3.7
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	CS(Mf)5	12:43:45	1.0	Surface	1	2	20.34	8.13	32.3	102.5	7.1	3.5	3.9
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	CS(Mf)5	12:42:46	5.9	Middle	2	1	20.05	8.13	32.8	102.2	7.1	3.6	3.4
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	CS(Mf)5	12:43:24	5.9	Middle	2	2	20.06	8.13	32.8	101.9	7.1	3.5	3.1
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	CS(Mf)5	12:42:30	10.8	Bottom	3	1	20.07	8.13	32.7	101.9	7.1	3.5	2.6
HKLR	HY/2011/03	2024/01/17	Mid-Flood	Cloudy	CS(Mf)5	12:43:11	10.8	Bottom	3	2	20.09	8.13	32.8	101.5	7.0	3.6	2.4
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS5	06:58:32	1.0	Surface	1	1	19.33	8.18	32.3	92.9	6.5	3.3	3.0
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS5	06:57:44	1.0	Surface	1	2	19.36	8.19	32.3	94.9	6.7	3.2	2.8
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS5	06:57:31	4.2	Middle	2	1	19.14	8.17	32.7	91.2	6.4	3.4	3.3
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS5	06:58:20	4.2	Middle	2	2	19.12	8.15	32.7	91.4	6.4	3.4	3.7
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS5	06:57:58	7.4	Bottom	3	1	19.06	8.14	32.8	90.6	6.4	3.6	4.3
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS5	06:57:21	7.4	Bottom	3	2	19.14	8.17	32.8	90.5	6.4	3.6	4.1
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS(Mf)6	06:48:25	1.0	Surface	1	1	19.41	8.20	32.3	95.3	6.7	3.1	3.3
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS(Mf)6	06:48:08	1.0	Surface	1	2	19.40	8.19	32.3	95.0	6.7	3.1	3.0
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS(Mf)6	06:47:56	2.2	Bottom	3	1	19.36	8.19	32.4	94.9	6.7	3.4	2.5
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS(Mf)6	06:48:16	2.2	Bottom	3	2	19.37	8.19	32.4	94.8	6.6	3.4	2.1
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS7	06:37:55	1.0	Surface	1	1	19.41	8.19	32.3	95.1	6.7	2.9	3.4
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS7	06:37:41	1.0	Surface	1	2	19.38	8.19	32.3	94.9	6.7	2.9	3.0
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS7	06:37:47	2.3	Bottom	3	1	19.37	8.18	32.3	94.8	6.7	3.3	2.1
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS7	06:37:32	2.3	Bottom	3	2	19.35	8.18	32.4	95.0	6.7	3.3	2.4
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS8(N)	06:02:59	1.0	Surface	1	1	19.40	8.18	32.2	95.3	6.7	3.0	1.4
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS8(N)	06:03:48	1.0	Surface	1	2	19.36	8.17	32.3	96.4	6.8	3.1	1.2
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS8(N)	06:03:07	3.0	Bottom	3	1	19.32	8.17	32.6	94.8	6.7	3.3	1.8
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS8(N)	06:02:49	3.0	Bottom	3	2	19.31	8.18	32.6	94.0	6.6	3.3	1.7
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS(Mf)9	06:27:08	1.0	Surface	1	1	19.41	8.19	32.3	94.8	6.6	3.0	1.4
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS(Mf)9	06:27:23	1.0	Surface	1	2	19.42	8.19	32.2	95.0	6.7	3.0	1.6
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS(Mf)9	06:27:14	2.5	Bottom	3	1	19.40	8.18	32.4	94.2	6.6	3.4	2.5
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS(Mf)9	06:26:58	2.5	Bottom	3	2	19.34	8.18	32.4	93.8	6.6	3.4	2.3
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS10(N)	06:19:41	1.0	Surface	1	1	19.25	8.18	32.1	94.7	6.6	3.1	2.7
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS10(N)	06:19:02	1.0	Surface	1	2	19.22	8.18	32.1	94.9	6.6	3.1	2.3
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS10(N)	06:19:26	5.4	Middle	2	1	19.13	8.17	32.6	92.8	6.5	3.5	2.0
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS10(N)	06:18:47	5.4	Middle	2	2	19.12	8.17	32.7	93.3	6.5	3.4	2.2
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS10(N)	06:19:15	9.8	Bottom	3	1	19.14	8.17	32.6	93.4	6.5	3.8	1.4
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	IS10(N)	06:18:36	9.8	Bottom	3	2	19.13	8.18	32.7	93.2	6.5	3.8	1.6
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR3(N)	07:08:26	1.0	Surface	1	1	19.37	8.18	32.3	93.0	6.5	3.4	1.8
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR3(N)	07:08:41	1.0	Surface	1	2	19.38	8.19	32.2	93.7	6.6	3.2	1.6
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR3(N)	07:08:33	2.4	Bottom	3	1	19.35	8.18	32.4	92.6	6.5	3.6	1.3
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR3(N)	07:08:17	2.4	Bottom	3	2	19.31	8.17	32.4	91.9	6.5	3.7	1.5
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR4(N3)	06:12:33	1.0	Surface	1	1	19.40	8.17	32.3	94.5	6.6	2.8	1.8
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR4(N3)	06:12:15	1.0	Surface	1	2	19.36	8.17	32.3	94.7	6.7	2.8	1.7
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR4(N3)	06:12:23	2.9	Bottom	3	1	19.32	8.16	32.5	94.2	6.6	3.1	2.4
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR4(N3)	06:12:03	2.9	Bottom	3	2	19.30	8.17	32.6	94.6	6.7	3.0	2.1
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR5(N)	06:29:47	1.0	Surface	1	1	19.22	8.19	32.1	93.7	6.5	3.2	2.4
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR5(N)	06:29:04	1.0	Surface	1	2	19.23	8.18	32.1	93.8	6.6	3.2	2.7
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR5(N)	06:29:32	4.7	Middle	2	1	19.16	8.17	32.6	92.7	6.5	3.4	2.0
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR5(N)	06:28:51	4.7	Middle	2	2	19.15	8.17	32.6	92.9	6.5	3.5	2.2
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR5(N)	06:28:39	8.4	Bottom	3	1	19.13	8.17	32.7	93.5	6.5	3.8	1.7
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR5(N)	06:29:22	8.4	Bottom	3	2	19.15	8.17	32.7	93.3	6.5	3.9	1.5
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR10A(N)	05:26:13	1.0	Surface	1	1	19.33	8.17	32.4	92.8	6.5	2.7	1.7
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR10A(N)	05:25:29	1.0	Surface	1	2	19.34	8.16	32.5	92.5	6.4	2.8	1.5
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR10A(N)	05:25:13	6.4	Middle	2	1	19.18	8.14	33.0	91.4	6.4	3.0	1.2
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR10A(N)	05:25:57	6.4	Middle	2	2	19.18	8.15	33.0	90.9	6.3	2.9	1.1

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR10A(N)	05:25:47	11.7	Bottom	3	1	19.20	8.15	33.1	91.8	6.4	3.3	0.9
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR10A(N)	05:25:02	11.7	Bottom	3	2	19.19	8.15	33.0	92.1	6.4	3.3	0.7
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR10B(N2)	05:15:56	1.0	Surface	1	1	19.35	8.16	32.5	97.1	6.8	2.8	1.4
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR10B(N2)	05:15:16	1.0	Surface	1	2	19.36	8.15	32.4	97.9	6.8	2.9	1.2
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR10B(N2)	05:15:43	3.7	Middle	2	1	19.24	8.15	32.8	93.4	6.5	3.1	2.1
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR10B(N2)	05:14:58	3.7	Middle	2	2	19.22	8.14	32.8	94.8	6.6	3.1	2.3
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR10B(N2)	05:15:31	6.4	Bottom	3	1	19.22	8.14	33.0	92.4	6.4	3.3	2.8
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	SR10B(N2)	05:14:45	6.4	Bottom	3	2	19.20	8.13	33.1	92.4	6.4	3.2	3.1
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	CS2(A)	07:22:30	1.0	Surface	1	1	19.19	8.20	32.2	94.2	6.6	3.6	1.9
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	CS2(A)	07:23:12	1.0	Surface	1	2	19.19	8.20	32.2	94.5	6.6	3.7	1.6
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	CS2(A)	07:23:01	3.3	Middle	2	1	19.13	8.19	32.5	93.5	6.5	3.9	1.4
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	CS2(A)	07:22:18	3.3	Middle	2	2	19.13	8.20	32.5	92.8	6.5	3.9	1.2
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	CS2(A)	07:22:45	5.6	Bottom	3	1	19.11	8.19	32.7	92.8	6.5	4.3	0.6
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	CS2(A)	07:22:05	5.6	Bottom	3	2	19.09	8.20	32.7	92.5	6.5	4.1	0.8
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	CS(Mf)5	05:24:39	1.0	Surface	1	1	19.39	8.16	32.4	94.7	6.6	2.9	2.4
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	CS(Mf)5	05:23:55	1.0	Surface	1	2	19.37	8.15	32.5	94.6	6.7	3.0	2.2
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	CS(Mf)5	05:24:22	6.3	Middle	2	1	19.16	8.14	32.9	92.6	6.5	3.2	1.8
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	CS(Mf)5	05:23:41	6.3	Middle	2	2	19.18	8.13	32.9	93.5	6.6	3.3	1.6
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	CS(Mf)5	05:23:30	11.5	Bottom	3	1	19.19	8.13	33.0	92.4	6.5	3.6	1.5
HKLR	HY/2011/03	2024/01/19	Mid-Ebb	Fine	CS(Mf)5	05:24:11	11.5	Bottom	3	2	19.14	8.14	33.0	92.2	6.5	3.5	1.3
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS5	12:16:06	1.0	Surface	1	1	19.44	8.17	32.3	96.1	6.8	3.3	1.4
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS5	12:16:42	1.0	Surface	1	2	19.48	8.17	32.3	96.6	6.8	3.3	1.3
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS5	12:15:55	4.2	Middle	2	1	19.33	8.16	32.6	95.5	6.7	3.6	2.4
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS5	12:16:29	4.2	Middle	2	2	19.34	8.16	32.6	95.6	6.8	3.6	2.7
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS5	12:15:46	7.4	Bottom	3	1	19.32	8.16	32.7	95.6	6.8	3.6	3.0
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS5	12:16:20	7.4	Bottom	3	2	19.33	8.16	32.6	95.6	6.8	3.7	3.4
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS(Mf)6	12:26:36	1.0	Surface	1	1	19.48	8.17	32.3	98.9	7.0	3.3	3.2
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS(Mf)6	12:26:21	1.0	Surface	1	2	19.46	8.18	32.2	98.0	6.9	3.2	3.5
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS(Mf)6	12:26:28	2.2	Bottom	3	1	19.45	8.17	32.4	97.1	6.9	3.8	2.8
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS(Mf)6	12:26:11	2.2	Bottom	3	2	19.42	8.19	32.4	96.0	6.8	3.8	2.5
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS7	12:36:47	1.0	Surface	1	1	19.48	8.18	32.3	97.9	6.9	3.0	2.1
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS7	12:36:30	1.0	Surface	1	2	19.47	8.18	32.3	97.9	6.9	3.2	2.3
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS7	12:36:22	2.3	Bottom	3	1	19.43	8.18	32.4	97.7	6.9	3.3	2.6
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS7	12:36:37	2.3	Bottom	3	2	19.45	8.18	32.4	97.6	6.9	3.3	2.9
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS8(N)	13:07:38	1.0	Surface	1	1	19.48	8.15	32.3	95.8	6.8	3.4	1.9
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS8(N)	13:07:56	1.0	Surface	1	2	19.48	8.16	32.2	96.1	6.8	3.3	1.6
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS8(N)	13:07:47	3.0	Bottom	3	1	19.46	8.15	32.4	95.8	6.7	3.7	2.2
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS8(N)	13:07:29	3.0	Bottom	3	2	19.42	8.14	32.4	95.4	6.7	3.7	2.6
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS(Mf)9	12:46:52	1.0	Surface	1	1	19.48	8.17	32.3	97.4	6.9	3.2	1.3
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS(Mf)9	12:46:33	1.0	Surface	1	2	19.47	8.17	32.3	97.3	6.9	3.3	1.6
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS(Mf)9	12:46:42	2.6	Bottom	3	1	19.45	8.17	32.4	97.2	6.9	3.4	2.4
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS(Mf)9	12:46:26	2.6	Bottom	3	2	19.42	8.16	32.4	97.2	6.9	3.4	2.1
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS10(N)	13:02:01	1.0	Surface	1	1	19.42	8.19	31.8	95.1	6.6	3.3	2.9
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS10(N)	13:01:21	1.0	Surface	1	2	19.39	8.19	31.8	94.4	6.6	3.3	2.7
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS10(N)	13:01:10	5.3	Middle	2	1	19.20	8.18	32.4	93.8	6.5	3.6	2.6
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS10(N)	13:01:44	5.3	Middle	2	2	19.20	8.18	32.5	94.0	6.6	3.5	2.4
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS10(N)	13:01:36	9.5	Bottom	3	1	19.23	8.18	32.5	93.7	6.5	3.6	2.0
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	IS10(N)	13:00:45	9.5	Bottom	3	2	19.20	8.18	32.6	93.9	6.6	3.5	2.2
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR3(N)	12:05:47	1.0	Surface	1	1	19.47	8.17	32.3	98.7	7.0	3.5	2.3
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR3(N)	12:05:31	1.0	Surface	1	2	19.46	8.17	32.3	97.3	6.9	3.4	2.7
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR3(N)	12:05:37	2.3	Bottom	3	1	19.46	8.17	32.3	96.8	6.8	3.6	3.8
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR3(N)	12:05:20	2.3	Bottom	3	2	19.44	8.17	32.4	95.8	6.8	3.6	3.4
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR4(N3)	12:58:26	1.0	Surface	1	1	19.47	8.16	32.3	95.4	6.7	3.1	2.4
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR4(N3)	12:58:09	1.0	Surface	1	2	19.47	8.16	32.3	95.2	6.7	3.2	2.1
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR4(N3)	12:58:18	2.8	Bottom	3	1	19.45	8.15	32.4	94.7	6.7	3.4	2.8
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR4(N3)	12:57:58	2.8	Bottom	3	2	19.45	8.14	32.4	94.3	6.7	3.4	3.1
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR5(N)	12:51:30	1.0	Surface	1	1	19.41	8.19	31.8	95.2	6.6	3.4	2.5
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR5(N)	12:50:50	1.0	Surface	1	2	19.33	8.19	31.8	94.6	6.6	3.4	2.7

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR5(N)	12:51:17	4.7	Middle	2	1	19.24	8.19	32.3	93.9	6.6	3.5	1.9
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR5(N)	12:50:39	4.7	Middle	2	2	19.22	8.18	32.3	93.6	6.5	3.5	1.7
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR5(N)	12:51:06	8.4	Bottom	3	1	19.23	8.18	32.6	94.2	6.6	4.1	1.5
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR5(N)	12:50:28	8.4	Bottom	3	2	19.22	8.18	32.6	93.6	6.5	4.0	1.4
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR10A(N)	14:00:14	1.0	Surface	1	1	19.33	8.20	32.8	94.7	6.6	2.7	2.6
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR10A(N)	13:59:29	1.0	Surface	1	2	19.33	8.20	32.8	94.3	6.6	2.7	2.2
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR10A(N)	13:59:12	6.4	Middle	2	1	19.20	8.19	33.2	92.5	6.4	3.1	1.8
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR10A(N)	13:59:55	6.4	Middle	2	2	19.20	8.19	33.2	92.2	6.4	3.1	1.7
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR10A(N)	13:59:46	11.8	Bottom	3	1	19.21	8.19	33.2	92.8	6.4	3.2	1.5
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR10A(N)	13:59:01	11.8	Bottom	3	2	19.21	8.20	33.3	93.0	6.5	3.2	1.3
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR10B(N2)	14:10:17	1.0	Surface	1	1	19.33	8.20	32.8	93.5	6.5	2.6	2.9
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR10B(N2)	14:10:54	1.0	Surface	1	2	19.34	8.19	32.8	93.5	6.5	2.6	2.6
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR10B(N2)	14:10:42	3.7	Middle	2	1	19.24	8.19	33.0	92.7	6.4	3.0	2.4
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR10B(N2)	14:10:04	3.7	Middle	2	2	19.25	8.20	33.0	92.8	6.4	3.0	2.1
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR10B(N2)	14:09:55	6.4	Bottom	3	1	19.25	8.19	33.1	93.0	6.5	3.2	1.9
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	SR10B(N2)	14:10:31	6.4	Bottom	3	2	19.24	8.18	33.1	92.8	6.4	3.2	1.6
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	CS2(A)	11:57:36	1.0	Surface	1	1	19.31	8.19	31.9	97.0	6.8	3.4	2.7
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	CS2(A)	11:57:01	1.0	Surface	1	2	19.27	8.19	32.0	97.1	6.8	3.4	3.0
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	CS2(A)	11:56:51	3.2	Middle	2	1	19.18	8.19	32.5	94.7	6.6	3.7	2.8
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	CS2(A)	11:57:24	3.2	Middle	2	2	19.18	8.19	32.5	94.9	6.6	3.5	2.6
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	CS2(A)	11:56:40	5.3	Bottom	3	1	19.17	8.19	32.8	94.0	6.6	3.9	2.4
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	CS2(A)	11:57:15	5.3	Bottom	3	2	19.19	8.18	32.7	94.5	6.6	3.9	2.1
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	CS(Mf)5	13:52:03	1.0	Surface	1	1	19.50	8.17	32.6	92.3	6.5	2.8	2.6
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	CS(Mf)5	13:51:25	1.0	Surface	1	2	19.49	8.16	32.6	91.6	6.4	2.8	2.9
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	CS(Mf)5	13:51:11	6.3	Middle	2	1	19.13	8.12	33.3	89.8	6.3	3.1	2.4
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	CS(Mf)5	13:51:49	6.3	Middle	2	2	19.13	8.12	33.3	90.1	6.3	3.1	2.7
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	CS(Mf)5	13:51:41	11.6	Bottom	3	1	19.14	8.12	32.6	89.5	6.3	3.3	1.8
HKLR	HY/2011/03	2024/01/19	Mid-Flood	Fine	CS(Mf)5	13:51:00	11.6	Bottom	3	2	19.11	8.12	33.3	89.7	6.3	3.3	1.5
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS5	22:12:19	1.0	Surface	1	1	20.39	8.10	31.8	99.2	7.0	3.2	2.6
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS5	22:13:00	1.0	Surface	1	2	20.40	8.10	31.9	99.8	7.0	3.2	2.2
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS5	22:12:09	4.2	Middle	2	1	20.16	8.09	32.3	98.5	6.9	3.5	1.8
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS5	22:12:48	4.2	Middle	2	2	20.43	8.09	32.4	99.5	7.0	3.5	1.6
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS5	22:12:01	7.4	Bottom	3	1	20.43	8.09	32.4	98.4	6.9	3.6	1.4
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS5	22:12:33	7.4	Bottom	3	2	20.36	8.09	32.4	99.5	7.0	3.5	1.5
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS(Mf)6	22:22:55	1.0	Surface	1	1	20.35	8.10	31.8	100.3	7.0	3.1	1.4
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS(Mf)6	22:23:12	1.0	Surface	1	2	20.35	8.10	31.8	100.2	7.0	3.2	1.5
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS(Mf)6	22:22:44	2.2	Bottom	3	1	20.21	8.09	32.1	100.1	7.0	3.1	1.4
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS(Mf)6	22:23:06	2.2	Bottom	3	2	20.25	8.10	32.0	100.1	7.0	3.2	1.2
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS7	22:32:37	1.0	Surface	1	1	20.42	8.10	31.9	100.3	7.0	3.1	1.5
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS7	22:32:53	1.0	Surface	1	2	20.40	8.10	31.9	100.5	7.1	3.1	1.2
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS7	22:32:28	2.0	Bottom	3	1	20.40	8.10	32.0	100.5	7.1	3.3	2.8
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS7	22:32:45	2.0	Bottom	3	2	20.37	8.10	32.1	100.4	7.1	3.1	2.4
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS8(N)	23:03:47	1.0	Surface	1	1	20.40	8.10	31.8	99.1	7.0	3.2	2.2
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS8(N)	23:04:07	1.0	Surface	1	2	20.39	8.11	31.9	99.5	7.0	3.2	2.6
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS8(N)	23:03:31	3.0	Bottom	3	1	20.37	8.09	32.0	98.8	6.9	3.2	1.4
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS8(N)	23:03:59	3.0	Bottom	3	2	20.34	8.10	32.0	99.2	7.0	3.2	1.7
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS(Mf)9	22:43:12	1.0	Surface	1	1	20.42	8.11	32.0	100.7	7.1	3.1	2.5
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS(Mf)9	22:43:32	1.0	Surface	1	2	20.43	8.11	31.9	100.5	7.1	3.1	2.8
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS(Mf)9	22:43:02	2.4	Bottom	3	1	20.35	8.10	32.2	100.5	7.1	3.1	2.5
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	IS(Mf)9	22:43:18	2.4	Bottom	3	2	20.38	8.10	32.2	100.4	7.0	3.1	2.2
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	IS10(N)	22:57:00	1.0	Surface	1	1	18.75	8.07	31.6	94.1	7.0	3.3	2.4
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	IS10(N)	22:56:20	1.0	Surface	1	2	18.73	8.08	31.6	93.9	6.9	3.3	2.7
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	IS10(N)	22:56:45	5.4	Middle	2	1	18.51	8.07	32.4	92.9	6.9	3.5	2.2
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	IS10(N)	22:56:08	5.4	Middle	2	2	18.51	8.08	32.3	93.0	6.9	3.6	2.0
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	IS10(N)	22:56:36	9.7	Bottom	3	1	18.55	8.07	32.5	93.0	6.9	3.6	1.4
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	IS10(N)	22:55:58	9.7	Bottom	3	2	18.53	8.07	32.5	93.3	6.9	3.6	1.7
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	SR3(N)	22:01:27	1.0	Surface	1	1	20.44	8.10	31.7	101.2	7.1	3.3	4.0
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	SR3(N)	22:01:41	1.0	Surface	1	2	20.43	8.10	31.8	101.0	7.1	3.3	3.6

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	SR3(N)	22:01:14	2.2	Bottom	3	1	20.41	8.10	31.9	100.8	7.1	3.3	2.6
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	SR3(N)	22:01:34	2.2	Bottom	3	2	20.38	8.09	32.1	101.0	7.1	3.3	2.3
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	SR4(N3)	22:52:56	1.0	Surface	1	1	20.36	8.10	32.0	100.1	7.0	3.2	1.4
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	SR4(N3)	22:53:18	1.0	Surface	1	2	20.43	8.10	32.0	100.4	7.0	3.2	1.6
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	SR4(N3)	22:52:39	2.6	Bottom	3	1	20.25	8.10	32.3	100.0	7.0	3.2	2.6
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	SR4(N3)	22:53:07	2.6	Bottom	3	2	20.26	8.10	32.2	99.7	7.0	3.2	2.9
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	SR5(N)	22:46:59	1.0	Surface	1	1	18.70	8.09	31.6	94.6	7.0	2.9	2.2
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	SR5(N)	22:46:17	1.0	Surface	1	2	18.61	8.09	31.7	93.4	6.9	2.9	2.4
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	SR5(N)	22:46:47	4.5	Middle	2	1	18.52	8.09	32.2	93.2	6.9	3.0	2.7
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	SR5(N)	22:46:08	4.5	Middle	2	2	18.51	8.09	32.2	92.2	6.8	3.0	3.0
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	SR5(N)	22:45:56	8.0	Bottom	3	1	18.53	8.09	32.6	91.7	6.8	3.6	3.5
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	SR5(N)	22:46:35	8.0	Bottom	3	2	18.53	8.07	32.6	92.9	6.9	3.6	3.2
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	SR10A(N)	23:48:14	1.0	Surface	1	1	18.55	8.09	33.2	92.3	6.8	2.8	1.5
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	SR10A(N)	23:47:19	1.0	Surface	1	2	18.57	8.09	33.2	92.8	6.8	2.8	1.8
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	SR10A(N)	23:47:02	6.4	Middle	2	1	18.50	8.10	33.6	91.3	6.7	3.2	2.3
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	SR10A(N)	23:47:44	6.4	Middle	2	2	18.50	8.08	33.6	90.3	6.6	3.2	2.6
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	SR10A(N)	23:46:51	11.8	Bottom	3	1	18.51	8.11	33.6	91.1	6.7	3.4	3.0
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	SR10A(N)	23:47:36	11.8	Bottom	3	2	18.51	8.08	33.6	90.1	6.6	3.4	3.5
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	SR10B(N2)	23:58:55	1.0	Surface	1	1	18.56	8.08	33.3	90.6	6.7	2.5	1.5
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	SR10B(N2)	23:58:25	1.0	Surface	1	2	18.57	8.08	33.3	90.8	6.7	2.6	1.4
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	SR10B(N2)	23:58:45	3.6	Middle	2	1	18.53	8.07	33.4	90.2	6.6	3.0	2.2
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	SR10B(N2)	23:58:14	3.6	Middle	2	2	18.53	8.08	33.4	90.2	6.6	3.1	2.0
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	SR10B(N2)	23:58:03	6.2	Bottom	3	1	18.52	8.08	33.6	90.4	6.6	3.3	2.9
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	SR10B(N2)	23:58:36	6.2	Bottom	3	2	18.53	8.07	33.5	90.4	6.6	3.3	2.6
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	CS2(A)	21:54:39	1.0	Surface	1	1	18.44	8.09	31.9	97.0	7.2	2.6	1.6
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	CS2(A)	21:54:01	1.0	Surface	1	2	18.40	8.08	32.1	97.2	7.2	2.6	1.4
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	CS2(A)	21:53:53	3.4	Middle	2	1	18.34	8.08	32.6	94.8	7.1	3.1	1.8
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	CS2(A)	21:54:28	3.4	Middle	2	2	18.33	8.09	32.6	95.2	7.1	3.1	1.6
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	CS2(A)	21:53:40	5.7	Bottom	3	1	18.34	8.08	33.0	92.6	6.9	3.3	2.1
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Fine	CS2(A)	21:54:17	5.7	Bottom	3	2	18.34	8.08	33.0	93.4	6.9	3.4	2.4
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	CS(Mf)5	23:47:13	1.0	Surface	1	1	20.42	8.10	32.0	98.8	6.9	3.2	1.8
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	CS(Mf)5	23:47:48	1.0	Surface	1	2	20.35	8.11	31.8	98.6	6.9	3.2	1.6
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	CS(Mf)5	23:47:00	5.9	Middle	2	1	20.14	8.10	32.4	98.2	6.9	3.1	2.2
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	CS(Mf)5	23:47:38	5.9	Middle	2	2	20.13	8.10	32.4	98.5	6.9	3.2	2.5
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	CS(Mf)5	23:46:41	10.8	Bottom	3	1	20.17	8.10	32.4	97.8	6.9	3.1	2.8
HKLR	HY/2011/03	2024/01/22	Mid-Ebb	Cloudy	CS(Mf)5	23:47:25	10.8	Bottom	3	2	20.15	8.10	32.4	98.2	6.9	3.3	3.2
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS5	11:39:28	1.0	Surface	1	1	20.36	8.10	31.7	101.0	7.1	3.5	1.8
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS5	11:40:09	1.0	Surface	1	2	20.44	8.09	31.9	99.4	7.0	3.5	1.5
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS5	11:39:17	4.2	Middle	2	1	20.16	8.09	32.3	100.5	7.1	3.5	2.5
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS5	11:39:52	4.2	Middle	2	2	20.16	8.09	32.3	99.2	7.0	3.5	2.2
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS5	11:39:04	7.4	Bottom	3	1	20.18	8.09	32.4	99.2	7.0	3.5	2.7
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS5	11:39:42	7.4	Bottom	3	2	20.17	8.09	32.4	98.4	6.9	3.4	2.9
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS(Mf)6	11:29:30	1.0	Surface	1	1	20.45	8.14	31.8	99.8	7.0	3.3	1.3
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS(Mf)6	11:29:53	1.0	Surface	1	2	20.44	8.14	31.8	99.8	7.0	3.3	1.1
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS(Mf)6	11:29:21	2.0	Bottom	3	1	20.32	8.13	32.0	99.4	7.0	3.3	1.9
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS(Mf)6	11:29:43	2.0	Bottom	3	2	20.37	8.13	32.0	99.7	7.0	3.3	1.7
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS7	11:19:40	1.0	Surface	1	1	20.39	8.09	31.8	100.1	7.0	3.4	2.1
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS7	11:20:01	1.0	Surface	1	2	20.41	8.09	31.7	100.0	7.0	3.4	2.2
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS7	11:19:21	2.0	Bottom	3	1	20.39	8.08	32.1	100.0	7.0	3.4	2.6
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS7	11:19:52	2.0	Bottom	3	2	20.34	8.08	32.1	99.8	7.0	3.4	2.3
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS8(N)	10:46:50	1.0	Surface	1	1	20.43	8.15	31.9	100.3	7.0	3.3	1.2
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS8(N)	10:47:11	1.0	Surface	1	2	20.34	8.15	31.8	100.1	7.0	3.4	1.3
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS8(N)	10:46:32	3.0	Bottom	3	1	20.37	8.14	32.1	100.2	7.0	3.3	1.8
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS8(N)	10:46:59	3.0	Bottom	3	2	20.27	8.14	32.1	99.9	7.0	3.3	1.6
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS(Mf)9	11:09:45	1.0	Surface	1	1	20.43	8.12	31.8	100.3	7.0	3.2	1.7
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS(Mf)9	11:10:02	1.0	Surface	1	2	20.16	8.12	31.8	100.1	7.0	3.2	1.8
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS(Mf)9	0:00:00	2.6	Bottom	3	1	20.15	8.11	32.1	100.2	7.0	3.2	2.4
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	IS(Mf)9	11:09:54	2.6	Bottom	3	2	20.16	8.11	32.1	99.9	7.0	3.2	2.8

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	IS10(N)	11:00:28	1.0	Surface	1	1	18.42	8.09	32.1	94.0	7.0	2.5	1.3
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	IS10(N)	11:01:08	1.0	Surface	1	2	18.43	8.08	32.2	94.8	7.0	2.5	1.1
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	IS10(N)	11:00:53	5.6	Middle	2	1	18.47	8.07	32.7	92.5	6.9	2.8	1.6
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	IS10(N)	11:00:13	5.6	Middle	2	2	18.46	8.07	32.7	92.2	6.8	2.8	1.8
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	IS10(N)	11:00:01	10.1	Bottom	3	1	18.48	8.08	32.7	92.4	6.8	3.1	1.8
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	IS10(N)	11:00:41	10.1	Bottom	3	2	18.47	8.07	32.7	92.1	6.8	3.1	1.7
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	SR3(N)	11:50:12	1.0	Surface	1	1	20.15	8.10	31.8	103.1	7.2	3.2	3.1
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	SR3(N)	11:50:35	1.0	Surface	1	2	20.18	8.10	31.8	101.9	7.2	3.2	3.5
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	SR3(N)	11:49:45	2.2	Bottom	3	1	20.17	8.09	32.1	102.1	7.2	3.2	2.3
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	SR3(N)	11:50:27	2.2	Bottom	3	2	20.37	8.10	32.0	101.9	7.2	3.1	2.0
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	SR4(N3)	10:55:36	1.0	Surface	1	1	20.39	8.13	31.8	100.2	7.0	3.1	1.4
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	SR4(N3)	10:55:51	1.0	Surface	1	2	20.14	8.13	31.8	100.0	7.0	3.1	1.6
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	SR4(N3)	10:55:26	2.6	Bottom	3	1	20.31	8.12	32.1	100.2	7.0	3.3	3.1
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	SR4(N3)	10:55:46	2.6	Bottom	3	2	20.30	8.13	32.0	99.9	7.0	3.3	3.4
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	SR5(N)	11:11:20	1.0	Surface	1	1	18.48	8.07	32.3	91.3	6.8	2.6	3.0
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	SR5(N)	11:10:35	1.0	Surface	1	2	18.48	8.07	32.3	91.9	6.8	2.7	2.6
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	SR5(N)	11:10:23	4.5	Middle	2	1	18.49	8.06	32.7	91.4	6.8	2.9	2.3
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	SR5(N)	11:11:06	4.5	Middle	2	2	18.49	8.05	32.7	90.8	6.7	2.9	2.4
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	SR5(N)	11:10:54	7.9	Bottom	3	1	18.50	8.05	32.8	91.2	6.7	3.4	2.2
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	SR5(N)	11:10:10	7.9	Bottom	3	2	18.49	8.06	32.8	91.9	6.8	3.4	2.1
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	SR10A(N)	10:04:09	1.0	Surface	1	1	18.53	8.04	32.7	90.6	6.7	2.4	1.6
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	SR10A(N)	10:03:23	1.0	Surface	1	2	18.54	8.04	32.8	92.0	6.8	2.5	1.8
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	SR10A(N)	10:03:08	6.4	Middle	2	1	18.51	8.03	33.2	91.0	6.7	2.7	2.1
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	SR10A(N)	10:03:52	6.4	Middle	2	2	18.50	8.04	33.2	89.7	6.6	2.5	2.4
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	SR10A(N)	10:02:58	11.8	Bottom	3	1	18.51	8.04	33.2	91.2	6.7	3.1	2.7
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	SR10A(N)	10:03:42	11.8	Bottom	3	2	18.51	8.03	33.2	90.1	6.6	3.0	3.1
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	SR10B(N2)	09:53:44	1.0	Surface	1	1	18.53	8.04	32.8	94.8	7.0	2.6	2.2
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	SR10B(N2)	09:53:06	1.0	Surface	1	2	18.53	8.03	32.8	96.3	7.1	2.6	2.4
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	SR10B(N2)	09:53:32	3.6	Middle	2	1	18.51	8.04	33.0	91.3	6.7	2.8	1.8
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	SR10B(N2)	09:52:51	3.6	Middle	2	2	18.49	8.03	33.1	93.4	6.9	2.8	1.5
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	SR10B(N2)	09:52:40	6.1	Bottom	3	1	18.49	8.03	33.2	91.6	6.7	2.9	1.1
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	SR10B(N2)	09:53:21	6.1	Bottom	3	2	18.51	8.03	33.2	91.0	6.7	3.0	1.3
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	CS2(A)	12:09:58	1.0	Surface	1	1	18.35	8.10	32.3	94.5	7.0	3.3	2.2
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	CS2(A)	12:09:23	1.0	Surface	1	2	18.35	8.11	32.3	94.6	7.0	3.1	2.5
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	CS2(A)	12:09:47	3.3	Middle	2	1	18.34	8.10	32.7	93.4	7.0	3.5	1.9
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	CS2(A)	12:09:12	3.3	Middle	2	2	18.35	8.11	32.7	92.9	6.9	3.4	1.7
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	CS2(A)	12:09:37	5.6	Bottom	3	1	18.36	8.10	32.9	91.2	6.8	3.9	1.5
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Fine	CS2(A)	12:09:01	5.6	Bottom	3	2	18.38	8.11	32.9	91.4	6.8	3.8	1.3
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	CS(Mf)5	10:01:30	1.0	Surface	1	1	20.43	8.11	31.7	102.4	7.2	3.1	2.3
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	CS(Mf)5	10:02:17	1.0	Surface	1	2	20.42	8.14	31.8	100.6	7.1	3.1	2.1
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	CS(Mf)5	10:01:14	6.0	Middle	2	1	20.42	8.09	32.4	100.5	7.1	3.1	1.7
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	CS(Mf)5	10:01:58	6.0	Middle	2	2	20.34	8.12	32.4	99.2	7.0	3.1	1.9
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	CS(Mf)5	10:00:54	11.0	Bottom	3	1	20.32	8.08	32.5	100.5	7.1	3.1	1.5
HKLR	HY/2011/03	2024/01/22	Mid-Flood	Cloudy	CS(Mf)5	10:01:48	11.0	Bottom	3	2	20.30	8.11	32.4	98.8	6.9	3.2	1.3
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS5	11:34:14	1.0	Surface	1	1	18.99	8.06	32.1	96.4	6.8	3.1	3.8
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS5	11:34:51	1.0	Surface	1	2	19.01	8.06	32.1	96.7	6.8	3.2	4.2
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS5	11:34:01	4.2	Middle	2	1	18.86	8.05	32.4	95.7	6.8	3.5	4.6
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS5	11:34:38	4.2	Middle	2	2	18.86	8.05	32.4	95.7	6.8	3.5	4.8
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS5	11:33:51	7.4	Bottom	3	1	18.85	8.05	32.4	95.6	6.8	3.6	4.9
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS5	11:34:27	7.4	Bottom	3	2	18.86	8.05	32.4	95.5	6.8	3.7	5.1
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS(Mf)6	11:43:55	1.0	Surface	1	1	18.99	8.07	32.0	98.6	7.0	3.0	3.1
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS(Mf)6	11:44:11	1.0	Surface	1	2	19.00	8.07	32.0	99.5	7.0	3.1	2.7
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS(Mf)6	11:44:02	2.2	Bottom	3	1	18.97	8.06	32.2	97.6	6.9	3.4	4.3
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS(Mf)6	11:43:44	2.2	Bottom	3	2	18.94	8.08	32.2	96.5	6.8	3.5	4.7
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS7	11:52:58	1.0	Surface	1	1	19.01	8.07	32.1	97.9	6.9	2.9	3.1
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS7	11:52:41	1.0	Surface	1	2	18.99	8.07	32.1	97.8	6.9	3.1	3.4
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS7	11:52:48	2.3	Bottom	3	1	18.96	8.07	32.2	97.5	6.9	3.3	3.9
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS7	11:52:33	2.3	Bottom	3	2	18.93	8.07	32.2	97.6	6.9	3.2	4.2

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS8(N)	12:25:35	1.0	Surface	1	1	19.00	8.05	32.0	96.2	6.8	3.2	3.3
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS8(N)	12:25:53	1.0	Surface	1	2	19.01	8.06	32.0	96.6	6.8	3.1	3.7
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS8(N)	12:25:44	2.9	Bottom	3	1	18.97	8.05	32.2	96.2	6.8	3.5	4.3
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS8(N)	12:25:25	2.9	Bottom	3	2	18.93	8.04	32.2	95.8	6.8	3.5	4.5
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS(Mf)9	12:01:47	1.0	Surface	1	1	19.00	8.06	32.1	97.4	6.9	3.0	4.8
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS(Mf)9	12:01:27	1.0	Surface	1	2	19.00	8.06	32.1	97.3	6.9	3.2	4.7
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS(Mf)9	12:01:37	2.6	Bottom	3	1	18.95	8.06	32.2	97.2	6.9	3.3	4.1
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS(Mf)9	12:01:19	2.6	Bottom	3	2	18.93	8.05	32.2	97.2	6.9	3.2	3.8
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS10(N)	12:44:55	1.0	Surface	1	1	18.57	8.06	32.1	93.9	6.9	3.2	4.2
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS10(N)	12:44:18	1.0	Surface	1	2	18.56	8.07	32.1	93.5	6.8	3.3	4.5
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS10(N)	12:44:41	5.3	Middle	2	1	18.40	8.05	32.7	93.0	6.8	3.5	4.8
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS10(N)	12:44:06	5.3	Middle	2	2	18.39	8.06	32.7	92.9	6.8	3.5	5.0
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS10(N)	12:44:33	9.6	Bottom	3	1	18.41	8.05	32.8	92.8	6.8	3.6	5.4
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	IS10(N)	12:43:56	9.6	Bottom	3	2	18.39	8.05	32.8	93.1	6.8	3.5	5.8
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR3(N)	11:22:59	1.0	Surface	1	1	18.99	8.06	32.1	99.1	7.0	3.3	4.6
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR3(N)	11:22:42	1.0	Surface	1	2	18.99	8.06	32.1	97.8	6.9	3.2	4.3
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR3(N)	11:22:31	2.3	Bottom	3	1	18.96	8.06	32.1	96.4	6.8	3.5	3.6
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR3(N)	11:22:48	2.3	Bottom	3	2	18.98	8.06	32.1	97.2	6.9	3.4	4.0
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR4(N3)	12:16:15	1.0	Surface	1	1	18.99	8.05	32.1	95.9	6.8	3.0	3.3
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR4(N3)	12:15:57	1.0	Surface	1	2	19.00	8.05	32.0	95.8	6.8	3.1	3.0
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR4(N3)	12:16:07	2.9	Bottom	3	1	18.95	8.04	32.2	95.3	6.7	3.3	3.8
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR4(N3)	12:15:47	2.9	Bottom	3	2	18.96	8.04	32.2	95.1	6.7	3.4	3.6
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR5(N)	12:36:13	1.0	Surface	1	1	18.55	8.07	32.1	94.6	6.9	2.8	5.0
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR5(N)	12:35:33	1.0	Surface	1	2	18.49	8.08	32.1	94.0	6.9	2.8	5.4
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR5(N)	12:36:02	4.6	Middle	2	1	18.41	8.06	32.6	93.1	6.8	2.9	4.7
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR5(N)	12:35:21	4.6	Middle	2	2	18.41	8.07	32.6	92.7	6.8	2.9	4.4
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR5(N)	12:35:10	8.1	Bottom	3	1	18.39	8.07	32.8	92.5	6.7	3.4	4.2
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR5(N)	12:35:50	8.1	Bottom	3	2	18.39	8.05	32.8	93.1	6.8	3.5	3.7
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR10A(N)	13:36:57	1.0	Surface	1	1	18.48	8.07	33.2	94.2	6.8	2.8	4.3
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR10A(N)	13:36:07	1.0	Surface	1	2	18.51	8.07	33.2	94.3	6.9	2.7	4.7
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR10A(N)	13:35:50	6.4	Middle	2	1	18.42	8.08	33.5	92.6	6.7	3.1	5.0
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR10A(N)	13:36:35	6.4	Middle	2	2	18.41	8.06	33.5	91.6	6.6	3.1	4.7
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR10A(N)	13:35:40	11.7	Bottom	3	1	18.42	8.08	33.5	92.4	6.7	3.2	5.8
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR10A(N)	13:36:25	11.7	Bottom	3	2	18.43	8.06	33.5	91.8	6.7	3.2	5.2
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR10B(N2)	13:47:37	1.0	Surface	1	1	18.50	8.06	33.2	92.2	6.7	2.6	3.8
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR10B(N2)	13:47:01	1.0	Surface	1	2	18.50	8.06	33.2	92.3	6.7	2.6	4.2
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR10B(N2)	13:47:24	3.8	Middle	2	1	18.45	8.06	33.4	91.6	6.6	3.0	4.4
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR10B(N2)	13:46:49	3.8	Middle	2	2	18.45	8.06	33.4	91.7	6.7	3.0	4.6
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR10B(N2)	13:46:40	6.5	Bottom	3	1	18.43	8.06	33.4	91.6	6.6	3.2	4.7
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	SR10B(N2)	13:47:13	6.5	Bottom	3	2	18.45	8.05	33.4	91.5	6.6	3.2	4.9
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	CS2(A)	11:36:01	1.0	Surface	1	1	18.35	8.06	32.4	97.8	7.2	2.8	4.0
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	CS2(A)	11:36:36	1.0	Surface	1	2	18.37	8.06	32.3	97.2	7.1	2.8	3.7
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	CS2(A)	11:35:53	3.3	Middle	2	1	18.27	8.05	32.7	95.3	7.0	3.1	3.5
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	CS2(A)	11:36:27	3.3	Middle	2	2	18.29	8.06	32.7	95.4	7.0	3.0	3.6
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	CS2(A)	11:35:42	5.6	Bottom	3	1	18.27	8.05	33.0	94.5	6.9	3.4	3.0
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	CS2(A)	11:36:15	5.6	Bottom	3	2	18.27	8.05	33.0	94.9	6.9	3.5	3.1
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	CS(Mf)5	13:07:40	1.0	Surface	1	1	19.04	8.06	32.3	93.6	6.6	2.8	4.4
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	CS(Mf)5	13:07:01	1.0	Surface	1	2	19.04	8.05	32.3	92.9	6.5	2.8	4.7
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	CS(Mf)5	13:06:45	6.3	Middle	2	1	18.73	8.02	33.0	90.9	6.4	3.0	5.2
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	CS(Mf)5	13:07:26	6.3	Middle	2	2	18.73	8.02	33.0	91.3	6.4	3.0	5.5
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	CS(Mf)5	13:07:16	11.6	Bottom	3	1	18.73	8.01	32.1	90.7	6.4	3.3	5.8
HKLR	HY/2011/03	2024/01/24	Mid-Ebb	Fine	CS(Mf)5	13:06:35	11.6	Bottom	3	2	18.72	8.02	33.0	90.7	6.4	3.3	6.1
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS5	08:57:29	1.0	Surface	1	1	18.73	8.08	32.5	94.3	6.6	3.0	3.8
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS5	08:56:40	1.0	Surface	1	2	18.75	8.09	32.5	96.2	6.8	3.0	3.6
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS5	08:56:27	4.2	Middle	2	1	18.59	8.07	32.8	92.2	6.5	3.2	4.4
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS5	08:57:16	4.2	Middle	2	2	18.57	8.05	32.8	92.8	6.5	3.2	4.1
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS5	08:56:55	7.4	Bottom	3	1	18.53	8.05	32.9	92.0	6.5	3.4	4.5
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS5	08:56:17	7.4	Bottom	3	2	18.59	8.06	32.9	91.8	6.4	3.4	4.4

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS(Mf)6	08:46:41	1.0	Surface	1	1	18.78	8.09	32.5	95.9	6.7	2.9	5.3
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS(Mf)6	08:46:24	1.0	Surface	1	2	18.78	8.09	32.5	95.7	6.7	2.9	5.5
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS(Mf)6	08:46:11	2.3	Bottom	3	1	18.75	8.08	32.6	95.7	6.7	3.2	3.6
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS(Mf)6	08:46:31	2.3	Bottom	3	2	18.76	8.09	32.5	95.5	6.7	3.2	4.0
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS7	08:37:39	1.0	Surface	1	1	18.78	8.09	32.5	95.7	6.7	2.7	4.6
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS7	08:37:25	1.0	Surface	1	2	18.76	8.09	32.5	95.5	6.7	2.7	4.2
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS7	08:37:31	2.3	Bottom	3	1	18.75	8.08	32.5	95.5	6.7	3.1	3.4
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS7	08:37:16	2.3	Bottom	3	2	18.74	8.08	32.5	95.6	6.7	3.0	4.0
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS8(N)	08:02:17	1.0	Surface	1	1	18.77	8.08	32.5	96.4	6.8	2.8	3.6
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS8(N)	08:03:12	1.0	Surface	1	2	18.75	8.08	32.5	97.6	6.9	2.9	4.0
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS8(N)	08:02:24	3.0	Bottom	3	1	18.72	8.07	32.7	95.9	6.7	3.1	4.2
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS8(N)	08:02:07	3.0	Bottom	3	2	18.72	8.08	32.7	95.1	6.7	3.2	3.9
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS(Mf)9	08:27:58	1.0	Surface	1	1	18.80	8.09	32.4	95.6	6.7	2.8	5.8
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS(Mf)9	08:27:42	1.0	Surface	1	2	18.79	8.09	32.5	95.5	6.7	2.8	5.3
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS(Mf)9	08:27:48	2.5	Bottom	3	1	18.78	8.08	32.6	94.9	6.7	3.2	4.5
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS(Mf)9	08:27:32	2.5	Bottom	3	2	18.74	8.08	32.6	94.6	6.6	3.2	4.9
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS10(N)	08:22:26	1.0	Surface	1	1	18.34	8.07	32.4	95.0	7.0	2.6	5.8
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS10(N)	08:23:06	1.0	Surface	1	2	18.35	8.07	32.4	95.4	7.0	2.6	5.2
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS10(N)	08:22:51	5.4	Middle	2	1	18.32	8.05	32.8	93.1	6.8	3.0	4.7
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS10(N)	08:22:11	5.4	Middle	2	2	18.32	8.06	32.7	93.3	6.8	3.1	5.1
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS10(N)	08:22:39	9.8	Bottom	3	1	18.33	8.05	32.8	93.2	6.8	3.4	4.2
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	IS10(N)	08:22:01	9.8	Bottom	3	2	18.33	8.06	32.8	93.2	6.8	3.4	4.5
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR3(N)	09:08:41	1.0	Surface	1	1	18.76	8.08	32.5	94.0	6.6	3.3	6.6
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR3(N)	09:08:56	1.0	Surface	1	2	18.77	8.08	32.4	94.6	6.6	3.1	6.9
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR3(N)	09:08:47	2.4	Bottom	3	1	18.75	8.08	32.5	93.7	6.6	3.4	5.5
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR3(N)	09:08:32	2.4	Bottom	3	2	18.71	8.07	32.6	93.0	6.5	3.5	5.1
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR4(N3)	08:12:56	1.0	Surface	1	1	18.78	8.08	32.5	95.2	6.7	2.7	5.2
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR4(N3)	08:12:36	1.0	Surface	1	2	18.74	8.07	32.5	95.4	6.7	2.6	4.8
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR4(N3)	08:12:46	2.9	Bottom	3	1	18.72	8.06	32.7	95.0	6.7	2.9	6.3
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR4(N3)	08:12:24	2.9	Bottom	3	2	18.71	8.07	32.7	95.4	6.7	2.8	6.0
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR5(N)	08:33:12	1.0	Surface	1	1	18.35	8.06	32.4	92.4	6.8	2.8	4.4
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR5(N)	08:32:30	1.0	Surface	1	2	18.36	8.06	32.4	92.8	6.8	2.7	4.7
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR5(N)	08:32:19	4.6	Middle	2	1	18.33	8.05	32.7	92.3	6.7	3.1	5.1
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR5(N)	08:32:58	4.6	Middle	2	2	18.33	8.05	32.7	91.8	6.7	3.1	4.8
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR5(N)	08:32:48	8.1	Bottom	3	1	18.33	8.04	32.8	92.1	6.7	3.5	5.4
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR5(N)	08:32:07	8.1	Bottom	3	2	18.31	8.05	32.8	92.6	6.8	3.4	5.8
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR10A(N)	07:25:14	1.0	Surface	1	1	18.45	8.04	32.8	91.8	6.7	2.4	5.3
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR10A(N)	07:24:30	1.0	Surface	1	2	18.47	8.04	32.8	92.2	6.7	2.5	5.7
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR10A(N)	07:24:13	6.4	Middle	2	1	18.41	8.02	33.2	91.3	6.6	2.6	4.7
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR10A(N)	07:24:58	6.4	Middle	2	2	18.40	8.03	33.2	90.6	6.6	2.5	5.0
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR10A(N)	07:24:47	11.8	Bottom	3	1	18.42	8.02	33.2	91.1	6.6	2.9	4.0
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR10A(N)	07:24:01	11.8	Bottom	3	2	18.40	8.03	33.2	91.6	6.7	3.0	4.4
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR10B(N2)	07:14:39	1.0	Surface	1	1	18.48	8.03	32.8	96.5	7.0	2.6	4.6
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR10B(N2)	07:14:00	1.0	Surface	1	2	18.48	8.02	32.8	97.0	7.1	2.6	4.7
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR10B(N2)	07:14:24	3.7	Middle	2	1	18.43	8.02	33.0	92.5	6.7	2.8	5.1
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR10B(N2)	07:13:43	3.7	Middle	2	2	18.42	8.01	33.1	94.4	6.9	2.7	4.8
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR10B(N2)	07:13:32	6.4	Bottom	3	1	18.40	8.01	33.2	92.3	6.7	2.9	5.8
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	SR10B(N2)	07:14:14	6.4	Bottom	3	2	18.41	8.02	33.2	92.0	6.7	3.0	5.4
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	CS2(A)	09:24:15	1.0	Surface	1	1	18.29	8.08	32.4	94.3	6.9	3.1	4.2
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	CS2(A)	09:23:39	1.0	Surface	1	2	18.29	8.09	32.4	94.2	6.9	3.1	3.8
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	CS2(A)	09:24:03	3.3	Middle	2	1	18.27	8.08	32.6	93.4	6.9	3.3	5.1
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	CS2(A)	09:23:28	3.3	Middle	2	2	18.27	8.09	32.6	93.0	6.8	3.4	4.7
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	CS2(A)	09:23:53	5.6	Bottom	3	1	18.27	8.08	32.8	92.5	6.8	3.9	6.0
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	CS2(A)	09:23:17	5.6	Bottom	3	2	18.27	8.09	32.8	92.7	6.8	3.7	5.6
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	CS(Mf)5	07:21:50	1.0	Surface	1	1	18.80	8.06	32.6	95.9	6.7	2.7	4.1
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	CS(Mf)5	07:21:06	1.0	Surface	1	2	18.78	8.06	32.7	95.8	6.7	2.9	4.4
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	CS(Mf)5	07:21:33	6.3	Middle	2	1	18.64	8.05	33.0	93.9	6.6	3.1	5.0
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	CS(Mf)5	07:20:51	6.3	Middle	2	2	18.65	8.04	33.0	94.6	6.6	3.1	5.6

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	CS(Mf)5	07:20:40	11.5	Bottom	3	1	18.66	8.04	33.1	93.5	6.6	3.4	6.2
HKLR	HY/2011/03	2024/01/24	Mid-Flood	Fine	CS(Mf)5	07:21:22	11.5	Bottom	3	2	18.62	8.05	33.1	93.2	6.5	3.4	6.6
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS5	12:34:18	1.0	Surface	1	1	18.84	8.11	32.5	93.4	6.7	2.5	5.1
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS5	12:34:57	1.0	Surface	1	2	18.85	8.10	32.5	93.6	6.7	2.6	5.2
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS5	12:34:42	4.3	Middle	2	1	18.71	8.07	32.9	92.4	6.6	2.9	4.5
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS5	12:34:05	4.3	Middle	2	2	18.70	8.07	32.9	92.2	6.6	2.9	4.8
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS5	12:33:56	7.5	Bottom	3	1	18.69	8.07	33.0	92.1	6.6	3.0	4.0
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS5	12:34:33	7.5	Bottom	3	2	18.70	8.07	33.0	92.5	6.7	3.1	3.6
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS(Mf)6	12:43:40	1.0	Surface	1	1	18.86	8.12	32.5	96.8	6.9	2.4	3.0
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS(Mf)6	12:43:23	1.0	Surface	1	2	18.85	8.12	32.5	95.8	6.9	2.4	3.4
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS(Mf)6	12:43:31	2.2	Bottom	3	1	18.83	8.11	32.6	94.9	6.8	2.7	4.4
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS(Mf)6	12:43:13	2.2	Bottom	3	2	18.81	8.12	32.6	93.6	6.7	2.8	4.1
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS7	12:53:44	1.0	Surface	1	1	18.87	8.12	32.5	95.5	6.9	2.2	5.4
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS7	12:53:27	1.0	Surface	1	2	18.85	8.12	32.5	95.1	6.8	2.4	5.0
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS7	12:53:19	2.3	Bottom	3	1	18.82	8.12	32.6	94.0	6.7	2.5	3.7
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS7	12:53:34	2.3	Bottom	3	2	18.84	8.12	32.6	94.4	6.8	2.6	4.1
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS8(N)	13:27:55	1.0	Surface	1	1	18.84	8.09	32.4	93.1	6.7	2.6	3.0
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS8(N)	13:28:13	1.0	Surface	1	2	18.86	8.10	32.4	93.8	6.7	2.5	3.4
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS8(N)	13:28:04	2.9	Bottom	3	1	18.83	8.09	32.5	93.1	6.7	2.8	4.4
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS8(N)	13:27:45	2.9	Bottom	3	2	18.79	8.08	32.6	92.3	6.6	2.8	4.7
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS(Mf)9	13:04:14	1.0	Surface	1	1	18.87	8.11	32.5	94.7	6.8	2.3	4.3
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS(Mf)9	13:03:53	1.0	Surface	1	2	18.86	8.11	32.5	94.1	6.7	2.5	4.0
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS(Mf)9	13:04:03	2.6	Bottom	3	1	18.83	8.11	32.6	94.2	6.8	2.6	3.6
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS(Mf)9	13:03:46	2.6	Bottom	3	2	18.81	8.10	32.6	93.8	6.7	2.5	3.2
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS10(N)	13:31:38	1.0	Surface	1	1	18.59	8.09	32.3	92.4	6.5	2.8	2.2
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS10(N)	13:30:59	1.0	Surface	1	2	18.57	8.10	32.3	91.8	6.5	2.8	2.6
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS10(N)	13:30:46	5.3	Middle	2	1	18.44	8.08	33.0	91.2	6.4	3.0	3.0
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS10(N)	13:31:23	5.3	Middle	2	2	18.45	8.08	33.0	91.2	6.4	3.0	2.7
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS10(N)	13:30:37	9.6	Bottom	3	1	18.45	8.08	33.1	91.4	6.4	3.1	3.3
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	IS10(N)	13:31:15	9.6	Bottom	3	2	18.47	8.08	33.1	91.1	6.4	3.2	3.4
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR3(N)	12:23:07	1.0	Surface	1	1	18.85	8.12	32.5	96.4	6.9	2.6	4.0
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR3(N)	12:22:50	1.0	Surface	1	2	18.85	8.11	32.5	95.3	6.8	2.6	3.6
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR3(N)	12:22:57	2.3	Bottom	3	1	18.84	8.11	32.5	94.6	6.8	2.8	4.8
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR3(N)	12:22:40	2.3	Bottom	3	2	18.82	8.10	32.6	93.2	6.5	2.9	4.5
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR4(N3)	13:18:43	1.0	Surface	1	1	18.84	8.10	32.5	93.7	6.7	2.4	5.5
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR4(N3)	13:18:27	1.0	Surface	1	2	18.84	8.10	32.5	93.4	6.7	2.5	5.2
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR4(N3)	13:18:36	2.9	Bottom	3	1	18.82	8.09	32.6	92.9	6.7	2.7	4.2
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR4(N3)	13:18:17	2.9	Bottom	3	2	18.75	8.08	32.6	92.2	6.6	2.8	4.6
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR5(N)	13:22:16	1.0	Surface	1	1	18.57	8.10	32.3	92.6	6.5	2.5	2.8
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR5(N)	13:21:35	1.0	Surface	1	2	18.53	8.10	32.3	92.1	6.5	2.4	3.0
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR5(N)	13:22:04	4.7	Middle	2	1	18.46	8.08	32.9	91.3	6.4	2.6	3.6
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR5(N)	13:21:22	4.7	Middle	2	2	18.46	8.09	32.9	91.1	6.4	2.6	3.3
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR5(N)	13:21:53	8.4	Bottom	3	1	18.46	8.08	33.1	91.5	6.4	3.1	4.2
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR5(N)	13:21:11	8.4	Bottom	3	2	18.45	8.09	33.1	91.3	6.4	3.0	4.5
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR10A(N)	14:28:36	1.0	Surface	1	1	18.51	8.10	33.4	92.4	6.5	2.3	3.5
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR10A(N)	14:27:48	1.0	Surface	1	2	18.52	8.11	33.4	92.0	6.4	2.2	3.1
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR10A(N)	14:28:16	6.6	Middle	2	1	18.44	8.09	33.8	89.6	6.3	2.5	4.4
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR10A(N)	14:27:33	6.6	Middle	2	2	18.43	8.10	33.8	90.4	6.3	2.5	4.1
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR10A(N)	14:27:22	12.2	Bottom	3	1	18.44	8.10	33.8	90.3	6.3	2.7	4.8
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR10A(N)	14:28:06	12.2	Bottom	3	2	18.45	8.09	33.8	89.9	6.3	2.6	5.0
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR10B(N2)	14:37:04	1.0	Surface	1	1	18.52	8.10	33.4	90.6	6.3	2.2	3.6
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR10B(N2)	14:37:41	1.0	Surface	1	2	18.52	8.10	33.5	90.7	6.3	2.2	3.4
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR10B(N2)	14:36:52	3.7	Middle	2	1	18.47	8.09	33.7	90.0	6.3	2.5	4.1
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR10B(N2)	14:37:29	3.7	Middle	2	2	18.47	8.09	33.6	90.0	6.3	2.5	3.8
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR10B(N2)	14:36:43	6.4	Bottom	3	1	18.46	8.09	33.7	90.0	6.3	2.7	4.6
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	SR10B(N2)	14:37:18	6.4	Bottom	3	2	18.47	8.08	33.7	90.0	6.3	2.7	4.3
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	CS2(A)	12:29:47	1.0	Surface	1	1	18.47	8.10	32.5	95.5	6.7	2.4	3.2
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	CS2(A)	12:30:29	1.0	Surface	1	2	18.49	8.10	32.4	94.8	6.7	2.4	2.9

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	CS2(A)	12:29:35	3.4	Middle	2	1	18.40	8.09	33.0	93.3	6.6	2.7	3.5
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	CS2(A)	12:30:15	3.4	Middle	2	2	18.41	8.09	33.0	93.1	6.6	2.6	3.8
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	CS2(A)	12:29:25	5.8	Bottom	3	1	18.39	8.09	33.2	92.8	6.5	3.0	4.0
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	CS2(A)	12:30:03	5.8	Bottom	3	2	18.40	8.08	33.2	93.0	6.5	3.0	4.2
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	CS(Mf)5	14:10:51	1.0	Surface	1	1	18.88	8.11	32.6	90.1	6.4	2.2	4.4
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	CS(Mf)5	14:11:30	1.0	Surface	1	2	18.88	8.11	32.6	91.0	6.5	2.1	4.7
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	CS(Mf)5	14:11:17	6.4	Middle	2	1	18.60	8.04	33.4	88.3	6.3	2.3	3.7
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	CS(Mf)5	14:10:36	6.4	Middle	2	2	18.59	8.05	33.4	88.2	6.3	2.4	4.0
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	CS(Mf)5	14:11:06	11.7	Bottom	3	1	18.60	8.04	32.8	87.4	6.2	2.6	3.5
HKLR	HY/2011/03	2024/01/26	Mid-Ebb	Fine	CS(Mf)5	14:10:26	11.7	Bottom	3	2	18.58	8.05	33.4	87.1	6.2	2.6	3.2
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS5	09:29:28	1.0	Surface	1	1	18.69	8.12	32.7	90.7	6.3	2.4	3.2
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS5	09:28:41	1.0	Surface	1	2	18.71	8.13	32.7	92.2	6.4	2.4	3.8
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS5	09:28:27	4.3	Middle	2	1	18.52	8.08	33.2	87.8	6.1	2.7	4.4
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS5	09:29:14	4.3	Middle	2	2	18.51	8.07	33.2	88.3	6.1	2.7	4.8
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS5	09:28:56	7.5	Bottom	3	1	18.48	8.06	33.3	87.1	6.0	2.9	5.3
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS5	09:28:17	7.5	Bottom	3	2	18.51	8.07	33.2	87.0	6.0	2.9	5.6
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS(Mf)6	09:18:10	1.0	Surface	1	1	18.73	8.13	32.6	93.3	6.4	2.3	3.9
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS(Mf)6	09:17:52	1.0	Surface	1	2	18.72	8.13	32.7	93.0	6.4	2.3	3.4
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS(Mf)6	09:18:00	2.3	Bottom	3	1	18.70	8.12	32.7	92.8	6.4	2.6	5.4
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS(Mf)6	09:17:40	2.3	Bottom	3	2	18.68	8.10	32.8	92.9	6.4	2.6	5.0
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS7	09:09:21	1.0	Surface	1	1	18.73	8.12	32.6	92.9	6.4	2.3	4.1
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS7	09:09:05	1.0	Surface	1	2	18.72	8.13	32.7	92.5	6.4	2.2	3.7
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS7	09:09:12	2.3	Bottom	3	1	18.70	8.11	32.7	92.3	6.4	2.6	3.2
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS7	09:08:56	2.3	Bottom	3	2	18.68	8.11	32.8	92.1	6.3	2.5	2.8
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS8(N)	08:35:17	1.0	Surface	1	1	18.70	8.12	32.6	93.9	6.5	2.7	5.0
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS8(N)	08:34:32	1.0	Surface	1	2	18.71	8.11	32.6	92.9	6.4	2.6	4.5
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS8(N)	08:34:40	3.0	Bottom	3	1	18.66	8.09	32.9	92.1	6.4	3.0	3.2
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS8(N)	08:34:22	3.0	Bottom	3	2	18.64	8.10	32.9	91.5	6.3	3.0	3.1
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS(Mf)9	08:58:51	1.0	Surface	1	1	18.74	8.12	32.6	92.5	6.4	2.5	3.8
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS(Mf)9	08:58:33	1.0	Surface	1	2	18.73	8.13	32.6	92.0	6.3	2.5	3.4
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS(Mf)9	08:58:40	2.5	Bottom	3	1	18.70	8.10	32.8	91.6	6.3	3.0	4.3
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS(Mf)9	08:58:23	2.5	Bottom	3	2	18.66	8.10	32.8	91.0	6.3	2.8	4.1
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS10(N)	09:00:53	1.0	Surface	1	1	18.44	8.10	32.7	92.4	6.5	2.3	3.6
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS10(N)	09:01:33	1.0	Surface	1	2	18.45	8.10	32.7	92.5	6.5	2.3	3.2
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS10(N)	09:01:18	5.4	Middle	2	1	18.41	8.08	33.1	90.8	6.4	2.6	4.2
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS10(N)	09:00:38	5.4	Middle	2	2	18.41	8.09	33.0	91.1	6.4	2.6	3.8
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS10(N)	09:01:07	9.7	Bottom	3	1	18.41	8.08	33.1	91.3	6.4	2.9	4.6
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	IS10(N)	09:00:24	9.7	Bottom	3	2	18.42	8.09	33.1	91.3	6.4	2.9	4.8
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR3(N)	09:39:09	1.0	Surface	1	1	18.72	8.12	32.6	92.1	6.3	2.4	4.1
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR3(N)	09:38:54	1.0	Surface	1	2	18.72	8.12	32.7	91.3	6.3	2.6	3.8
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR3(N)	09:39:01	2.3	Bottom	3	1	18.70	8.11	32.7	91.3	6.3	2.7	4.9
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR3(N)	09:38:45	2.3	Bottom	3	2	18.66	8.10	32.8	90.2	6.2	2.7	4.6
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR4(N3)	08:44:35	1.0	Surface	1	1	18.69	8.11	32.6	91.8	6.3	2.5	3.4
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR4(N3)	08:44:55	1.0	Surface	1	2	18.71	8.11	32.6	91.2	6.3	2.6	3.8
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR4(N3)	08:44:45	2.9	Bottom	3	1	18.65	8.08	32.9	90.9	6.3	2.8	4.9
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR4(N3)	08:44:22	2.9	Bottom	3	2	18.63	8.08	33.0	91.4	6.3	2.8	4.7
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR5(N)	09:10:41	1.0	Surface	1	1	18.45	8.10	32.7	91.2	6.4	2.3	5.9
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR5(N)	09:09:59	1.0	Surface	1	2	18.45	8.10	32.7	91.3	6.4	2.3	5.5
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR5(N)	09:10:27	4.7	Middle	2	1	18.42	8.08	33.0	90.2	6.3	2.5	5.1
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR5(N)	09:09:46	4.7	Middle	2	2	18.42	8.08	33.0	90.6	6.4	2.6	4.8
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR5(N)	09:10:17	8.4	Bottom	3	1	18.42	8.08	33.1	90.6	6.4	3.1	4.1
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR5(N)	09:09:35	8.4	Bottom	3	2	18.40	8.08	33.1	90.9	6.4	2.9	4.5
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR10A(N)	07:58:41	1.0	Surface	1	1	18.50	8.08	32.9	90.5	6.4	1.9	4.9
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR10A(N)	07:57:58	1.0	Surface	1	2	18.52	8.08	32.9	90.6	6.4	2.0	4.6
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR10A(N)	07:57:43	6.6	Middle	2	1	18.45	8.06	33.3	89.8	6.3	2.1	5.4
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR10A(N)	07:58:25	6.6	Middle	2	2	18.44	8.06	33.3	89.2	6.3	2.1	5.0
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR10A(N)	07:57:30	12.2	Bottom	3	1	18.44	8.07	33.3	90.0	6.3	2.6	5.9
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR10A(N)	07:58:14	12.2	Bottom	3	2	18.46	8.06	33.3	89.7	6.3	2.6	5.6


Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR10B(N2)	07:47:39	1.0	Surface	1	1	18.52	8.08	32.9	95.4	6.7	2.0	3.7
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR10B(N2)	07:46:58	1.0	Surface	1	2	18.52	8.07	32.9	95.0	6.7	2.0	4.0
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR10B(N2)	07:46:43	3.7	Middle	2	1	18.46	8.06	33.2	92.9	6.5	2.2	4.3
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR10B(N2)	07:47:25	3.7	Middle	2	2	18.47	8.07	33.1	91.3	6.4	2.2	4.0
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR10B(N2)	07:47:13	6.4	Bottom	3	1	18.46	8.06	33.3	90.7	6.4	2.5	4.8
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	SR10B(N2)	07:46:30	6.4	Bottom	3	2	18.43	8.06	33.3	90.7	6.4	2.4	4.4
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	CS2(A)	10:06:59	1.0	Surface	1	1	18.42	8.11	32.7	92.3	6.5	2.6	3.8
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	CS2(A)	10:06:21	1.0	Surface	1	2	18.42	8.12	32.7	92.2	6.5	2.6	4.1
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	CS2(A)	10:06:08	3.4	Middle	2	1	18.40	8.11	32.9	91.3	6.4	2.9	3.4
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	CS2(A)	10:06:46	3.4	Middle	2	2	18.39	8.10	32.9	91.5	6.4	2.8	3.3
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	CS2(A)	10:06:35	5.7	Bottom	3	1	18.40	8.10	33.1	91.1	6.4	3.3	2.9
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	CS2(A)	10:05:56	5.7	Bottom	3	2	18.39	8.11	33.1	91.2	6.4	3.1	3.0
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	CS(Mf)5	07:59:01	1.0	Surface	1	1	18.73	8.09	32.8	91.1	6.3	2.3	5.5
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	CS(Mf)5	07:59:45	1.0	Surface	1	2	18.74	8.10	32.7	91.9	6.3	2.2	5.1
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	CS(Mf)5	07:59:29	6.3	Middle	2	1	18.53	8.06	33.4	88.8	6.1	2.6	4.6
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	CS(Mf)5	07:58:45	6.3	Middle	2	2	18.53	8.05	33.4	89.1	6.1	2.5	4.9
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	CS(Mf)5	07:58:32	11.6	Bottom	3	1	18.54	8.04	33.3	87.9	6.1	2.8	4.0
HKLR	HY/2011/03	2024/01/26	Mid-Flood	Fine	CS(Mf)5	07:59:16	11.6	Bottom	3	2	18.54	8.06	33.4	87.1	6.0	2.9	3.6
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS5	13:56:24	1.0	Surface	1	1	19.19	8.15	33.5	89.3	6.2	2.7	7.5
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS5	13:55:43	1.0	Surface	1	2	19.14	8.15	33.5	88.6	6.2	2.6	7.3
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS5	13:56:08	4.2	Middle	2	1	19.00	8.13	34.0	88.0	6.2	3.1	7.0
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS5	13:55:32	4.2	Middle	2	2	18.98	8.12	34.0	87.7	6.1	3.1	7.2
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS5	13:55:23	7.4	Bottom	3	1	18.97	8.12	34.1	87.8	6.2	3.2	6.4
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS5	13:55:58	7.4	Bottom	3	2	18.98	8.12	34.0	88.0	6.2	3.2	6.8
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS(Mf)6	14:06:08	1.0	Surface	1	1	19.14	8.15	33.5	90.5	6.3	2.5	5.2
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS(Mf)6	14:05:51	1.0	Surface	1	2	19.12	8.16	33.5	89.5	6.3	2.5	5.4
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS(Mf)6	14:05:59	2.2	Bottom	3	1	19.11	8.15	33.7	88.4	6.2	3.0	7.0
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS(Mf)6	14:05:42	2.2	Bottom	3	2	19.07	8.17	33.7	86.8	6.1	3.0	10.0
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS7	14:15:46	1.0	Surface	1	1	19.15	8.16	33.5	90.3	6.3	2.5	7.5
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS7	14:15:29	1.0	Surface	1	2	19.12	8.15	33.6	89.9	6.3	2.7	7.8
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS7	14:15:21	2.3	Bottom	3	1	19.08	8.15	33.7	89.3	6.2	2.9	5.8
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS7	14:15:36	2.3	Bottom	3	2	19.11	8.15	33.7	89.5	6.3	3.0	6.0
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS8(N)	14:49:29	1.0	Surface	1	1	19.11	8.13	33.5	88.0	6.2	2.9	6.0
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS8(N)	14:49:45	1.0	Surface	1	2	19.12	8.14	33.5	88.7	6.2	2.8	5.5
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS8(N)	14:49:37	3.0	Bottom	3	1	19.10	8.13	33.6	88.1	6.2	3.1	7.6
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS8(N)	14:49:19	3.0	Bottom	3	2	19.04	8.12	33.7	87.5	6.1	3.2	7.9
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS(Mf)9	14:26:53	1.0	Surface	1	1	19.14	8.15	33.5	89.9	6.3	2.5	3.4
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS(Mf)9	14:26:34	1.0	Surface	1	2	19.14	8.15	33.5	89.3	6.3	2.7	3.6
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS(Mf)9	14:26:44	2.6	Bottom	3	1	19.09	8.14	33.8	89.4	6.3	2.8	3.8
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS(Mf)9	14:26:26	2.6	Bottom	3	2	19.06	8.14	33.7	89.1	6.2	2.7	4.0
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS10(N)	14:55:12	1.0	Surface	1	1	18.86	8.14	33.4	83.2	5.8	3.0	5.7
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS10(N)	14:55:51	1.0	Surface	1	2	18.89	8.14	33.4	83.8	5.9	2.9	5.4
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS10(N)	14:55:37	5.3	Middle	2	1	18.62	8.11	34.2	82.8	5.8	3.2	5.9
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS10(N)	14:55:00	5.3	Middle	2	2	18.61	8.11	34.2	82.6	5.8	3.2	6.2
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS10(N)	14:54:50	9.5	Bottom	3	1	18.62	8.11	34.3	82.7	5.8	3.3	6.8
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	IS10(N)	14:55:28	9.5	Bottom	3	2	18.62	8.11	34.3	82.2	5.8	3.4	7.0
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR3(N)	13:43:38	1.0	Surface	1	1	19.16	8.15	33.5	89.7	6.3	2.8	5.1
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR3(N)	13:43:56	1.0	Surface	1	2	19.17	8.16	33.6	90.8	6.3	2.8	5.1
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR3(N)	13:43:45	2.3	Bottom	3	1	19.15	8.15	33.6	89.0	6.2	2.9	6.0
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR3(N)	13:43:28	2.3	Bottom	3	2	19.12	8.14	33.6	87.4	6.0	3.1	5.7
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR4(N3)	14:40:45	1.0	Surface	1	1	19.11	8.14	33.5	88.1	6.2	2.7	5.2
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR4(N3)	14:40:29	1.0	Surface	1	2	19.11	8.14	33.5	87.9	6.2	2.8	5.6
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR4(N3)	14:40:38	2.8	Bottom	3	1	19.08	8.13	33.7	87.2	6.1	2.9	4.7
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR4(N3)	14:40:21	2.8	Bottom	3	2	19.04	8.12	33.7	86.3	6.1	3.0	4.4
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR5(N)	14:46:26	1.0	Surface	1	1	18.86	8.15	33.4	84.6	5.9	2.9	6.0
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR5(N)	14:45:45	1.0	Surface	1	2	18.82	8.15	33.4	84.1	5.9	2.8	6.3
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR5(N)	14:46:13	4.7	Middle	2	1	18.65	8.12	34.1	82.4	5.8	3.0	5.5
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR5(N)	14:45:31	4.7	Middle	2	2	18.67	8.13	34.1	82.3	5.8	3.0	5.8

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR5(N)	14:46:02	8.3	Bottom	3	1	18.61	8.11	34.3	82.8	5.8	3.5	5.1
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR5(N)	14:45:20	8.3	Bottom	3	2	18.60	8.12	34.3	82.5	5.8	3.4	5.3
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR10A(N)	15:51:41	1.0	Surface	1	1	18.74	8.15	34.2	84.1	5.9	2.4	5.1
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR10A(N)	15:50:56	1.0	Surface	1	2	18.80	8.15	34.2	84.1	5.9	2.3	4.7
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR10A(N)	15:50:41	6.6	Middle	2	1	18.62	8.14	34.8	82.7	5.8	2.8	6.2
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR10A(N)	15:51:25	6.6	Middle	2	2	18.63	8.14	34.7	82.2	5.7	2.8	5.9
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR10A(N)	15:50:31	12.1	Bottom	3	1	18.62	8.14	34.8	82.9	5.8	2.9	6.8
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR10A(N)	15:51:14	12.1	Bottom	3	2	18.65	8.14	34.7	82.8	5.8	2.9	7.2
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR10B(N2)	16:00:32	1.0	Surface	1	1	18.79	8.14	34.2	83.2	5.8	2.3	3.9
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR10B(N2)	16:01:08	1.0	Surface	1	2	18.79	8.14	34.3	83.5	5.8	2.4	4.1
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR10B(N2)	16:00:19	3.7	Middle	2	1	18.69	8.13	34.6	82.7	5.8	2.6	4.4
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR10B(N2)	16:00:56	3.7	Middle	2	2	18.69	8.13	34.5	82.7	5.8	2.6	4.7
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR10B(N2)	16:00:09	6.3	Bottom	3	1	18.64	8.13	34.7	82.3	5.7	2.8	5.3
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	SR10B(N2)	16:00:44	6.3	Bottom	3	2	18.69	8.13	34.6	82.2	5.7	2.8	5.7
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	CS2(A)	13:49:01	1.0	Surface	1	1	18.80	8.15	33.5	87.7	6.2	2.8	5.1
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	CS2(A)	13:49:39	1.0	Surface	1	2	18.80	8.16	33.5	87.2	6.1	2.7	4.7
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	CS2(A)	13:48:49	3.4	Middle	2	1	18.64	8.13	34.0	85.2	6.0	3.2	4.2
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	CS2(A)	13:49:26	3.4	Middle	2	2	18.70	8.13	34.0	85.5	6.0	3.0	4.5
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	CS2(A)	13:48:40	5.7	Bottom	3	1	18.64	8.13	34.3	85.1	6.0	3.4	3.6
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	CS2(A)	13:49:15	5.7	Bottom	3	2	18.64	8.12	34.2	85.7	6.0	3.3	3.9
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	CS(Mf)5	15:31:41	1.0	Surface	1	1	19.08	8.14	33.6	82.3	5.8	2.4	5.2
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	CS(Mf)5	15:32:19	1.0	Surface	1	2	19.08	8.14	33.6	83.1	5.8	2.2	5.5
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	CS(Mf)5	15:31:26	6.3	Middle	2	1	18.50	8.11	34.5	80.1	5.6	2.5	5.9
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	CS(Mf)5	15:32:06	6.3	Middle	2	2	18.51	8.10	34.5	80.5	5.6	2.5	6.2
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	CS(Mf)5	15:31:56	11.6	Bottom	3	1	18.50	8.11	33.4	79.7	5.6	2.8	6.6
HKLR	HY/2011/03	2024/01/29	Mid-Ebb	Fine	CS(Mf)5	15:31:16	11.6	Bottom	3	2	18.48	8.10	34.5	79.6	5.6	2.8	7.0
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS5	10:42:05	1.0	Surface	1	1	18.88	8.15	33.7	83.5	5.8	2.8	5.8
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS5	10:41:15	1.0	Surface	1	2	18.92	8.16	33.7	85.1	5.8	2.7	5.4
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS5	10:41:02	4.3	Middle	2	1	18.60	8.10	34.3	81.4	5.6	3.0	5.1
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS5	10:41:53	4.3	Middle	2	2	18.57	8.09	34.3	81.7	5.6	3.0	4.6
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS5	10:41:30	7.5	Bottom	3	1	18.48	8.09	34.4	80.5	5.5	3.2	4.3
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS5	10:40:52	7.5	Bottom	3	2	18.61	8.09	34.4	80.5	5.5	3.3	4.0
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS(Mf)6	10:31:02	1.0	Surface	1	1	18.99	8.17	33.7	88.0	6.0	2.7	4.9
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS(Mf)6	10:30:44	1.0	Surface	1	2	18.97	8.17	33.7	87.8	6.0	2.6	4.5
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS(Mf)6	10:30:34	2.2	Bottom	3	1	18.92	8.15	33.9	87.7	6.0	2.9	4.0
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS(Mf)6	10:30:52	2.2	Bottom	3	2	18.95	8.16	33.8	87.6	6.0	3.0	3.7
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS7	10:21:11	1.0	Surface	1	1	18.96	8.17	33.8	87.1	6.0	2.4	3.7
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS7	10:21:27	1.0	Surface	1	2	18.99	8.16	33.7	87.5	6.0	2.4	4.1
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS7	10:21:18	2.3	Bottom	3	1	18.94	8.15	33.8	87.0	6.0	3.1	5.4
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS7	10:21:03	2.3	Bottom	3	2	18.91	8.15	33.9	86.9	6.0	3.0	5.0
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS8(N)	09:49:17	1.0	Surface	1	1	18.92	8.15	33.7	87.3	6.0	2.8	4.1
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS8(N)	09:48:39	1.0	Surface	1	2	18.96	8.15	33.7	86.3	5.9	2.7	4.5
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS8(N)	09:48:47	3.1	Bottom	3	1	18.87	8.13	34.0	86.1	5.9	3.1	3.5
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS8(N)	09:48:28	3.1	Bottom	3	2	18.86	8.15	34.0	85.1	5.9	3.1	3.9
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS(Mf)9	10:11:42	1.0	Surface	1	1	19.01	8.16	33.7	87.2	6.0	2.6	7.9
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS(Mf)9	10:11:26	1.0	Surface	1	2	18.99	8.17	33.7	86.7	5.9	2.7	7.5
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS(Mf)9	10:11:16	2.5	Bottom	3	1	18.90	8.15	33.8	85.2	5.8	3.1	6.6
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS(Mf)9	10:11:32	2.5	Bottom	3	2	18.98	8.15	33.9	86.0	5.9	3.2	6.3
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS10(N)	10:02:46	1.0	Surface	1	1	18.71	8.14	33.6	83.9	5.9	2.6	4.3
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS10(N)	10:03:26	1.0	Surface	1	2	18.74	8.14	33.6	84.0	5.9	2.7	4.2
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS10(N)	10:03:11	5.4	Middle	2	1	18.61	8.12	34.1	82.5	5.8	3.0	4.6
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS10(N)	10:02:32	5.4	Middle	2	2	18.63	8.12	34.1	82.7	5.8	3.0	4.4
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS10(N)	10:03:00	9.7	Bottom	3	1	18.65	8.11	34.2	83.2	5.8	3.2	4.8
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	IS10(N)	10:02:20	9.7	Bottom	3	2	18.63	8.12	34.2	83.0	5.8	3.3	4.8
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR3(N)	10:51:44	1.0	Surface	1	1	18.94	8.15	33.7	84.9	5.8	3.0	7.5
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR3(N)	10:51:58	1.0	Surface	1	2	18.95	8.16	33.7	85.7	5.9	2.8	7.2
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR3(N)	10:51:50	2.3	Bottom	3	1	18.93	8.15	33.9	84.4	5.8	3.0	7.0
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR3(N)	10:51:35	2.3	Bottom	3	2	18.85	8.13	33.9	83.2	5.7	3.2	6.5

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR4(N3)	09:57:50	1.0	Surface	1	1	18.96	8.15	33.7	85.9	5.9	2.6	8.2
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR4(N3)	09:57:30	1.0	Surface	1	2	18.89	8.15	33.7	86.3	5.9	2.5	8.7
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR4(N3)	09:57:39	2.9	Bottom	3	1	18.86	8.13	34.0	85.7	5.9	2.8	6.7
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR4(N3)	09:57:19	2.9	Bottom	3	2	18.83	8.13	34.1	86.2	5.9	2.9	6.9
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR5(N)	10:11:50	1.0	Surface	1	1	18.70	8.14	33.6	82.9	5.8	2.8	8.0
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR5(N)	10:11:10	1.0	Surface	1	2	18.70	8.14	33.6	83.1	5.8	2.8	4.1
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR5(N)	10:11:37	4.7	Middle	2	1	18.63	8.12	34.0	81.9	5.7	2.9	3.6
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR5(N)	10:10:57	4.7	Middle	2	2	18.64	8.12	34.0	82.3	5.8	3.0	3.9
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR5(N)	10:10:46	8.4	Bottom	3	1	18.59	8.11	34.2	82.6	5.8	3.3	3.1
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR5(N)	10:11:27	8.4	Bottom	3	2	18.61	8.11	34.2	82.3	5.8	3.4	3.5
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR10A(N)	09:10:25	1.0	Surface	1	1	18.76	8.13	33.8	82.2	5.8	2.3	2.8
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR10A(N)	09:09:42	1.0	Surface	1	2	18.78	8.13	33.8	82.3	5.8	2.4	3.1
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR10A(N)	09:09:26	6.6	Middle	2	1	18.63	8.10	34.3	81.3	5.7	2.6	3.6
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR10A(N)	09:10:10	6.6	Middle	2	2	18.63	8.10	34.3	81.1	5.7	2.5	3.8
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR10A(N)	09:09:14	12.1	Bottom	3	1	18.62	8.11	34.4	81.8	5.7	2.9	4.0
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR10A(N)	09:09:59	12.1	Bottom	3	2	18.68	8.10	34.4	81.7	5.7	2.9	4.3
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR10B(N2)	08:59:52	1.0	Surface	1	1	18.80	8.13	33.8	86.6	6.0	2.4	3.7
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR10B(N2)	08:59:12	1.0	Surface	1	2	18.80	8.12	33.8	86.2	6.0	2.4	3.4
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR10B(N2)	08:58:52	3.7	Middle	2	1	18.69	8.10	34.2	84.4	5.9	2.7	3.9
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR10B(N2)	08:59:39	3.7	Middle	2	2	18.70	8.11	34.1	83.1	5.8	2.6	4.2
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR10B(N2)	08:59:28	6.3	Bottom	3	1	18.65	8.11	34.4	82.5	5.8	2.9	5.3
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	SR10B(N2)	08:58:40	6.3	Bottom	3	2	18.63	8.10	34.4	82.6	5.8	2.8	5.2
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	CS2(A)	11:03:16	1.0	Surface	1	1	18.71	8.14	33.6	84.1	5.9	2.9	3.6
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	CS2(A)	11:02:40	1.0	Surface	1	2	18.70	8.15	33.6	84.0	5.9	2.9	3.3
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	CS2(A)	11:03:04	3.4	Middle	2	1	18.66	8.13	33.9	83.4	5.9	3.1	4.2
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	CS2(A)	11:02:28	3.4	Middle	2	2	18.67	8.14	33.8	83.2	5.8	3.1	4.6
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	CS2(A)	11:02:54	5.7	Bottom	3	1	18.65	8.13	34.1	83.3	5.8	3.5	5.0
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	CS2(A)	11:02:16	5.7	Bottom	3	2	18.63	8.13	34.1	83.3	5.8	3.4	5.3
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	CS(Mf)5	09:06:01	1.0	Surface	1	1	18.88	8.13	33.8	84.7	5.8	2.5	4.9
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	CS(Mf)5	09:06:45	1.0	Surface	1	2	18.90	8.14	33.8	85.5	5.8	2.4	5.3
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	CS(Mf)5	09:06:29	6.3	Middle	2	1	18.61	8.11	34.4	82.6	5.7	2.7	6.3
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	CS(Mf)5	09:05:46	6.3	Middle	2	2	18.64	8.10	34.4	83.1	5.7	2.7	6.2
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	CS(Mf)5	09:05:34	11.6	Bottom	3	1	18.66	8.10	34.4	81.5	5.6	3.0	8.1
HKLR	HY/2011/03	2024/01/29	Mid-Flood	Fine	CS(Mf)5	09:06:17	11.6	Bottom	3	2	18.59	8.10	34.5	81.5	5.6	3.0	8.3
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS5	15:01:09	1.0	Surface	1	1	18.86	8.10	33.2	84.6	6.0	2.4	3.4
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS5	15:01:48	1.0	Surface	1	2	18.88	8.11	33.2	84.8	6.1	2.4	3.2
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS5	15:01:33	4.3	Middle	2	1	18.76	8.09	33.5	83.7	6.0	2.8	4.0
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS5	15:00:59	4.3	Middle	2	2	18.76	8.08	33.6	83.6	6.0	2.9	3.6
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS5	15:00:49	7.5	Bottom	3	1	18.75	8.09	33.6	83.4	6.0	2.9	5.4
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS5	15:01:24	7.5	Bottom	3	2	18.76	8.08	33.6	83.6	6.0	2.9	5.8
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS(Mf)6	15:11:10	1.0	Surface	1	1	18.85	8.11	33.1	87.4	6.2	2.3	3.7
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS(Mf)6	15:10:53	1.0	Surface	1	2	18.84	8.12	33.1	86.2	6.2	2.3	4.0
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS(Mf)6	15:11:01	2.2	Bottom	3	1	18.83	8.11	33.2	85.6	6.1	2.7	2.8
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS(Mf)6	15:10:42	2.2	Bottom	3	2	18.80	8.13	33.2	84.4	6.0	2.7	3.0
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS7	15:20:34	1.0	Surface	1	1	18.87	8.13	33.1	87.6	6.3	2.4	2.4
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS7	15:20:15	1.0	Surface	1	2	18.85	8.12	33.1	87.0	6.2	2.5	2.7
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS7	15:20:05	2.3	Bottom	3	1	18.82	8.12	33.3	86.1	6.1	2.7	3.1
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS7	15:20:23	2.3	Bottom	3	2	18.84	8.12	33.2	86.8	6.2	2.7	3.6
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS8(N)	15:54:26	1.0	Surface	1	1	18.88	8.10	33.2	84.2	6.0	2.4	2.2
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS8(N)	15:54:42	1.0	Surface	1	2	18.88	8.11	33.2	84.7	6.0	2.4	2.6
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS8(N)	15:54:34	3.0	Bottom	3	1	18.87	8.10	33.4	84.1	6.0	2.6	3.8
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS8(N)	15:54:15	3.0	Bottom	3	2	18.83	8.10	33.4	83.6	6.0	2.7	3.5
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS(Mf)9	15:30:46	1.0	Surface	1	1	18.87	8.12	33.3	86.1	6.1	2.2	3.0
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS(Mf)9	15:30:26	1.0	Surface	1	2	18.87	8.13	33.2	85.5	6.1	2.3	2.7
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS(Mf)9	15:30:36	2.6	Bottom	3	1	18.85	8.12	33.4	85.5	6.1	2.5	4.3
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS(Mf)9	15:30:16	2.6	Bottom	3	2	18.82	8.13	33.4	85.0	6.1	2.5	3.9
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS10(N)	15:59:15	1.0	Surface	1	1	18.74	8.10	33.4	84.0	5.9	2.6	2.3
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS10(N)	15:59:52	1.0	Surface	1	2	18.78	8.10	33.4	84.6	5.9	2.6	2.1

Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS10(N)	15:59:39	5.3	Middle	2	1	18.55	8.07	34.2	83.5	5.8	2.9	2.5
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS10(N)	15:59:03	5.3	Middle	2	2	18.54	8.08	34.2	83.4	5.8	2.9	2.3
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS10(N)	15:58:54	9.5	Bottom	3	1	18.54	8.07	34.3	83.5	5.8	3.0	2.7
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	IS10(N)	15:59:30	9.5	Bottom	3	2	18.56	8.07	34.3	83.1	5.8	3.1	3.0
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR3(N)	14:51:01	1.0	Surface	1	1	18.89	8.11	33.1	87.2	6.2	2.6	2.8
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR3(N)	14:50:42	1.0	Surface	1	2	18.88	8.11	33.1	85.3	6.1	2.5	3.1
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR3(N)	14:50:49	2.3	Bottom	3	1	18.87	8.11	33.2	85.0	6.1	2.6	3.6
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR3(N)	14:50:30	2.3	Bottom	3	2	18.86	8.10	33.1	83.6	5.9	2.8	3.4
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR4(N3)	15:44:55	1.0	Surface	1	1	18.84	8.11	33.2	84.7	6.1	2.3	3.1
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR4(N3)	15:44:39	1.0	Surface	1	2	18.84	8.11	33.2	84.4	6.0	2.4	3.4
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR4(N3)	15:44:47	2.8	Bottom	3	1	18.82	8.10	33.4	84.0	6.0	2.6	4.3
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR4(N3)	15:44:29	2.8	Bottom	3	2	18.80	8.10	33.4	83.2	5.9	2.6	4.0
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR5(N)	15:51:17	1.0	Surface	1	1	18.75	8.10	33.4	85.4	6.0	2.4	3.0
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR5(N)	15:50:39	1.0	Surface	1	2	18.72	8.11	33.4	84.9	5.9	2.4	3.4
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR5(N)	15:51:05	4.7	Middle	2	1	18.57	8.08	34.1	83.5	5.8	2.6	3.6
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR5(N)	15:50:25	4.7	Middle	2	2	18.57	8.09	34.1	83.4	5.8	2.7	3.8
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR5(N)	15:50:55	8.3	Bottom	3	1	18.54	8.07	34.3	83.6	5.8	3.2	4.1
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR5(N)	15:50:15	8.3	Bottom	3	2	18.53	8.08	34.3	83.6	5.8	3.1	4.0
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR10A(N)	16:56:06	1.0	Surface	1	1	18.70	8.11	34.3	85.1	5.9	1.9	3.2
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR10A(N)	16:56:52	1.0	Surface	1	2	18.66	8.11	34.4	85.3	5.9	1.9	2.9
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR10A(N)	16:55:52	6.6	Middle	2	1	18.50	8.10	34.9	83.7	5.8	2.3	3.3
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR10A(N)	16:56:34	6.6	Middle	2	2	18.53	8.10	34.9	83.1	5.8	2.3	3.5
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR10A(N)	16:55:40	12.1	Bottom	3	1	18.51	8.10	35.0	83.8	5.8	2.4	3.8
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR10A(N)	16:56:23	12.1	Bottom	3	2	18.55	8.10	34.9	83.4	5.8	2.4	4.2
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR10B(N2)	17:06:53	1.0	Surface	1	1	18.69	8.10	34.4	84.4	5.8	1.9	3.0
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR10B(N2)	17:07:33	1.0	Surface	1	2	18.68	8.10	34.4	84.2	5.8	1.9	3.3
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR10B(N2)	17:06:41	3.7	Middle	2	1	18.59	8.09	34.7	83.2	5.8	2.1	4.6
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR10B(N2)	17:07:21	3.7	Middle	2	2	18.58	8.09	34.7	83.2	5.8	2.2	4.2
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR10B(N2)	17:06:30	6.3	Bottom	3	1	18.55	8.09	34.8	82.9	5.7	2.4	5.1
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	SR10B(N2)	17:07:04	6.3	Bottom	3	2	18.59	8.09	34.8	82.8	5.7	2.4	4.8
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	CS2(A)	14:55:25	1.0	Surface	1	1	18.66	8.11	33.5	88.5	6.2	2.4	3.3
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	CS2(A)	14:56:01	1.0	Surface	1	2	18.67	8.11	33.5	88.0	6.1	2.3	3.0
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	CS2(A)	14:55:49	3.4	Middle	2	1	18.57	8.09	34.1	86.1	6.0	2.7	3.9
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	CS2(A)	14:55:15	3.4	Middle	2	2	18.52	8.09	34.1	86.3	6.0	2.9	3.5
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	CS2(A)	14:55:04	5.7	Bottom	3	1	18.52	8.09	34.3	86.0	6.0	3.1	4.1
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	CS2(A)	14:55:38	5.7	Bottom	3	2	18.53	8.08	34.3	86.3	6.0	3.1	4.5
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	CS(Mf)5	16:36:59	1.0	Surface	1	1	18.85	8.11	33.3	81.3	5.8	1.8	3.8
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	CS(Mf)5	16:36:19	1.0	Surface	1	2	18.84	8.11	33.3	81.0	5.8	1.9	4.2
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	CS(Mf)5	16:36:04	6.3	Middle	2	1	18.50	8.08	34.0	79.0	5.6	2.3	3.4
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	CS(Mf)5	16:36:45	6.3	Middle	2	2	18.52	8.08	34.0	79.1	5.7	2.2	3.6
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	CS(Mf)5	16:36:35	11.6	Bottom	3	1	18.48	8.08	33.4	78.7	5.6	2.5	3.2
HKLR	HY/2011/03	2024/01/31	Mid-Ebb	Fine	CS(Mf)5	16:35:53	11.6	Bottom	3	2	18.47	8.08	34.1	78.2	5.6	2.5	2.9
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS5	11:04:38	1.0	Surface	1	1	18.68	8.10	33.2	81.2	5.8	2.5	2.5
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS5	11:03:51	1.0	Surface	1	2	18.71	8.11	33.1	82.5	5.8	2.4	3.0
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS5	11:03:39	4.2	Middle	2	1	18.52	8.07	33.6	79.6	5.6	2.8	3.4
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS5	11:04:25	4.2	Middle	2	2	18.50	8.06	33.6	79.6	5.6	2.7	3.8
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS5	11:04:05	7.4	Bottom	3	1	18.45	8.06	33.7	78.7	5.6	2.9	4.6
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS5	11:03:29	7.4	Bottom	3	2	18.53	8.07	33.7	78.8	5.6	2.9	4.3
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS(Mf)6	10:54:06	1.0	Surface	1	1	18.75	8.12	33.1	84.8	6.0	2.4	2.8
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS(Mf)6	10:53:48	1.0	Surface	1	2	18.74	8.12	33.1	84.6	6.0	2.4	3.1
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS(Mf)6	10:53:56	2.2	Bottom	3	1	18.72	8.11	33.2	84.4	5.9	2.6	3.9
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS(Mf)6	10:53:34	2.2	Bottom	3	2	18.72	8.10	33.3	83.6	5.9	2.6	3.5
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS7	10:44:34	1.0	Surface	1	1	18.77	8.11	33.1	83.6	5.9	2.4	3.0
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS7	10:44:18	1.0	Surface	1	2	18.75	8.12	33.2	83.1	5.9	2.4	2.8
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS7	10:44:25	2.3	Bottom	3	1	18.74	8.11	33.2	83.2	5.9	2.9	2.4
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS7	10:44:09	2.3	Bottom	3	2	18.73	8.10	33.3	82.9	5.8	2.8	2.1
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS8(N)	10:13:33	1.0	Surface	1	1	18.73	8.11	33.1	84.4	6.0	2.1	3.2
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS8(N)	10:12:58	1.0	Surface	1	2	18.76	8.11	33.1	83.3	5.9	2.2	3.6


Project	Works	Date (yyyy-mm-dd)	Tide	Weather Condition	Station	Time	Depth, m	Level	Level_Code	Replicate	Temperature, °C	pH	Salinity, ppt	DO, %	DO, mg/L	Turbidity, NTU	SS, mg/L
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS8(N)	10:13:06	3.1	Bottom	3	1	18.71	8.09	33.3	83.4	5.9	2.6	4.2
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS8(N)	10:12:47	3.1	Bottom	3	2	18.70	8.10	33.4	82.1	5.8	2.6	4.6
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS(Mf)9	10:34:35	1.0	Surface	1	1	18.77	8.12	33.13	84.0	5.9	2.2	2.4
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS(Mf)9	10:34:52	1.0	Surface	1	2	18.78	8.11	33.12	84.6	6.0	2.2	2.8
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS(Mf)9	10:34:25	2.5	Bottom	3	1	18.71	8.11	33.25	82.7	5.8	2.5	3.0
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS(Mf)9	10:34:41	2.5	Bottom	3	2	18.76	8.11	33.25	83.8	5.9	2.6	3.2
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS10(N)	10:30:43	1.0	Surface	1	1	18.59	8.1	33.67	85.0	5.9	2.3	4.2
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS10(N)	10:31:23	1.0	Surface	1	2	18.61	8.11	33.68	85.1	6.0	2.3	3.8
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS10(N)	10:31:08	5.3	Middle	2	1	18.51	8.09	34.15	83.6	5.8	2.6	3.6
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS10(N)	10:30:29	5.3	Middle	2	2	18.52	8.09	34.13	83.7	5.8	2.6	3.2
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS10(N)	10:30:58	9.6	Bottom	3	1	18.53	8.08	34.22	83.8	5.8	3.0	3.0
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	IS10(N)	10:30:18	9.6	Bottom	3	2	18.52	8.09	34.21	83.9	5.8	3.0	2.8
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR3(N)	11:14:08	1.0	Surface	1	1	18.72	8.1	33.17	81.7	5.8	2.5	2.7
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR3(N)	11:14:23	1.0	Surface	1	2	18.72	8.11	33.14	82.4	5.8	2.3	2.3
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR3(N)	11:14:15	2.3	Bottom	3	1	18.72	8.1	33.28	81.5	5.8	2.5	3.2
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR3(N)	11:13:59	2.3	Bottom	3	2	18.67	8.09	33.29	80.8	5.7	2.6	3.7
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR4(N3)	10:20:34	1.0	Surface	1	1	18.75	8.11	33.09	83.8	5.9	2.1	3.8
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR4(N3)	10:20:17	1.0	Surface	1	2	18.71	8.11	33.08	83.8	5.9	2.0	3.5
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR4(N3)	10:20:25	2.8	Bottom	3	1	18.69	8.09	33.31	83.6	5.9	2.2	4.2
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR4(N3)	10:20:05	2.8	Bottom	3	2	18.67	8.09	33.36	83.5	5.9	2.3	4.0
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR5(N)	10:41:16	1.0	Surface	1	1	18.59	8.11	33.72	83.8	5.8	2.3	3.8
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR5(N)	10:40:33	1.0	Surface	1	2	18.59	8.11	33.71	83.8	5.9	2.3	3.5
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR5(N)	10:41:02	4.7	Middle	2	1	18.52	8.09	34.08	82.9	5.8	2.5	3.1
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR5(N)	10:40:21	4.7	Middle	2	2	18.53	8.09	34.11	83.1	5.8	2.6	3.3
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR5(N)	10:40:10	8.3	Bottom	3	1	18.49	8.08	34.27	83.3	5.8	2.9	2.6
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR5(N)	10:40:51	8.3	Bottom	3	2	18.51	8.08	34.24	83.1	5.8	3.1	2.8
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR10A(N)	09:33:56	1.0	Surface	1	1	18.64	8.1	33.89	83.6	5.8	1.7	3.5
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR10A(N)	09:33:13	1.0	Surface	1	2	18.67	8.1	33.87	83.6	5.8	1.8	3.7
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR10A(N)	09:32:58	6.6	Middle	2	1	18.53	8.07	34.35	82.7	5.7	2.0	3.3
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR10A(N)	09:33:41	6.6	Middle	2	2	18.53	8.07	34.36	82.2	5.7	1.9	3.0
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR10A(N)	09:32:47	12.2	Bottom	3	1	18.54	8.08	34.43	82.8	5.8	2.4	2.7
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR10A(N)	09:33:30	12.2	Bottom	3	2	18.57	8.07	34.44	82.6	5.7	2.4	2.4
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR10B(N2)	09:23:49	1.0	Surface	1	1	18.68	8.09	33.86	88.1	6.1	1.7	3.5
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR10B(N2)	09:23:07	1.0	Surface	1	2	18.68	8.08	33.84	87.4	6.1	1.8	3.8
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR10B(N2)	09:22:49	3.7	Middle	2	1	18.59	8.06	34.17	85.5	5.9	2.0	2.9
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR10B(N2)	09:23:34	3.7	Middle	2	2	18.59	8.07	34.1	84.2	5.9	1.9	3.2
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR10B(N2)	09:23:23	6.4	Bottom	3	1	18.56	8.07	34.35	83.7	5.8	2.3	2.6
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	SR10B(N2)	09:22:38	6.4	Bottom	3	2	18.54	8.06	34.36	83.7	5.8	2.2	2.4
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	CS2(A)	11:37:36	1.0	Surface	1	1	18.57	8.11	33.7	85.1	6.0	2.6	3.6
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	CS2(A)	11:36:57	1.0	Surface	1	2	18.56	8.11	33.7	85.1	6.0	2.6	3.4
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	CS2(A)	11:37:23	3.4	Middle	2	1	18.51	8.10	34.0	84.4	5.9	2.8	3.0
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	CS2(A)	11:36:46	3.4	Middle	2	2	18.52	8.11	33.9	84.3	5.9	2.9	2.8
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	CS2(A)	11:36:35	5.7	Bottom	3	1	18.49	8.10	34.1	84.3	5.9	3.1	2.5
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	CS2(A)	11:37:14	5.7	Bottom	3	2	18.51	8.10	34.1	84.3	5.9	3.3	2.2
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	CS(Mf)5	09:31:28	1.0	Surface	1	1	18.71	8.09	33.1	82.7	5.8	1.8	2.2
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	CS(Mf)5	09:30:45	1.0	Surface	1	2	18.69	8.08	33.2	82.1	5.8	1.9	2.6
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	CS(Mf)5	09:31:13	6.3	Middle	2	1	18.54	8.07	33.7	80.6	5.7	2.1	2.9
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	CS(Mf)5	09:30:31	6.3	Middle	2	2	18.55	8.06	33.6	80.6	5.7	2.2	3.2
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	CS(Mf)5	09:30:18	11.5	Bottom	3	1	18.56	8.05	33.7	79.2	5.6	2.5	4.0
HKLR	HY/2011/03	2024/01/31	Mid-Flood	Fine	CS(Mf)5	09:31:01	11.5	Bottom	3	2	18.51	8.06	33.8	79.6	5.6	2.5	3.6



Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.


2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:


1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.

2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:


1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.


2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:


1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.

2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:


1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.


2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:


1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.

2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:


1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.


2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:


1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.

2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:


1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.


2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.


2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.


2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:


1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.

2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:


1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.


2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:


1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.

2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- 1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- 2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- 1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- 2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- 1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- 2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- 1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- 2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- 1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- 2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- 1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- 2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- 1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- 2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- 1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- 2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:


1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.


2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:


1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.

2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.




Remarks:

- 1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- 2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:


- 1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.
- 2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.


2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.


2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.


2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.


2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.


2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.


2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.


2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.


2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.

2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.



Remarks:

1. No.3 Storm Signal was in force on 6 October 2023, the water quality monitoring for mid-flood tide (17:52) was cancelled for safety reasons. No substitute monitoring will be conducted.

2. No.3 Storm Signal was in force on 9 October 2023, the water quality monitoring was cancelled for safety reasons. No substitute monitoring will be conducted.