

Air Quality Monitoring Data

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2013-09-04	AMS5	09:35	1-hr TSP	44	ug/m ³
HKLR	HY/2011/03	2013-09-04	AMS5	10:35	1-hr TSP	29	ug/m ³
HKLR	HY/2011/03	2013-09-04	AMS5	11:35	1-hr TSP	16	ug/m ³
HKLR	HY/2011/03	2013-09-10	AMS5	13:35	1-hr TSP	21	ug/m ³
HKLR	HY/2011/03	2013-09-10	AMS5	14:35	1-hr TSP	22	ug/m ³
HKLR	HY/2011/03	2013-09-10	AMS5	15:35	1-hr TSP	22	ug/m ³
HKLR	HY/2011/03	2013-09-16	AMS5	09:30	1-hr TSP	32	ug/m ³
HKLR	HY/2011/03	2013-09-16	AMS5	10:30	1-hr TSP	35	ug/m ³
HKLR	HY/2011/03	2013-09-16	AMS5	11:30	1-hr TSP	47	ug/m ³
HKLR	HY/2011/03	2013-09-19	AMS5	09:25	1-hr TSP	24	ug/m ³
HKLR	HY/2011/03	2013-09-19	AMS5	10:25	1-hr TSP	22	ug/m ³
HKLR	HY/2011/03	2013-09-19	AMS5	11:25	1-hr TSP	21	ug/m ³
HKLR	HY/2011/03	2013-09-25	AMS5	09:12	1-hr TSP	22	ug/m ³
HKLR	HY/2011/03	2013-09-25	AMS5	10:12	1-hr TSP	20	ug/m ³
HKLR	HY/2011/03	2013-09-25	AMS5	11:12	1-hr TSP	20	ug/m ³
HKLR	HY/2011/03	2013-10-02	AMS5	15:05	1-hr TSP	52	ug/m3
HKLR	HY/2011/03	2013-10-02	AMS5	16:05	1-hr TSP	51	ug/m3
HKLR	HY/2011/03	2013-10-02	AMS5	17:05	1-hr TSP	52	ug/m3
HKLR	HY/2011/03	2013-10-07	AMS5	08:54	1-hr TSP	105	ug/m3
HKLR	HY/2011/03	2013-10-07	AMS5	09:54	1-hr TSP	110	ug/m3
HKLR	HY/2011/03	2013-10-07	AMS5	10:54	1-hr TSP	104	ug/m3
HKLR	HY/2011/03	2013-10-11	AMS5	08:38	1-hr TSP	65	ug/m3
HKLR	HY/2011/03	2013-10-11	AMS5	09:38	1-hr TSP	59	ug/m3
HKLR	HY/2011/03	2013-10-11	AMS5	10:38	1-hr TSP	47	ug/m3
HKLR	HY/2011/03	2013-10-17	AMS5	09:15	1-hr TSP	78	ug/m3
HKLR	HY/2011/03	2013-10-17	AMS5	10:15	1-hr TSP	76	ug/m3
HKLR	HY/2011/03	2013-10-17	AMS5	11:15	1-hr TSP	83	ug/m3
HKLR	HY/2011/03	2013-10-23	AMS5	09:35	1-hr TSP	96	ug/m3
HKLR	HY/2011/03	2013-10-23	AMS5	10:35	1-hr TSP	84	ug/m3
HKLR	HY/2011/03	2013-10-23	AMS5	11:35	1-hr TSP	105	ug/m3
HKLR	HY/2011/03	2013-10-29	AMS5	09:15	1-hr TSP	217	ug/m3
HKLR	HY/2011/03	2013-10-29	AMS5	10:15	1-hr TSP	212	ug/m3
HKLR	HY/2011/03	2013-10-29	AMS5	11:15	1-hr TSP	202	ug/m3
HKLR	HY/2011/03	2013-11-04	AMS5	09:20	1-hr TSP	126	ug/m3
HKLR	HY/2011/03	2013-11-04	AMS5	10:20	1-hr TSP	124	ug/m3
HKLR	HY/2011/03	2013-11-04	AMS5	11:20	1-hr TSP	127	ug/m3
HKLR	HY/2011/03	2013-11-08	AMS5	09:25	1-hr TSP	71	ug/m3
HKLR	HY/2011/03	2013-11-08	AMS5	10:25	1-hr TSP	58	ug/m3
HKLR	HY/2011/03	2013-11-08	AMS5	11:25	1-hr TSP	45	ug/m3
HKLR	HY/2011/03	2013-11-14	AMS5	09:20	1-hr TSP	50	ug/m3
HKLR	HY/2011/03	2013-11-14	AMS5	10:20	1-hr TSP	47	ug/m3
HKLR	HY/2011/03	2013-11-14	AMS5	11:20	1-hr TSP	49	ug/m3
HKLR	HY/2011/03	2013-11-20	AMS5	13:40	1-hr TSP	55	ug/m3
HKLR	HY/2011/03	2013-11-20	AMS5	14:40	1-hr TSP	54	ug/m3
HKLR	HY/2011/03	2013-11-20	AMS5	15:40	1-hr TSP	59	ug/m3
HKLR	HY/2011/03	2013-11-26	AMS5	08:50	1-hr TSP	39	ug/m3
HKLR	HY/2011/03	2013-11-26	AMS5	09:50	1-hr TSP	37	ug/m3
HKLR	HY/2011/03	2013-11-26	AMS5	10:50	1-hr TSP	35	ug/m3
HKLR	HY/2011/03	2013-09-03	AMS5	08:00	24-hr TSP	15	ug/m ³
HKLR	HY/2011/03	2013-09-09	AMS5	08:00	24-hr TSP	37	ug/m ³
HKLR	HY/2011/03	2013-09-13	AMS5	08:00	24-hr TSP	26	ug/m ³
HKLR	HY/2011/03	2013-09-18	AMS5	08:00	24-hr TSP	64	ug/m ³
HKLR	HY/2011/03	2013-09-24	AMS5	08:00	24-hr TSP	27	ug/m ³
HKLR	HY/2011/03	2013-09-30	AMS5	08:00	24-hr TSP	56	ug/m ³
HKLR	HY/2011/03	2013-10-04	AMS5	08:00	24-hr TSP	138	ug/m ³
HKLR	HY/2011/03	2013-10-10	AMS5	08:00	24-hr TSP	54	ug/m ³
HKLR	HY/2011/03	2013-10-16	AMS5	08:00	24-hr TSP	114	ug/m ³

Air Quality Monitoring Data

HKLR	HY/2011/03	2013-10-22	AMS5	08:00	24-hr TSP	129	ug/m ³
HKLR	HY/2011/03	2013-10-28	AMS5	08:00	24-hr TSP	89	ug/m ³
HKLR	HY/2011/03	2013-11-01	AMS5	08:00	24-hr TSP	97	ug/m ³
HKLR	HY/2011/03	2013-11-07	AMS5	08:00	24-hr TSP	90	ug/m ³
HKLR	HY/2011/03	2013-11-13	AMS5	08:00	24-hr TSP	12	ug/m ³
HKLR	HY/2011/03	2013-11-21	AMS5(3)	14:30	24-hr TSP	65	ug/m ³
HKLR	HY/2011/03	2013-11-25	AMS5	08:00	24-hr TSP	93	ug/m ³
HKLR	HY/2011/03	2013-11-29	AMS5	08:00	24-hr TSP	62	ug/m ³
HKLR	HY/2011/03	2013-09-04	AMS6	13:30	1-hr TSP	19	ug/m ³
HKLR	HY/2011/03	2013-09-04	AMS6	14:30	1-hr TSP	16	ug/m ³
HKLR	HY/2011/03	2013-09-04	AMS6	15:30	1-hr TSP	14	ug/m ³
HKLR	HY/2011/03	2013-09-10	AMS6	08:10	1-hr TSP	47	ug/m ³
HKLR	HY/2011/03	2013-09-10	AMS6	09:10	1-hr TSP	39	ug/m ³
HKLR	HY/2011/03	2013-09-10	AMS6	10:10	1-hr TSP	38	ug/m ³
HKLR	HY/2011/03	2013-09-16	AMS6	13:40	1-hr TSP	28	ug/m ³
HKLR	HY/2011/03	2013-09-16	AMS6	14:40	1-hr TSP	28	ug/m ³
HKLR	HY/2011/03	2013-09-16	AMS6	15:40	1-hr TSP	32	ug/m ³
HKLR	HY/2011/03	2013-09-19	AMS6	13:11	1-hr TSP	25	ug/m ³
HKLR	HY/2011/03	2013-09-19	AMS6	14:11	1-hr TSP	32	ug/m ³
HKLR	HY/2011/03	2013-09-19	AMS6	15:11	1-hr TSP	39	ug/m ³
HKLR	HY/2011/03	2013-09-25	AMS6	13:05	1-hr TSP	31	ug/m ³
HKLR	HY/2011/03	2013-09-25	AMS6	14:05	1-hr TSP	33	ug/m ³
HKLR	HY/2011/03	2013-09-25	AMS6	15:05	1-hr TSP	25	ug/m ³
HKLR	HY/2011/03	2013-10-02	AMS6	08:11	1-hr TSP	80	ug/m3
HKLR	HY/2011/03	2013-10-02	AMS6	09:11	1-hr TSP	71	ug/m3
HKLR	HY/2011/03	2013-10-02	AMS6	10:11	1-hr TSP	66	ug/m3
HKLR	HY/2011/03	2013-10-07	AMS6	12:28	1-hr TSP	79	ug/m3
HKLR	HY/2011/03	2013-10-07	AMS6	13:28	1-hr TSP	71	ug/m3
HKLR	HY/2011/03	2013-10-07	AMS6	14:28	1-hr TSP	66	ug/m3
HKLR	HY/2011/03	2013-10-11	AMS6	12:45	1-hr TSP	85	ug/m3
HKLR	HY/2011/03	2013-10-11	AMS6	13:45	1-hr TSP	96	ug/m3
HKLR	HY/2011/03	2013-10-11	AMS6	14:45	1-hr TSP	93	ug/m3
HKLR	HY/2011/03	2013-10-17	AMS6	13:05	1-hr TSP	92	ug/m3
HKLR	HY/2011/03	2013-10-17	AMS6	14:05	1-hr TSP	101	ug/m3
HKLR	HY/2011/03	2013-10-17	AMS6	15:05	1-hr TSP	104	ug/m3
HKLR	HY/2011/03	2013-10-23	AMS6	13:30	1-hr TSP	104	ug/m3
HKLR	HY/2011/03	2013-10-23	AMS6	14:30	1-hr TSP	98	ug/m3
HKLR	HY/2011/03	2013-10-23	AMS6	15:30	1-hr TSP	92	ug/m3
HKLR	HY/2011/03	2013-10-29	AMS6	13:05	1-hr TSP	191	ug/m3
HKLR	HY/2011/03	2013-10-29	AMS6	14:05	1-hr TSP	179	ug/m3
HKLR	HY/2011/03	2013-10-29	AMS6	15:05	1-hr TSP	229	ug/m3
HKLR	HY/2011/03	2013-11-04	AMS6	13:30	1-hr TSP	87	ug/m3
HKLR	HY/2011/03	2013-11-04	AMS6	14:30	1-hr TSP	94	ug/m3
HKLR	HY/2011/03	2013-11-04	AMS6	15:30	1-hr TSP	119	ug/m3
HKLR	HY/2011/03	2013-11-08	AMS6	13:00	1-hr TSP	70	ug/m3
HKLR	HY/2011/03	2013-11-08	AMS6	14:00	1-hr TSP	84	ug/m3
HKLR	HY/2011/03	2013-11-08	AMS6	15:00	1-hr TSP	80	ug/m3
HKLR	HY/2011/03	2013-11-14	AMS6	13:24	1-hr TSP	71	ug/m3
HKLR	HY/2011/03	2013-11-14	AMS6	14:24	1-hr TSP	130	ug/m3
HKLR	HY/2011/03	2013-11-14	AMS6	15:24	1-hr TSP	132	ug/m3
HKLR	HY/2011/03	2013-11-20	AMS6	08:15	1-hr TSP	61	ug/m3
HKLR	HY/2011/03	2013-11-20	AMS6	09:15	1-hr TSP	60	ug/m3
HKLR	HY/2011/03	2013-11-20	AMS6	10:15	1-hr TSP	62	ug/m3
HKLR	HY/2011/03	2013-11-26	AMS6	12:58	1-hr TSP	35	ug/m3
HKLR	HY/2011/03	2013-11-26	AMS6	13:58	1-hr TSP	38	ug/m3
HKLR	HY/2011/03	2013-11-26	AMS6	14:58	1-hr TSP	39	ug/m3
HKLR	HY/2011/03	2013-09-03	AMS6(1)	08:00	24-hr TSP	-	ug/m ³
HKLR	HY/2011/03	2013-09-09	AMS6(2)	08:00	24-hr TSP	-	ug/m ³
HKLR	HY/2011/03	2013-09-13	AMS6	08:00	24-hr TSP	45	ug/m ³
HKLR	HY/2011/03	2013-09-18	AMS6	08:00	24-hr TSP	125	ug/m ³


Air Quality Monitoring Data

HKLR	HY/2011/03	2013-09-24	AMS6	08:00	24-hr TSP	56	ug/m ³
HKLR	HY/2011/03	2013-09-30	AMS6	08:00	24-hr TSP	71	ug/m ³
HKLR	HY/2011/03	2013-10-04	AMS6	08:00	24-hr TSP	160	ug/m ³
HKLR	HY/2011/03	2013-10-10	AMS6	08:00	24-hr TSP	83	ug/m ³
HKLR	HY/2011/03	2013-10-16	AMS6	08:00	24-hr TSP	145	ug/m ³
HKLR	HY/2011/03	2013-10-22	AMS6	08:00	24-hr TSP	170	ug/m ³
HKLR	HY/2011/03	2013-10-28	AMS6	08:00	24-hr TSP	150	ug/m ³
HKLR	HY/2011/03	2013-11-01	AMS6	08:00	24-hr TSP	160	ug/m ³
HKLR	HY/2011/03	2013-11-07	AMS6	08:00	24-hr TSP	101	ug/m ³
HKLR	HY/2011/03	2013-11-13	AMS6	08:00	24-hr TSP	88	ug/m ³
HKLR	HY/2011/03	2013-11-19	AMS6	08:00	24-hr TSP	159	ug/m ³
HKLR	HY/2011/03	2013-11-25	AMS6	08:00	24-hr TSP	134	ug/m ³
HKLR	HY/2011/03	2013-11-29	AMS6	08:00	24-hr TSP	98	ug/m ³

Remarks:

1. The 24-hr dust monitoring was cancelled on 3 Sep 2013 at AMS6 due to interruption of electricity supply.
2. The 24-hr dust monitoring was cancelled on 9 Sep 2013 at AMS6 due to malfunction of HVS.
3. Due to the electricity supply problem to high volume sampler, the 24-hr dust monitoring at AMS5 was rescheduled from 19 Nov 2013 to 21 Nov 2013.

Air Quality Monitoring Data (1-hour)



Graphical Plot of 24-hour TSP at AMS5 and AMS6

