

Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2015-03-02	AMS5	09:33	1-hr TSP	107	ug/m ³
HKLR	HY/2011/03	2015-03-02	AMS5	10:33	1-hr TSP	100	ug/m ³
HKLR	HY/2011/03	2015-03-02	AMS5	11:33	1-hr TSP	99	ug/m ³
HKLR	HY/2011/03	2015-03-06	AMS5	13:21	1-hr TSP	274	ug/m ³
HKLR	HY/2011/03	2015-03-06	AMS5	14:21	1-hr TSP	456	ug/m ³
HKLR	HY/2011/03	2015-03-06	AMS5	15:21	1-hr TSP	508	ug/m ³
HKLR	HY/2011/03	2015-03-12	AMS5	09:33	1-hr TSP	69	ug/m ³
HKLR	HY/2011/03	2015-03-12	AMS5	10:33	1-hr TSP	80	ug/m ³
HKLR	HY/2011/03	2015-03-12	AMS5	11:33	1-hr TSP	98	ug/m ³
HKLR	HY/2011/03	2015-03-18	AMS5	13:34	1-hr TSP	92	ug/m ³
HKLR	HY/2011/03	2015-03-18	AMS5	14:34	1-hr TSP	98	ug/m ³
HKLR	HY/2011/03	2015-03-18	AMS5	15:34	1-hr TSP	99	ug/m ³
HKLR	HY/2011/03	2015-03-24	AMS5	09:27	1-hr TSP	147	ug/m ³
HKLR	HY/2011/03	2015-03-24	AMS5	10:27	1-hr TSP	118	ug/m ³
HKLR	HY/2011/03	2015-03-24	AMS5	11:27	1-hr TSP	113	ug/m ³
HKLR	HY/2011/03	2015-03-30	AMS5	13:36	1-hr TSP	71	ug/m ³
HKLR	HY/2011/03	2015-03-30	AMS5	14:36	1-hr TSP	80	ug/m ³
HKLR	HY/2011/03	2015-03-30	AMS5	15:36	1-hr TSP	105	ug/m ³
HKLR	HY/2011/03	2015-04-02	AMS5	08:45	1-hr TSP	79	ug/m ³
HKLR	HY/2011/03	2015-04-02	AMS5	09:45	1-hr TSP	77	ug/m ³
HKLR	HY/2011/03	2015-04-02	AMS5	10:45	1-hr TSP	81	ug/m ³
HKLR	HY/2011/03	2015-04-08	AMS5	08:50	1-hr TSP	67	ug/m ³
HKLR	HY/2011/03	2015-04-08	AMS5	09:50	1-hr TSP	73	ug/m ³
HKLR	HY/2011/03	2015-04-08	AMS5	10:50	1-hr TSP	78	ug/m ³
HKLR	HY/2011/03	2015-04-14	AMS5	13:36	1-hr TSP	74	ug/m ³
HKLR	HY/2011/03	2015-04-14	AMS5	14:36	1-hr TSP	77	ug/m ³
HKLR	HY/2011/03	2015-04-14	AMS5	15:36	1-hr TSP	74	ug/m ³
HKLR	HY/2011/03	2015-04-20	AMS5	09:10	1-hr TSP	97	ug/m ³
HKLR	HY/2011/03	2015-04-20	AMS5	10:10	1-hr TSP	118	ug/m ³
HKLR	HY/2011/03	2015-04-20	AMS5	11:10	1-hr TSP	108	ug/m ³
HKLR	HY/2011/03	2015-04-24	AMS5	13:20	1-hr TSP	165	ug/m ³
HKLR	HY/2011/03	2015-04-24	AMS5	14:20	1-hr TSP	173	ug/m ³
HKLR	HY/2011/03	2015-04-24	AMS5	15:20	1-hr TSP	176	ug/m ³
HKLR	HY/2011/03	2015-04-29	AMS5	09:34	1-hr TSP	87	ug/m ³
HKLR	HY/2011/03	2015-04-29	AMS5	10:34	1-hr TSP	89	ug/m ³
HKLR	HY/2011/03	2015-04-29	AMS5	11:34	1-hr TSP	84	ug/m ³
HKLR	HY/2011/03	2015-05-05	AMS5	13:23	1-hr TSP	63	ug/m ³
HKLR	HY/2011/03	2015-05-05	AMS5	14:23	1-hr TSP	65	ug/m ³
HKLR	HY/2011/03	2015-05-05	AMS5	15:23	1-hr TSP	67	ug/m ³
HKLR	HY/2011/03	2015-05-11	AMS5	09:35	1-hr TSP	75	ug/m ³
HKLR	HY/2011/03	2015-05-11	AMS5	10:35	1-hr TSP	78	ug/m ³
HKLR	HY/2011/03	2015-05-11	AMS5	11:35	1-hr TSP	68	ug/m ³
HKLR	HY/2011/03	2015-05-15	AMS5	13:38	1-hr TSP	64	ug/m ³
HKLR	HY/2011/03	2015-05-15	AMS5	14:38	1-hr TSP	64	ug/m ³
HKLR	HY/2011/03	2015-05-15	AMS5	15:38	1-hr TSP	64	ug/m ³
HKLR	HY/2011/03	2015-05-21	AMS5	09:35	1-hr TSP	60	ug/m ³
HKLR	HY/2011/03	2015-05-21	AMS5	10:35	1-hr TSP	59	ug/m ³
HKLR	HY/2011/03	2015-05-21	AMS5	11:35	1-hr TSP	62	ug/m ³
HKLR	HY/2011/03	2015-05-27	AMS5	13:37	1-hr TSP	79	ug/m ³
HKLR	HY/2011/03	2015-05-27	AMS5	14:37	1-hr TSP	81	ug/m ³
HKLR	HY/2011/03	2015-05-27	AMS5	15:37	1-hr TSP	83	ug/m ³
HKLR	HY/2011/03	2015-03-05	AMS5	08:00	24-hr TSP	32	ug/m ³
HKLR	HY/2011/03	2015-03-11	AMS5	08:00	24-hr TSP	57	ug/m ³
HKLR	HY/2011/03	2015-03-17	AMS5	08:00	24-hr TSP	33	ug/m ³
HKLR	HY/2011/03	2015-03-23	AMS5	08:00	24-hr TSP	103	ug/m ³
HKLR	HY/2011/03	2015-03-27	AMS5	08:00	24-hr TSP	75	ug/m ³
HKLR	HY/2011/03	2015-04-01	AMS5	08:00	24-hr TSP	31	ug/m ³
HKLR	HY/2011/03	2015-04-08	AMS5	08:00	24-hr TSP	33	ug/m ³
HKLR	HY/2011/03	2015-04-13	AMS5	08:00	24-hr TSP	101	ug/m ³
HKLR	HY/2011/03	2015-04-17	AMS5	08:00	24-hr TSP	38	ug/m ³
HKLR	HY/2011/03	2015-04-23	AMS5	08:00	24-hr TSP	53	ug/m ³
HKLR	HY/2011/03	2015-04-28	AMS5	08:00	24-hr TSP	34	ug/m ³
HKLR	HY/2011/03	2015-05-04	AMS5	08:00	24-hr TSP	27	ug/m ³
HKLR	HY/2011/03	2015-05-08	AMS5	08:00	24-hr TSP	19	ug/m ³
HKLR	HY/2011/03	2015-05-14	AMS5	08:00	24-hr TSP	14	ug/m ³
HKLR	HY/2011/03	2015-05-20	AMS5	08:00	24-hr TSP	21	ug/m ³
HKLR	HY/2011/03	2015-05-26	AMS5	08:00	24-hr TSP	26	ug/m ³
HKLR	HY/2011/03	2015-03-02	AMS6	13:16	1-hr TSP	114	ug/m ³
HKLR	HY/2011/03	2015-03-02	AMS6	14:16	1-hr TSP	124	ug/m ³
HKLR	HY/2011/03	2015-03-02	AMS6	15:16	1-hr TSP	130	ug/m ³


Project	Works	Date (yyyy-mm-dd)	Station	Time	Parameter	Results	Unit
HKLR	HY/2011/03	2015-03-06	AMS6	09:31	1-hr TSP	173	ug/m ³
HKLR	HY/2011/03	2015-03-06	AMS6	14:16	1-hr TSP	166	ug/m ³
HKLR	HY/2011/03	2015-03-06	AMS6	15:16	1-hr TSP	132	ug/m ³
HKLR	HY/2011/03	2015-03-12	AMS6	13:14	1-hr TSP	87	ug/m ³
HKLR	HY/2011/03	2015-03-12	AMS6	14:16	1-hr TSP	107	ug/m ³
HKLR	HY/2011/03	2015-03-12	AMS6	15:16	1-hr TSP	130	ug/m ³
HKLR	HY/2011/03	2015-03-18	AMS6	08:19	1-hr TSP	129	ug/m ³
HKLR	HY/2011/03	2015-03-18	AMS6	09:19	1-hr TSP	132	ug/m ³
HKLR	HY/2011/03	2015-03-18	AMS6	10:19	1-hr TSP	125	ug/m ³
HKLR	HY/2011/03	2015-03-24	AMS6	13:33	1-hr TSP	105	ug/m ³
HKLR	HY/2011/03	2015-03-24	AMS6	14:33	1-hr TSP	105	ug/m ³
HKLR	HY/2011/03	2015-03-24	AMS6	15:33	1-hr TSP	103	ug/m ³
HKLR	HY/2011/03	2015-03-30	AMS6	09:24	1-hr TSP	77	ug/m ³
HKLR	HY/2011/03	2015-03-30	AMS6	10:24	1-hr TSP	66	ug/m ³
HKLR	HY/2011/03	2015-03-30	AMS6	11:24	1-hr TSP	65	ug/m ³
HKLR	HY/2011/03	2015-04-02	AMS6	09:15	1-hr TSP	87	ug/m ³
HKLR	HY/2011/03	2015-04-02	AMS6	10:15	1-hr TSP	84	ug/m ³
HKLR	HY/2011/03	2015-04-02	AMS6	11:15	1-hr TSP	78	ug/m ³
HKLR	HY/2011/03	2015-04-08	AMS6	13:06	1-hr TSP	91	ug/m ³
HKLR	HY/2011/03	2015-04-08	AMS6	14:06	1-hr TSP	84	ug/m ³
HKLR	HY/2011/03	2015-04-08	AMS6	15:06	1-hr TSP	81	ug/m ³
HKLR	HY/2011/03	2015-04-14	AMS6	09:35	1-hr TSP	65	ug/m ³
HKLR	HY/2011/03	2015-04-14	AMS6	10:35	1-hr TSP	67	ug/m ³
HKLR	HY/2011/03	2015-04-14	AMS6	11:35	1-hr TSP	72	ug/m ³
HKLR	HY/2011/03	2015-04-20	AMS6	13:21	1-hr TSP	103	ug/m ³
HKLR	HY/2011/03	2015-04-20	AMS6	14:21	1-hr TSP	101	ug/m ³
HKLR	HY/2011/03	2015-04-20	AMS6	15:21	1-hr TSP	98	ug/m ³
HKLR	HY/2011/03	2015-04-24	AMS6	09:21	1-hr TSP	115	ug/m ³
HKLR	HY/2011/03	2015-04-24	AMS6	10:21	1-hr TSP	146	ug/m ³
HKLR	HY/2011/03	2015-04-24	AMS6	11:21	1-hr TSP	150	ug/m ³
HKLR	HY/2011/03	2015-04-29	AMS6	13:26	1-hr TSP	79	ug/m ³
HKLR	HY/2011/03	2015-04-29	AMS6	14:26	1-hr TSP	82	ug/m ³
HKLR	HY/2011/03	2015-04-29	AMS6	15:26	1-hr TSP	90	ug/m ³
HKLR	HY/2011/03	2015-05-05	AMS6	09:25	1-hr TSP	68	ug/m ³
HKLR	HY/2011/03	2015-05-05	AMS6	10:25	1-hr TSP	67	ug/m ³
HKLR	HY/2011/03	2015-05-05	AMS6	11:25	1-hr TSP	65	ug/m ³
HKLR	HY/2011/03	2015-05-11	AMS6	13:32	1-hr TSP	66	ug/m ³
HKLR	HY/2011/03	2015-05-11	AMS6	14:32	1-hr TSP	63	ug/m ³
HKLR	HY/2011/03	2015-05-11	AMS6	15:32	1-hr TSP	64	ug/m ³
HKLR	HY/2011/03	2015-05-15	AMS6	09:31	1-hr TSP	68	ug/m ³
HKLR	HY/2011/03	2015-05-15	AMS6	10:31	1-hr TSP	66	ug/m ³
HKLR	HY/2011/03	2015-05-15	AMS6	11:31	1-hr TSP	63	ug/m ³
HKLR	HY/2011/03	2015-05-21	AMS6	13:23	1-hr TSP	85	ug/m ³
HKLR	HY/2011/03	2015-05-21	AMS6	14:23	1-hr TSP	107	ug/m ³
HKLR	HY/2011/03	2015-05-21	AMS6	15:23	1-hr TSP	106	ug/m ³
HKLR	HY/2011/03	2015-05-27	AMS6	09:12	1-hr TSP	82	ug/m ³
HKLR	HY/2011/03	2015-05-27	AMS6	10:12	1-hr TSP	79	ug/m ³
HKLR	HY/2011/03	2015-05-27	AMS6	11:12	1-hr TSP	75	ug/m ³
HKLR	HY/2011/03	2015-03-05	AMS6	08:00	24-hr TSP	42	ug/m ³
HKLR	HY/2011/03	2015-03-11	AMS6	08:00	24-hr TSP	70	ug/m ³
HKLR	HY/2011/03	2015-03-17	AMS6	08:00	24-hr TSP	45	ug/m ³
HKLR	HY/2011/03	2015-03-23	AMS6	08:00	24-hr TSP	112	ug/m ³
HKLR	HY/2011/03	2015-03-27	AMS6	08:00	24-hr TSP	104	ug/m ³
HKLR	HY/2011/03	2015-04-01	AMS6	08:00	24-hr TSP	36	ug/m ³
HKLR	HY/2011/03	2015-04-08	AMS6	08:00	24-hr TSP	39	ug/m ³
HKLR	HY/2011/03	2015-04-13	AMS6	08:00	24-hr TSP	118	ug/m ³
HKLR	HY/2011/03	2015-04-17	AMS6	08:00	24-hr TSP	63	ug/m ³
HKLR	HY/2011/03	2015-04-23	AMS6	08:00	24-hr TSP	81	ug/m ³
HKLR	HY/2011/03	2015-04-28	AMS6	08:00	24-hr TSP	66	ug/m ³
HKLR	HY/2011/03	2015-05-04	AMS6	08:00	24-hr TSP	45	ug/m ³
HKLR	HY/2011/03	2015-05-12	AMS6	13:00	24-hr TSP	64	ug/m ³
HKLR	HY/2011/03	2015-05-15	AMS6	12:30	24-hr TSP	52	ug/m ³
HKLR	HY/2011/03	2015-05-20	AMS6	08:00	24-hr TSP	30	ug/m ³
HKLR	HY/2011/03	2015-05-26	AMS6	08:00	24-hr TSP	22	ug/m ³

Remark:

(1) Due to malfunction of HVS at AMS6 on 8 May 2015, the 24-hr TSP monitoring result obtained on 8 May 2015 was considered invalid. The 24-hr TSP monitoring was rescheduled from 8 May to 12 May 2015.


(2) Due to power interruption of HVS at station AMS6 on 14 May 2015, the 24-hr TSP monitoring at station AMS6 was rescheduled from 14 May 2015 to 15 May 2015.

Graphical Plot of 1-hour TSP at AMS5 and AMS6



Graphical Plot of 24-hour TSP at AMS5 and AMS6

Air Quality Monitoring Data (24-hour)



Remarks:

- 1) Due to malfunction of HVS at AMS6 on 8 May 2015, the 24-hr TSP monitoring result obtained on 8 May 2015 was considered invalid. The 24-hr TSP monitoring was rescheduled from 8 May to 12 May 2015.
- 2) Due to power interruption of HVS at station AMS6 on 14 May 2015, the 24-hr TSP monitoring at station AMS6 was rescheduled from 14 May 2015 to 15 May 2015.