




Figure G.1 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 August 2015 and 30 November 2015 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/8/2015 - 30/11/2015) and Box Culvert Extension (1/8/2015 - 30/11/2015). Ref: 0212330_Impact AQM graphs_November 2015_REV a.xlsx




Figure G.2 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 August 2015 and 30 November 2015 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/8/2015 - 30/11/2015) and Box Culvert Extension (1/8/2015 - 30/11/2015). Ref: 0212330_Impact AQM graphs_November 2015_REV a.xlsx




Figure G.3 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 August 2015 and 30 November 2015 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/8/2015 - 30/11/2015) and Box Culvert Extension (1/8/2015 - 30/11/2015). Ref: 0212330_Impact AQM graphs_November 2015_REV a.xlsx




Figure G.4 Impact Monitoring – 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 August 2015 and 30 November 2015 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area – Portion N-C (1/8/2015 – 30/11/2015) and Box Culvert Extension (1/8/2015 – 30/11/2015). Ref: 0212330_Impact AQM graphs_November 2015_REV a.xlsx




Figure G.5 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 August 2015 and 30 November 2015 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/8/2015 - 30/11/2015) and Box Culvert Extension (1/8/2015 - 30/11/2015). Ref: 0212330_Impact AQM graphs_November 2015_REV a.xlsx




Figure G.6 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 August 2015 and 30 November 2015 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area – Portion N-C (1/8/2015 – 30/11/2015) and Box Culvert Extension (1/8/2015 – 30/11/2015). Ref: 0212330_Impact AQM graphs_November 2015_REV a.xlsx




Figure G.7 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 August 2015 and 30 November 2015 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area - Portion N-C (1/8/2015 - 30/11/2015) and Box Culvert Extension (1/8/2015 - 30/11/2015). Ref: 0212330_Impact AQM graphs_November 2015_REV a.xlsx




Figure G.8 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 August 2015 and 30 November 2015 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area – Portion N-C (1/8/2015 – 30/11/2015) and Box Culvert Extension (1/8/2015 – 30/11/2015). Ref: 0212330_Impact AQM graphs_November 2015_REV a.xlsx




Figure G.9 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 August 2015 and 30 November 2015 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area – Portion N-C (1/8/2015 – 30/11/2015) and Box Culvert Extension (1/8/2015 – 30/11/2015). Ref: 0212330_Impact AQM graphs_November 2015_REV a.xlsx




Figure G.10 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 August 2015 and 30 November 2015 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Construction of capping beam and base slab for Ventilation Shaft at Works Area – Portion N-C (1/8/2015 – 30/11/2015) and Box Culvert Extension (1/8/2015 – 30/11/2015). Ref: 0212330_Impact AQM graphs_November 2015_REV a.xlsx

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2015-11-01	ASR10	Sunny	13:03	1-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2015-11-01	ASR10	Sunny	14:05	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2015-11-01	ASR10	Sunny	15:07	1-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2015-11-01	ASR6	Sunny	13:13	1-hour TSP	142	ug/m3
TMCLKL	HY/2012/08	2015-11-01	ASR6	Sunny	14:15	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2015-11-01	ASR6	Sunny	15:17	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2015-11-01	ASR5	Sunny	13:23	1-hour TSP	168	ug/m3
TMCLKL	HY/2012/08	2015-11-01	ASR5	Sunny	14:25	1-hour TSP	153	ug/m3
TMCLKL	HY/2012/08	2015-11-01	ASR5	Sunny	15:27	1-hour TSP	134	ug/m3
TMCLKL	HY/2012/08	2015-11-01	ASR1	Sunny	13:35	1-hour TSP	228	ug/m3
TMCLKL	HY/2012/08	2015-11-01	ASR1	Sunny	14:37	1-hour TSP	222	ug/m3
TMCLKL	HY/2012/08	2015-11-01	ASR1	Sunny	15:39	1-hour TSP	157	ug/m3
TMCLKL	HY/2012/08	2015-11-01	AQMS1	Sunny	14:47	1-hour TSP	106	ug/m3
TMCLKL	HY/2012/08	2015-11-01	AQMS1	Sunny	15:49	1-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2015-11-01	AQMS1	Sunny	16:51	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2015-11-04	ASR10	Sunny	13:56	1-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2015-11-04	ASR10	Sunny	14:58	1-hour TSP	152	ug/m3
TMCLKL	HY/2012/08	2015-11-04	ASR10	Sunny	16:00	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2015-11-04	ASR6	Sunny	14:07	1-hour TSP	246	ug/m3
TMCLKL	HY/2012/08	2015-11-04	ASR6	Sunny	15:09	1-hour TSP	279	ug/m3
TMCLKL	HY/2012/08	2015-11-04	ASR6	Sunny	16:11	1-hour TSP	240	ug/m3
TMCLKL	HY/2012/08	2015-11-04	ASR5	Sunny	14:17	1-hour TSP	272	ug/m3
TMCLKL	HY/2012/08	2015-11-04	ASR5	Sunny	15:19	1-hour TSP	285	ug/m3
TMCLKL	HY/2012/08	2015-11-04	ASR5	Sunny	16:21	1-hour TSP	293	ug/m3
TMCLKL	HY/2012/08	2015-11-04	ASR1	Sunny	14:28	1-hour TSP	147	ug/m3
TMCLKL	HY/2012/08	2015-11-04	ASR1	Sunny	15:30	1-hour TSP	167	ug/m3
TMCLKL	HY/2012/08	2015-11-04	ASR1	Sunny	16:32	1-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2015-11-04	AQMS1	Sunny	14:39	1-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2015-11-04	AQMS1	Sunny	15:41	1-hour TSP	137	ug/m3
TMCLKL	HY/2012/08	2015-11-04	AQMS1	Sunny	16:43	1-hour TSP	135	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2015-11-07	ASR10	Cloudy	08:00	1-hour TSP	135	ug/m3
TMCLKL	HY/2012/08	2015-11-07	ASR10	Cloudy	09:02	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2015-11-07	ASR10	Cloudy	10:04	1-hour TSP	134	ug/m3
TMCLKL	HY/2012/08	2015-11-07	ASR6	Cloudy	08:10	1-hour TSP	106	ug/m3
TMCLKL	HY/2012/08	2015-11-07	ASR6	Cloudy	09:12	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2015-11-07	ASR6	Cloudy	10:14	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2015-11-07	ASR5	Cloudy	08:21	1-hour TSP	163	ug/m3
TMCLKL	HY/2012/08	2015-11-07	ASR5	Cloudy	09:23	1-hour TSP	141	ug/m3
TMCLKL	HY/2012/08	2015-11-07	ASR5	Cloudy	10:25	1-hour TSP	157	ug/m3
TMCLKL	HY/2012/08	2015-11-07	ASR1	Cloudy	08:33	1-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2015-11-07	ASR1	Cloudy	09:35	1-hour TSP	134	ug/m3
TMCLKL	HY/2012/08	2015-11-07	ASR1	Cloudy	10:37	1-hour TSP	157	ug/m3
TMCLKL	HY/2012/08	2015-11-07	AQMS1	Cloudy	08:44	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2015-11-07	AQMS1	Cloudy	09:46	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2015-11-07	AQMS1	Cloudy	10:48	1-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2015-11-10	ASR10	Sunny	14:08	1-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2015-11-10	ASR10	Sunny	15:10	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2015-11-10	ASR10	Sunny	16:12	1-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2015-11-10	ASR6	Sunny	14:18	1-hour TSP	118	ug/m3
TMCLKL	HY/2012/08	2015-11-10	ASR6	Sunny	15:20	1-hour TSP	156	ug/m3
TMCLKL	HY/2012/08	2015-11-10	ASR6	Sunny	16:22	1-hour TSP	158	ug/m3
TMCLKL	HY/2012/08	2015-11-10	ASR5	Sunny	14:29	1-hour TSP	267	ug/m3
TMCLKL	HY/2012/08	2015-11-10	ASR5	Sunny	15:31	1-hour TSP	228	ug/m3
TMCLKL	HY/2012/08	2015-11-10	ASR5	Sunny	16:33	1-hour TSP	191	ug/m3
TMCLKL	HY/2012/08	2015-11-10	ASR1	Sunny	14:40	1-hour TSP	251	ug/m3
TMCLKL	HY/2012/08	2015-11-10	ASR1	Sunny	15:42	1-hour TSP	281	ug/m3
TMCLKL	HY/2012/08	2015-11-10	ASR1	Sunny	16:44	1-hour TSP	178	ug/m3
TMCLKL	HY/2012/08	2015-11-10	AQMS1	Sunny	14:51	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2015-11-10	AQMS1	Sunny	15:53	1-hour TSP	126	ug/m3
TMCLKL	HY/2012/08	2015-11-10	AQMS1	Sunny	16:55	1-hour TSP	88	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2015-11-13	ASR10	Sunny	13:07	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2015-11-13	ASR10	Sunny	14:09	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2015-11-13	ASR10	Sunny	15:11	1-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2015-11-13	ASR6	Sunny	13:17	1-hour TSP	126	ug/m3
TMCLKL	HY/2012/08	2015-11-13	ASR6	Sunny	14:19	1-hour TSP	134	ug/m3
TMCLKL	HY/2012/08	2015-11-13	ASR6	Sunny	15:21	1-hour TSP	116	ug/m3
TMCLKL	HY/2012/08	2015-11-13	ASR5	Sunny	13:28	1-hour TSP	97	ug/m3
TMCLKL	HY/2012/08	2015-11-13	ASR5	Sunny	14:30	1-hour TSP	124	ug/m3
TMCLKL	HY/2012/08	2015-11-13	ASR5	Sunny	15:32	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2015-11-13	ASR1	Sunny	13:40	1-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2015-11-13	ASR1	Sunny	14:42	1-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2015-11-13	ASR1	Sunny	15:44	1-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2015-11-13	AQMS1	Sunny	13:51	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2015-11-13	AQMS1	Sunny	14:53	1-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2015-11-13	AQMS1	Sunny	15:55	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2015-11-16	ASR1	Sunny	14:17	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2015-11-16	ASR1	Sunny	15:19	1-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2015-11-16	ASR1	Sunny	16:21	1-hour TSP	159	ug/m3
TMCLKL	HY/2012/08	2015-11-16	AQMS1	Sunny	14:28	1-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2015-11-16	AQMS1	Sunny	15:30	1-hour TSP	151	ug/m3
TMCLKL	HY/2012/08	2015-11-16	AQMS1	Sunny	16:32	1-hour TSP	131	ug/m3
TMCLKL	HY/2012/08	2015-11-16	ASR5	Sunny	14:06	1-hour TSP	235	ug/m3
TMCLKL	HY/2012/08	2015-11-16	ASR5	Sunny	15:08	1-hour TSP	218	ug/m3
TMCLKL	HY/2012/08	2015-11-16	ASR5	Sunny	16:10	1-hour TSP	212	ug/m3
TMCLKL	HY/2012/08	2015-11-16	ASR6	Sunny	13:55	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2015-11-16	ASR6	Sunny	15:59	1-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2015-11-16	ASR6	Sunny	14:57	1-hour TSP	145	ug/m3
TMCLKL	HY/2012/08	2015-11-16	ASR10	Sunny	13:43	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2015-11-16	ASR10	Sunny	14:45	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2015-11-16	ASR10	Sunny	15:47	1-hour TSP	71	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2015-11-19	ASR1	Sunny	14:45	1-hour TSP	165	ug/m3
TMCLKL	HY/2012/08	2015-11-19	ASR1	Sunny	15:47	1-hour TSP	190	ug/m3
TMCLKL	HY/2012/08	2015-11-19	ASR1	Sunny	16:49	1-hour TSP	150	ug/m3
TMCLKL	HY/2012/08	2015-11-19	AQMS1	Sunny	14:55	1-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2015-11-19	AQMS1	Sunny	15:57	1-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2015-11-19	AQMS1	Sunny	16:59	1-hour TSP	78	ug/m3
TMCLKL	HY/2012/08	2015-11-19	ASR5	Sunny	14:34	1-hour TSP	159	ug/m3
TMCLKL	HY/2012/08	2015-11-19	ASR5	Sunny	15:36	1-hour TSP	161	ug/m3
TMCLKL	HY/2012/08	2015-11-19	ASR5	Sunny	16:36	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2015-11-19	ASR6	Sunny	14:24	1-hour TSP	153	ug/m3
TMCLKL	HY/2012/08	2015-11-19	ASR6	Sunny	15:26	1-hour TSP	150	ug/m3
TMCLKL	HY/2012/08	2015-11-19	ASR6	Sunny	16:28	1-hour TSP	144	ug/m3
TMCLKL	HY/2012/08	2015-11-19	ASR10	Sunny	14:13	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2015-11-19	ASR10	Sunny	15:15	1-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2015-11-19	ASR10	Sunny	16:17	1-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2015-11-22	ASR10	Sunny	13:13	1-hour TSP	82	ug/m3
TMCLKL	HY/2012/08	2015-11-22	ASR10	Sunny	15:17	1-hour TSP	86	ug/m3
TMCLKL	HY/2012/08	2015-11-22	ASR10	Sunny	14:15	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2015-11-22	ASR1	Sunny	13:47	1-hour TSP	171	ug/m3
TMCLKL	HY/2012/08	2015-11-22	ASR1	Sunny	14:49	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2015-11-22	ASR1	Sunny	15:51	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2015-11-22	AQMS1	Sunny	13:58	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2015-11-22	AQMS1	Sunny	15:00	1-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2015-11-22	AQMS1	Sunny	16:02	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2015-11-22	ASR6	Sunny	13:25	1-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2015-11-22	ASR6	Sunny	14:27	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2015-11-22	ASR6	Sunny	15:29	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2015-11-22	ASR5	Sunny	13:35	1-hour TSP	120	ug/m3
TMCLKL	HY/2012/08	2015-11-22	ASR5	Sunny	14:37	1-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2015-11-22	ASR5	Sunny	15:39	1-hour TSP	132	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2015-11-25	ASR10	Sunny	13:28	1-hour TSP	53	ug/m3
TMCLKL	HY/2012/08	2015-11-25	ASR10	Sunny	14:30	1-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2015-11-25	ASR10	Sunny	15:32	1-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2015-11-25	ASR6	Sunny	13:39	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2015-11-25	ASR6	Sunny	14:41	1-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2015-11-25	ASR6	Sunny	15:43	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2015-11-25	ASR5	Sunny	13:50	1-hour TSP	160	ug/m3
TMCLKL	HY/2012/08	2015-11-25	ASR5	Sunny	14:52	1-hour TSP	202	ug/m3
TMCLKL	HY/2012/08	2015-11-25	ASR5	Sunny	15:54	1-hour TSP	206	ug/m3
TMCLKL	HY/2012/08	2015-11-25	ASR1	Sunny	14:02	1-hour TSP	140	ug/m3
TMCLKL	HY/2012/08	2015-11-25	ASR1	Sunny	15:04	1-hour TSP	189	ug/m3
TMCLKL	HY/2012/08	2015-11-25	ASR1	Sunny	16:06	1-hour TSP	172	ug/m3
TMCLKL	HY/2012/08	2015-11-25	AQMS1	Sunny	14:13	1-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2015-11-25	AQMS1	Sunny	15:15	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2015-11-25	AQMS1	Sunny	16:17	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2015-11-28	AQMS1	Sunny	13:45	1-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2015-11-28	AQMS1	Sunny	14:47	1-hour TSP	107	ug/m3
TMCLKL	HY/2012/08	2015-11-28	AQMS1	Sunny	15:49	1-hour TSP	148	ug/m3
TMCLKL	HY/2012/08	2015-11-28	ASR1	Sunny	13:33	1-hour TSP	115	ug/m3
TMCLKL	HY/2012/08	2015-11-28	ASR1	Sunny	14:35	1-hour TSP	114	ug/m3
TMCLKL	HY/2012/08	2015-11-28	ASR1	Sunny	15:37	1-hour TSP	150	ug/m3
TMCLKL	HY/2012/08	2015-11-28	ASR10	Sunny	13:00	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2015-11-28	ASR10	Sunny	14:02	1-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2015-11-28	ASR10	Sunny	15:04	1-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2015-11-28	ASR5	Sunny	13:22	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2015-11-28	ASR5	Sunny	14:24	1-hour TSP	165	ug/m3
TMCLKL	HY/2012/08	2015-11-28	ASR5	Sunny	15:26	1-hour TSP	173	ug/m3
TMCLKL	HY/2012/08	2015-11-28	ASR6	Sunny	13:10	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2015-11-28	ASR6	Sunny	14:12	1-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2015-11-28	ASR6	Sunny	15:14	1-hour TSP	55	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2015-11-01	ASR10	Sunny	16:09	24-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2015-11-01	ASR6	Sunny	16:19	24-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2015-11-01	ASR5	Sunny	16:29	24-hour TSP	111	ug/m3
TMCLKL	HY/2012/08	2015-11-01	ASR1	Sunny	16:41	24-hour TSP	125	ug/m3
TMCLKL	HY/2012/08	2015-11-01	AQMS1	Sunny	17:53	24-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2015-11-04	ASR10	Sunny	17:02	24-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2015-11-04	ASR6	Sunny	17:13	24-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2015-11-04	ASR5	Sunny	17:23	24-hour TSP	110	ug/m3
TMCLKL	HY/2012/08	2015-11-04	ASR1	Sunny	17:34	24-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2015-11-04	AQMS1	Sunny	17:45	24-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2015-11-07	ASR10	Sunny	11:06	24-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2015-11-07	ASR6	Sunny	11:16	24-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2015-11-07	ASR5	Sunny	11:27	24-hour TSP	78	ug/m3
TMCLKL	HY/2012/08	2015-11-07	ASR1	Sunny	11:39	24-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2015-11-07	AQMS1	Sunny	11:50	24-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2015-11-10	ASR10	Sunny	17:14	24-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2015-11-10	ASR6	Sunny	17:24	24-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2015-11-10	ASR5	Sunny	17:35	24-hour TSP	118	ug/m3
TMCLKL	HY/2012/08	2015-11-10	ASR1	Sunny	17:46	24-hour TSP	91	ug/m3
TMCLKL	HY/2012/08	2015-11-10	AQMS1	Sunny	17:57	24-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2015-11-13	ASR10	Sunny	16:13	24-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2015-11-13	ASR6	Sunny	16:23	24-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2015-11-13	ASR5	Sunny	16:34	24-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2015-11-13	ASR1	Sunny	16:46	24-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2015-11-13	AQMS1	Sunny	16:57	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2015-11-16	ASR1	Sunny	17:23	24-hour TSP	67	ug/m3
TMCLKL	HY/2012/08	2015-11-16	AQMS1	Sunny	17:34	24-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2015-11-16	ASR5	Sunny	17:12	24-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2015-11-16	ASR6	Sunny	17:01	24-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2015-11-16	ASR10	Sunny	16:49	24-hour TSP	57	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2015-11-19	ASR1	Sunny	17:51	24-hour TSP	86	ug/m3
TMCLKL	HY/2012/08	2015-11-19	AQMS1	Sunny	18:01	24-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2015-11-19	ASR5	Sunny	17:38	24-hour TSP	82	ug/m3
TMCLKL	HY/2012/08	2015-11-19	ASR6	Sunny	17:30	24-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2015-11-19	ASR10	Sunny	17:19	24-hour TSP	58	ug/m3
TMCLKL	HY/2012/08	2015-11-22	ASR10	Sunny	16:19	24-hour TSP	65	ug/m3
TMCLKL	HY/2012/08	2015-11-22	ASR1	Sunny	16:53	24-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2015-11-22	AQMS1	Sunny	17:04	24-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2015-11-22	ASR6	Sunny	16:31	24-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2015-11-22	ASR5	Sunny	16:41	24-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2015-11-25	ASR10	Sunny	16:34	24-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2015-11-25	ASR6	Sunny	16:45	24-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2015-11-25	ASR5	Sunny	16:56	24-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2015-11-25	ASR1	Sunny	17:08	24-hour TSP	96	ug/m3
TMCLKL	HY/2012/08	2015-11-25	AQMS1	Sunny	17:19	24-hour TSP	80	ug/m3
TMCLKL	HY/2012/08	2015-11-28	ASR10	Sunny	16:06	24-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2015-11-28	ASR6	Sunny	16:16	24-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2015-11-28	ASR5	Sunny	16:28	24-hour TSP	89	ug/m3
TMCLKL	HY/2012/08	2015-11-28	ASR1	Sunny	16:39	24-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2015-11-28	AQMS1	Sunny	16:51	24-hour TSP	81	ug/m3