

Figure G.1 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 September 2017 and 31 December 2017 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/9/2017 – 31/12/2017)

Ref: 0212330_Impact AQM graphs_December 2017_REV a.xlsx




Figure G.2 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 September 2017 and 31 December 2017 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/9/2017 - 31/12/2017)

Ref: 0212330_Impact AQM graphs_December 2017_REV a.xlsx




Figure G.3 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 September 2017 and 31 December 2017 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/9/2017 - 31/12/2017)

Ref: 0212330_Impact AQM graphs_December 2017_REV a.xlsx




Figure G.4 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 September 2017 and 31 December 2017 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/9/2017 - 31/12/2017)

Ref: 0212330_Impact AQM graphs_December 2017_REV a.xlsx




Figure G.5 Impact Monitoring - 1-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 September 2017 and 31 December 2017 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/9/2017 – 31/12/2017)

Ref: 0212330_Impact AQM graphs_December 2017_REV a.xlsx




Figure G.6 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR1 between 1 September 2017 and 31 December 2017 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/9/2017 – 31/12/2017)

Ref: 0212330_Impact AQM graphs_December 2017_REV a.xlsx




Figure G.7 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR5 between 1 September 2017 and 31 December 2017 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/9/2017 – 31/12/2017)

Ref: 0212330_Impact AQM graphs_December 2017_REV a.xlsx




Figure G.8 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at AQMS1 between 1 September 2017 and 31 December 2017 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/9/2017 – 31/12/2017)
Ref: 0212330_Impact AQM graphs_December 2017_REV a.xlsx




Figure G.9 Impact Monitoring – 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR6 between 1 September 2017 and 31 December 2017 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/9/2017 – 31/12/2017)

Ref: 0212330_Impact AQM graphs_December 2017_REV a.xlsx




Figure G.10 Impact Monitoring - 24-hour Total Suspended Particulates ($\mu\text{g}/\text{m}^3$) at ASR10 between 1 September 2017 and 31 December 2017 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: Box Culvert Extension, Construction of North Ventilation Building (1/9/2017 – 31/12/2017)
Ref: 0212330_Impact AQM graphs_December 2017_REV a.xlsx

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2017-12-02	AQMS1	Sunny	08:52	1-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2017-12-02	AQMS1	Sunny	09:54	1-hour TSP	120	ug/m3
TMCLKL	HY/2012/08	2017-12-02	AQMS1	Sunny	10:56	1-hour TSP	134	ug/m3
TMCLKL	HY/2012/08	2017-12-02	ASR1	Sunny	08:40	1-hour TSP	243	ug/m3
TMCLKL	HY/2012/08	2017-12-02	ASR1	Sunny	09:42	1-hour TSP	109	ug/m3
TMCLKL	HY/2012/08	2017-12-02	ASR1	Sunny	10:44	1-hour TSP	190	ug/m3
TMCLKL	HY/2012/08	2017-12-02	ASR10	Sunny	08:06	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2017-12-02	ASR10	Sunny	09:08	1-hour TSP	46	ug/m3
TMCLKL	HY/2012/08	2017-12-02	ASR10	Sunny	10:10	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2017-12-02	ASR5	Sunny	08:28	1-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2017-12-02	ASR5	Sunny	09:30	1-hour TSP	147	ug/m3
TMCLKL	HY/2012/08	2017-12-02	ASR5	Sunny	10:32	1-hour TSP	138	ug/m3
TMCLKL	HY/2012/08	2017-12-02	ASR6	Sunny	08:17	1-hour TSP	109	ug/m3
TMCLKL	HY/2012/08	2017-12-02	ASR6	Sunny	09:19	1-hour TSP	154	ug/m3
TMCLKL	HY/2012/08	2017-12-02	ASR6	Sunny	10:21	1-hour TSP	32	ug/m3
TMCLKL	HY/2012/08	2017-12-05	AQMS1	Sunny	14:10	1-hour TSP	103	ug/m3
TMCLKL	HY/2012/08	2017-12-05	AQMS1	Sunny	15:12	1-hour TSP	106	ug/m3
TMCLKL	HY/2012/08	2017-12-05	AQMS1	Sunny	16:14	1-hour TSP	109	ug/m3
TMCLKL	HY/2012/08	2017-12-05	ASR1	Sunny	13:58	1-hour TSP	154	ug/m3
TMCLKL	HY/2012/08	2017-12-05	ASR1	Sunny	15:00	1-hour TSP	210	ug/m3
TMCLKL	HY/2012/08	2017-12-05	ASR1	Sunny	16:02	1-hour TSP	116	ug/m3
TMCLKL	HY/2012/08	2017-12-05	ASR10	Sunny	13:24	1-hour TSP	107	ug/m3
TMCLKL	HY/2012/08	2017-12-05	ASR10	Sunny	14:26	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2017-12-05	ASR10	Sunny	15:28	1-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2017-12-05	ASR5	Sunny	13:47	1-hour TSP	306	ug/m3
TMCLKL	HY/2012/08	2017-12-05	ASR5	Sunny	14:49	1-hour TSP	224	ug/m3
TMCLKL	HY/2012/08	2017-12-05	ASR5	Sunny	15:51	1-hour TSP	225	ug/m3
TMCLKL	HY/2012/08	2017-12-05	ASR6	Sunny	13:35	1-hour TSP	213	ug/m3
TMCLKL	HY/2012/08	2017-12-05	ASR6	Sunny	14:37	1-hour TSP	180	ug/m3
TMCLKL	HY/2012/08	2017-12-05	ASR6	Sunny	15:39	1-hour TSP	140	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2017-12-08	AQMS1	Sunny	13:56	1-hour TSP	122	ug/m3
TMCLKL	HY/2012/08	2017-12-08	AQMS1	Sunny	14:58	1-hour TSP	137	ug/m3
TMCLKL	HY/2012/08	2017-12-08	AQMS1	Sunny	16:00	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2017-12-08	ASR1	Sunny	13:45	1-hour TSP	279	ug/m3
TMCLKL	HY/2012/08	2017-12-08	ASR1	Sunny	14:47	1-hour TSP	299	ug/m3
TMCLKL	HY/2012/08	2017-12-08	ASR1	Sunny	15:49	1-hour TSP	243	ug/m3
TMCLKL	HY/2012/08	2017-12-08	ASR10	Sunny	13:11	1-hour TSP	109	ug/m3
TMCLKL	HY/2012/08	2017-12-08	ASR10	Sunny	14:13	1-hour TSP	224	ug/m3
TMCLKL	HY/2012/08	2017-12-08	ASR10	Sunny	15:15	1-hour TSP	249	ug/m3
TMCLKL	HY/2012/08	2017-12-08	ASR5	Sunny	13:34	1-hour TSP	353	ug/m3
TMCLKL	HY/2012/08	2017-12-08	ASR5	Sunny	14:36	1-hour TSP	285	ug/m3
TMCLKL	HY/2012/08	2017-12-08	ASR5	Sunny	15:38	1-hour TSP	235	ug/m3
TMCLKL	HY/2012/08	2017-12-08	ASR6	Sunny	13:22	1-hour TSP	187	ug/m3
TMCLKL	HY/2012/08	2017-12-08	ASR6	Sunny	14:24	1-hour TSP	208	ug/m3
TMCLKL	HY/2012/08	2017-12-08	ASR6	Sunny	15:26	1-hour TSP	208	ug/m3
TMCLKL	HY/2012/08	2017-12-11	AQMS1	Sunny	13:48	1-hour TSP	154	ug/m3
TMCLKL	HY/2012/08	2017-12-11	AQMS1	Sunny	14:50	1-hour TSP	151	ug/m3
TMCLKL	HY/2012/08	2017-12-11	AQMS1	Sunny	15:52	1-hour TSP	129	ug/m3
TMCLKL	HY/2012/08	2017-12-11	ASR1	Sunny	13:37	1-hour TSP	399	ug/m3
TMCLKL	HY/2012/08	2017-12-11	ASR1	Sunny	14:39	1-hour TSP	443	ug/m3
TMCLKL	HY/2012/08	2017-12-11	ASR1	Sunny	15:41	1-hour TSP	325	ug/m3
TMCLKL	HY/2012/08	2017-12-11	ASR10	Sunny	13:00	1-hour TSP	169	ug/m3
TMCLKL	HY/2012/08	2017-12-11	ASR10	Sunny	14:02	1-hour TSP	287	ug/m3
TMCLKL	HY/2012/08	2017-12-11	ASR10	Sunny	15:04	1-hour TSP	304	ug/m3
TMCLKL	HY/2012/08	2017-12-11	ASR5	Sunny	13:23	1-hour TSP	417	ug/m3
TMCLKL	HY/2012/08	2017-12-11	ASR5	Sunny	14:25	1-hour TSP	249	ug/m3
TMCLKL	HY/2012/08	2017-12-11	ASR5	Sunny	15:27	1-hour TSP	236	ug/m3
TMCLKL	HY/2012/08	2017-12-11	ASR6	Sunny	13:11	1-hour TSP	262	ug/m3
TMCLKL	HY/2012/08	2017-12-11	ASR6	Sunny	14:13	1-hour TSP	152	ug/m3
TMCLKL	HY/2012/08	2017-12-11	ASR6	Sunny	15:15	1-hour TSP	198	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2017-12-14	AQMS1	Sunny	14:03	1-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2017-12-14	AQMS1	Sunny	15:05	1-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2017-12-14	AQMS1	Sunny	16:07	1-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2017-12-14	ASR1	Sunny	13:52	1-hour TSP	82	ug/m3
TMCLKL	HY/2012/08	2017-12-14	ASR1	Sunny	14:54	1-hour TSP	167	ug/m3
TMCLKL	HY/2012/08	2017-12-14	ASR1	Sunny	15:56	1-hour TSP	187	ug/m3
TMCLKL	HY/2012/08	2017-12-14	ASR10	Sunny	13:17	1-hour TSP	102	ug/m3
TMCLKL	HY/2012/08	2017-12-14	ASR10	Sunny	14:19	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2017-12-14	ASR10	Sunny	15:21	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2017-12-14	ASR5	Sunny	13:40	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2017-12-14	ASR5	Sunny	14:42	1-hour TSP	141	ug/m3
TMCLKL	HY/2012/08	2017-12-14	ASR5	Sunny	15:44	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2017-12-14	ASR6	Sunny	13:28	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2017-12-14	ASR6	Sunny	14:30	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2017-12-14	ASR6	Sunny	15:32	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2017-12-17	AQMS1	Sunny	13:48	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2017-12-17	AQMS1	Sunny	14:50	1-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2017-12-17	AQMS1	Sunny	15:52	1-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2017-12-17	ASR1	Sunny	13:37	1-hour TSP	175	ug/m3
TMCLKL	HY/2012/08	2017-12-17	ASR1	Sunny	14:39	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2017-12-17	ASR1	Sunny	15:41	1-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2017-12-17	ASR10	Sunny	13:02	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2017-12-17	ASR10	Sunny	14:04	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2017-12-17	ASR10	Sunny	15:06	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2017-12-17	ASR5	Sunny	13:25	1-hour TSP	137	ug/m3
TMCLKL	HY/2012/08	2017-12-17	ASR5	Sunny	14:27	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2017-12-17	ASR5	Sunny	15:29	1-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2017-12-17	ASR6	Sunny	13:14	1-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2017-12-17	ASR6	Sunny	14:16	1-hour TSP	76	ug/m3
TMCLKL	HY/2012/08	2017-12-17	ASR6	Sunny	15:18	1-hour TSP	76	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2017-12-20	AQMS1	Sunny	14:08	1-hour TSP	163	ug/m3
TMCLKL	HY/2012/08	2017-12-20	AQMS1	Sunny	15:10	1-hour TSP	125	ug/m3
TMCLKL	HY/2012/08	2017-12-20	AQMS1	Sunny	16:12	1-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2017-12-20	ASR1	Sunny	13:56	1-hour TSP	357	ug/m3
TMCLKL	HY/2012/08	2017-12-20	ASR1	Sunny	14:58	1-hour TSP	210	ug/m3
TMCLKL	HY/2012/08	2017-12-20	ASR1	Sunny	16:00	1-hour TSP	218	ug/m3
TMCLKL	HY/2012/08	2017-12-20	ASR10	Sunny	13:22	1-hour TSP	111	ug/m3
TMCLKL	HY/2012/08	2017-12-20	ASR10	Sunny	14:24	1-hour TSP	116	ug/m3
TMCLKL	HY/2012/08	2017-12-20	ASR10	Sunny	15:26	1-hour TSP	196	ug/m3
TMCLKL	HY/2012/08	2017-12-20	ASR5	Sunny	13:44	1-hour TSP	372	ug/m3
TMCLKL	HY/2012/08	2017-12-20	ASR5	Sunny	14:46	1-hour TSP	216	ug/m3
TMCLKL	HY/2012/08	2017-12-20	ASR5	Sunny	15:48	1-hour TSP	167	ug/m3
TMCLKL	HY/2012/08	2017-12-20	ASR6	Sunny	13:33	1-hour TSP	186	ug/m3
TMCLKL	HY/2012/08	2017-12-20	ASR6	Sunny	14:25	1-hour TSP	150	ug/m3
TMCLKL	HY/2012/08	2017-12-20	ASR6	Sunny	15:37	1-hour TSP	190	ug/m3
TMCLKL	HY/2012/08	2017-12-23	AQMS1	Sunny	14:35	1-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2017-12-23	AQMS1	Sunny	15:37	1-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2017-12-23	AQMS1	Sunny	16:39	1-hour TSP	139	ug/m3
TMCLKL	HY/2012/08	2017-12-23	ASR1	Sunny	14:24	1-hour TSP	243	ug/m3
TMCLKL	HY/2012/08	2017-12-23	ASR1	Sunny	15:26	1-hour TSP	201	ug/m3
TMCLKL	HY/2012/08	2017-12-23	ASR1	Sunny	16:28	1-hour TSP	161	ug/m3
TMCLKL	HY/2012/08	2017-12-23	ASR10	Sunny	13:52	1-hour TSP	278	ug/m3
TMCLKL	HY/2012/08	2017-12-23	ASR10	Sunny	14:54	1-hour TSP	106	ug/m3
TMCLKL	HY/2012/08	2017-12-23	ASR10	Sunny	15:56	1-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2017-12-23	ASR5	Sunny	14:14	1-hour TSP	188	ug/m3
TMCLKL	HY/2012/08	2017-12-23	ASR5	Sunny	15:16	1-hour TSP	132	ug/m3
TMCLKL	HY/2012/08	2017-12-23	ASR5	Sunny	16:18	1-hour TSP	295	ug/m3
TMCLKL	HY/2012/08	2017-12-23	ASR6	Sunny	14:03	1-hour TSP	106	ug/m3
TMCLKL	HY/2012/08	2017-12-23	ASR6	Sunny	15:05	1-hour TSP	159	ug/m3
TMCLKL	HY/2012/08	2017-12-23	ASR6	Sunny	16:07	1-hour TSP	178	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2017-12-26	AQMS1	Sunny	09:27	1-hour TSP	129	ug/m3
TMCLKL	HY/2012/08	2017-12-26	AQMS1	Sunny	10:29	1-hour TSP	167	ug/m3
TMCLKL	HY/2012/08	2017-12-26	AQMS1	Sunny	11:31	1-hour TSP	161	ug/m3
TMCLKL	HY/2012/08	2017-12-26	ASR1	Sunny	09:17	1-hour TSP	131	ug/m3
TMCLKL	HY/2012/08	2017-12-26	ASR1	Sunny	10:19	1-hour TSP	144	ug/m3
TMCLKL	HY/2012/08	2017-12-26	ASR1	Sunny	11:21	1-hour TSP	407	ug/m3
TMCLKL	HY/2012/08	2017-12-26	ASR10	Sunny	08:45	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2017-12-26	ASR10	Sunny	09:47	1-hour TSP	173	ug/m3
TMCLKL	HY/2012/08	2017-12-26	ASR10	Sunny	10:49	1-hour TSP	118	ug/m3
TMCLKL	HY/2012/08	2017-12-26	ASR5	Sunny	09:06	1-hour TSP	180	ug/m3
TMCLKL	HY/2012/08	2017-12-26	ASR5	Sunny	10:08	1-hour TSP	211	ug/m3
TMCLKL	HY/2012/08	2017-12-26	ASR5	Sunny	11:10	1-hour TSP	169	ug/m3
TMCLKL	HY/2012/08	2017-12-26	ASR6	Sunny	08:55	1-hour TSP	196	ug/m3
TMCLKL	HY/2012/08	2017-12-26	ASR6	Sunny	09:57	1-hour TSP	180	ug/m3
TMCLKL	HY/2012/08	2017-12-26	ASR6	Sunny	10:59	1-hour TSP	165	ug/m3
TMCLKL	HY/2012/08	2017-12-29	AQMS1	Sunny	13:43	1-hour TSP	158	ug/m3
TMCLKL	HY/2012/08	2017-12-29	AQMS1	Sunny	14:45	1-hour TSP	152	ug/m3
TMCLKL	HY/2012/08	2017-12-29	AQMS1	Sunny	15:47	1-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2017-12-29	ASR1	Sunny	13:32	1-hour TSP	124	ug/m3
TMCLKL	HY/2012/08	2017-12-29	ASR1	Sunny	14:34	1-hour TSP	144	ug/m3
TMCLKL	HY/2012/08	2017-12-29	ASR1	Sunny	15:36	1-hour TSP	134	ug/m3
TMCLKL	HY/2012/08	2017-12-29	ASR10	Sunny	13:00	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2017-12-29	ASR10	Sunny	14:02	1-hour TSP	104	ug/m3
TMCLKL	HY/2012/08	2017-12-29	ASR10	Sunny	15:04	1-hour TSP	130	ug/m3
TMCLKL	HY/2012/08	2017-12-29	ASR5	Sunny	13:21	1-hour TSP	165	ug/m3
TMCLKL	HY/2012/08	2017-12-29	ASR5	Sunny	14:23	1-hour TSP	184	ug/m3
TMCLKL	HY/2012/08	2017-12-29	ASR5	Sunny	15:25	1-hour TSP	187	ug/m3
TMCLKL	HY/2012/08	2017-12-29	ASR6	Sunny	13:10	1-hour TSP	136	ug/m3
TMCLKL	HY/2012/08	2017-12-29	ASR6	Sunny	14:12	1-hour TSP	210	ug/m3
TMCLKL	HY/2012/08	2017-12-29	ASR6	Sunny	15:14	1-hour TSP	194	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2017-12-02	AQMS1	Sunny	11:58	24-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2017-12-02	ASR1	Sunny	11:46	24-hour TSP	212	ug/m3
TMCLKL	HY/2012/08	2017-12-02	ASR10	Sunny	11:12	24-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2017-12-02	ASR5	Sunny	11:34	24-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2017-12-02	ASR6	Sunny	11:23	24-hour TSP	119	ug/m3
TMCLKL	HY/2012/08	2017-12-05	AQMS1	Sunny	17:16	24-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2017-12-05	ASR1	Sunny	17:04	24-hour TSP	132	ug/m3
TMCLKL	HY/2012/08	2017-12-05	ASR10	Sunny	16:30	24-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2017-12-05	ASR5	Sunny	16:53	24-hour TSP	125	ug/m3
TMCLKL	HY/2012/08	2017-12-05	ASR6	Sunny	16:41	24-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2017-12-08	AQMS1	Sunny	17:02	24-hour TSP	177	ug/m3
TMCLKL	HY/2012/08	2017-12-08	ASR1	Sunny	16:51	24-hour TSP	328	ug/m3
TMCLKL	HY/2012/08	2017-12-08	ASR10	Sunny	16:17	24-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2017-12-08	ASR5	Sunny	16:40	24-hour TSP	279	ug/m3
TMCLKL	HY/2012/08	2017-12-08	ASR6	Sunny	16:28	24-hour TSP	161	ug/m3
TMCLKL	HY/2012/08	2017-12-11	AQMS1	Sunny	16:54	24-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2017-12-11	ASR1	Sunny	16:43	24-hour TSP	218	ug/m3
TMCLKL	HY/2012/08	2017-12-11	ASR10	Sunny	16:06	24-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2017-12-11	ASR5	Sunny	16:29	24-hour TSP	189	ug/m3
TMCLKL	HY/2012/08	2017-12-11	ASR6	Sunny	16:17	24-hour TSP	139	ug/m3
TMCLKL	HY/2012/08	2017-12-14	AQMS1	Sunny	17:09	24-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2017-12-14	ASR1	Sunny	16:58	24-hour TSP	120	ug/m3
TMCLKL	HY/2012/08	2017-12-14	ASR10	Sunny	16:23	24-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2017-12-14	ASR5	Sunny	16:46	24-hour TSP	130	ug/m3
TMCLKL	HY/2012/08	2017-12-14	ASR6	Sunny	16:34	24-hour TSP	99	ug/m3
TMCLKL	HY/2012/08	2017-12-17	AQMS1	Sunny	16:54	24-hour TSP	132	ug/m3
TMCLKL	HY/2012/08	2017-12-17	ASR1	Sunny	16:43	24-hour TSP	180	ug/m3
TMCLKL	HY/2012/08	2017-12-17	ASR10	Sunny	16:08	24-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2017-12-17	ASR5	Sunny	16:31	24-hour TSP	265	ug/m3
TMCLKL	HY/2012/08	2017-12-17	ASR6	Sunny	16:20	24-hour TSP	145	ug/m3

Project	Works	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2017-12-20	AQMS1	Sunny	17:14	24-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2017-12-20	ASR1	Sunny	17:02	24-hour TSP	158	ug/m3
TMCLKL	HY/2012/08	2017-12-20	ASR10	Sunny	16:28	24-hour TSP	62	ug/m3
TMCLKL	HY/2012/08	2017-12-20	ASR5	Sunny	16:50	24-hour TSP	125	ug/m3
TMCLKL	HY/2012/08	2017-12-20	ASR6	Sunny	16:39	24-hour TSP	100	ug/m3
TMCLKL	HY/2012/08	2017-12-23	AQMS1	Sunny	17:41	24-hour TSP	98	ug/m3
TMCLKL	HY/2012/08	2017-12-23	ASR1	Sunny	17:30	24-hour TSP	182	ug/m3
TMCLKL	HY/2012/08	2017-12-23	ASR10	Sunny	16:58	24-hour TSP	110	ug/m3
TMCLKL	HY/2012/08	2017-12-23	ASR5	Sunny	17:20	24-hour TSP	166	ug/m3
TMCLKL	HY/2012/08	2017-12-23	ASR6	Sunny	17:09	24-hour TSP	159	ug/m3
TMCLKL	HY/2012/08	2017-12-26	AQMS1	Sunny	12:33	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2017-12-26	ASR1	Sunny	12:23	24-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2017-12-26	ASR10	Sunny	11:51	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2017-12-26	ASR5	Sunny	12:12	24-hour TSP	84	ug/m3
TMCLKL	HY/2012/08	2017-12-26	ASR6	Sunny	12:01	24-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2017-12-29	AQMS1	Sunny	16:49	24-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2017-12-29	ASR1	Sunny	16:38	24-hour TSP	119	ug/m3
TMCLKL	HY/2012/08	2017-12-29	ASR10	Sunny	16:06	24-hour TSP	250	ug/m3
TMCLKL	HY/2012/08	2017-12-29	ASR5	Sunny	16:27	24-hour TSP	140	ug/m3
TMCLKL	HY/2012/08	2017-12-29	ASR6	Sunny	16:16	24-hour TSP	92	ug/m3