

## Appendix G

# Impact Air Quality Monitoring Results




Figure G.1 Impact Monitoring - 1-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at AQMS1 between 1 April 2019 and 31 July 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: RC structure, Demolition of Amenities and Workshop (1/4/2019 – 31/7/2019)

Ref: 0212330\_Impact AQM graphs\_July 2019\_REV a.xlsx




Figure G.2 Impact Monitoring - 1-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at ASR6 between 1 April 2019 and 31 July 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: RC structure, Demolition of Amenities and Workshop (1/4/2019 – 31/7/2019)

Ref: 0212330\_Impact AQM graphs\_July 2019\_REV a.xlsx




Figure G.3 Impact Monitoring - 1-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at ASR1 between 1 April 2019 and 31 July 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: RC structure, Demolition of Amenities and Workshop (1/4/2019 – 31/7/2019)

Ref: 0212330\_Impact AQM graphs\_July 2019\_REV a.xlsx




Figure G.4 Impact Monitoring - 1-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at ASR5 between 1 April 2019 and 31 July 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: RC structure, Demolition of Amenities and Workshop (1/4/2019 – 31/7/2019)

Ref: 0212330\_Impact AQM graphs\_July 2019\_REV a.xlsx




Figure G.5 Impact Monitoring - 1-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at ASR10 between 1 April 2019 and 31 July 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: RC structure, Demolition of Amenities and Workshop (1/4/2019 – 31/7/2019)

Ref: 0212330\_Impact AQM graphs\_July 2019\_REV a.xlsx




Figure G.6 Impact Monitoring – 24-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at ASR1 between 1 April 2019 and 31 July 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: RC structure, Demolition of Amenities and Workshop (1/4/2019 – 31/7/2019)

Ref: 0212330\_Impact AQM graphs\_July 2019\_REV a.xlsx




Figure G.7 Impact Monitoring – 24-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at ASR5 between 1 April 2019 and 31 July 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: RC structure, Demolition of Amenities and Workshop (1/4/2019 – 31/7/2019)

Ref: 0212330\_Impact AQM graphs\_July 2019\_REV a.xlsx




Figure G.8 Impact Monitoring – 24-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at AQMS1 between 1 April 2019 and 31 July 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: RC structure, Demolition of Amenities and Workshop (1/4/2019 – 31/7/2019)

Ref: 0212330\_Impact AQM graphs\_July 2019\_REV a.xlsx




Figure G.9 Impact Monitoring – 24-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at ASR6 between 1 April 2019 and 31 July 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: RC structure, Demolition of Amenities and Workshop (1/4/2019 – 31/7/2019)

Ref: 0212330\_Impact AQM graphs\_July 2019\_REV a.xlsx




Figure G.10 Impact Monitoring – 24-hour Total Suspended Particulates ( $\mu\text{g}/\text{m}^3$ ) at ASR10 between 1 April 2019 and 31 July 2019 during impact monitoring period. The weather conditions during the monitoring period varied from sunny to cloudy. Major land-based construction activities included: RC structure, Demolition of Amenities and Workshop (1/4/2019 – 31/7/2019)

Ref: 0212330\_Impact AQM graphs\_July 2019\_REV a.xlsx

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-07-01	AQMS1	Sunny	08:57	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-07-01	AQMS1	Sunny	09:59	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-07-01	AQMS1	Sunny	11:01	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-07-01	ASR1	Sunny	08:45	1-hour TSP	18	ug/m3
TMCLKL	HY/2012/08	2019-07-01	ASR1	Sunny	09:47	1-hour TSP	28	ug/m3
TMCLKL	HY/2012/08	2019-07-01	ASR1	Sunny	10:49	1-hour TSP	28	ug/m3
TMCLKL	HY/2012/08	2019-07-01	ASR10	Sunny	08:11	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-07-01	ASR10	Sunny	09:13	1-hour TSP	25	ug/m3
TMCLKL	HY/2012/08	2019-07-01	ASR10	Sunny	10:15	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-07-01	ASR5	Sunny	09:33	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-07-01	ASR5	Sunny	09:35	1-hour TSP	22	ug/m3
TMCLKL	HY/2012/08	2019-07-01	ASR5	Sunny	10:37	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-07-01	ASR6	Sunny	08:22	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-07-01	ASR6	Sunny	09:24	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-07-01	ASR6	Sunny	10:26	1-hour TSP	26	ug/m3
TMCLKL	HY/2012/08	2019-07-04	AQMS1	Sunny	13:58	1-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2019-07-04	AQMS1	Sunny	15:00	1-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2019-07-04	AQMS1	Sunny	16:02	1-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2019-07-04	ASR1	Sunny	13:47	1-hour TSP	47	ug/m3
TMCLKL	HY/2012/08	2019-07-04	ASR1	Sunny	14:49	1-hour TSP	41	ug/m3
TMCLKL	HY/2012/08	2019-07-04	ASR1	Sunny	15:51	1-hour TSP	49	ug/m3
TMCLKL	HY/2012/08	2019-07-04	ASR10	Sunny	13:13	1-hour TSP	28	ug/m3
TMCLKL	HY/2012/08	2019-07-04	ASR10	Sunny	14:15	1-hour TSP	51	ug/m3
TMCLKL	HY/2012/08	2019-07-04	ASR10	Sunny	15:17	1-hour TSP	45	ug/m3
TMCLKL	HY/2012/08	2019-07-04	ASR5	Sunny	13:36	1-hour TSP	93	ug/m3
TMCLKL	HY/2012/08	2019-07-04	ASR5	Sunny	14:38	1-hour TSP	66	ug/m3
TMCLKL	HY/2012/08	2019-07-04	ASR5	Sunny	15:40	1-hour TSP	86	ug/m3
TMCLKL	HY/2012/08	2019-07-04	ASR6	Sunny	13:24	1-hour TSP	161	ug/m3
TMCLKL	HY/2012/08	2019-07-04	ASR6	Sunny	14:26	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2019-07-04	ASR6	Sunny	15:28	1-hour TSP	74	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-07-07	AQMS1	Sunny	08:52	1-hour TSP	18	ug/m3
TMCLKL	HY/2012/08	2019-07-07	AQMS1	Sunny	09:54	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-07-07	AQMS1	Sunny	10:56	1-hour TSP	33	ug/m3
TMCLKL	HY/2012/08	2019-07-07	ASR1	Sunny	08:40	1-hour TSP	21	ug/m3
TMCLKL	HY/2012/08	2019-07-07	ASR1	Sunny	09:42	1-hour TSP	13	ug/m3
TMCLKL	HY/2012/08	2019-07-07	ASR1	Sunny	10:44	1-hour TSP	19	ug/m3
TMCLKL	HY/2012/08	2019-07-07	ASR10	Sunny	08:05	1-hour TSP	38	ug/m3
TMCLKL	HY/2012/08	2019-07-07	ASR10	Sunny	09:07	1-hour TSP	32	ug/m3
TMCLKL	HY/2012/08	2019-07-07	ASR10	Sunny	10:09	1-hour TSP	24	ug/m3
TMCLKL	HY/2012/08	2019-07-07	ASR5	Sunny	08:28	1-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2019-07-07	ASR5	Sunny	09:30	1-hour TSP	51	ug/m3
TMCLKL	HY/2012/08	2019-07-07	ASR5	Sunny	10:32	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2019-07-07	ASR6	Sunny	08:17	1-hour TSP	42	ug/m3
TMCLKL	HY/2012/08	2019-07-07	ASR6	Sunny	09:19	1-hour TSP	37	ug/m3
TMCLKL	HY/2012/08	2019-07-07	ASR6	Sunny	10:21	1-hour TSP	25	ug/m3
TMCLKL	HY/2012/08	2019-07-10	AQMS1	Rainy	13:49	1-hour TSP	160	ug/m3
TMCLKL	HY/2012/08	2019-07-10	AQMS1	Rainy	14:51	1-hour TSP	63	ug/m3
TMCLKL	HY/2012/08	2019-07-10	AQMS1	Rainy	15:53	1-hour TSP	29	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR1	Rainy	13:37	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR1	Rainy	14:39	1-hour TSP	53	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR1	Rainy	15:41	1-hour TSP	21	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR10	Rainy	13:02	1-hour TSP	14	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR10	Rainy	14:04	1-hour TSP	151	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR10	Rainy	15:06	1-hour TSP	35	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR5	Rainy	13:25	1-hour TSP	107	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR5	Rainy	14:27	1-hour TSP	153	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR5	Rainy	15:29	1-hour TSP	19	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR6	Rainy	13:13	1-hour TSP	75	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR6	Rainy	14:15	1-hour TSP	372	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR6	Rainy	15:17	1-hour TSP	30	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-07-13	AQMS1	Sunny	08:58	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2019-07-13	AQMS1	Sunny	10:00	1-hour TSP	40	ug/m3
TMCLKL	HY/2012/08	2019-07-13	AQMS1	Sunny	11:02	1-hour TSP	60	ug/m3
TMCLKL	HY/2012/08	2019-07-13	ASR1	Sunny		1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2019-07-13	ASR1	Sunny	09:49	1-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2019-07-13	ASR1	Sunny	10:51	1-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2019-07-13	ASR10	Sunny	08:13	1-hour TSP	32	ug/m3
TMCLKL	HY/2012/08	2019-07-13	ASR10	Sunny	09:15	1-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2019-07-13	ASR10	Sunny	10:17	1-hour TSP	44	ug/m3
TMCLKL	HY/2012/08	2019-07-13	ASR5	Sunny	08:35	1-hour TSP	135	ug/m3
TMCLKL	HY/2012/08	2019-07-13	ASR5	Sunny	09:37	1-hour TSP	150	ug/m3
TMCLKL	HY/2012/08	2019-07-13	ASR5	Sunny	10:39	1-hour TSP	208	ug/m3
TMCLKL	HY/2012/08	2019-07-13	ASR6	Sunny	08:24	1-hour TSP	186	ug/m3
TMCLKL	HY/2012/08	2019-07-13	ASR6	Sunny	09:26	1-hour TSP	107	ug/m3
TMCLKL	HY/2012/08	2019-07-13	ASR6	Sunny	10:28	1-hour TSP	232	ug/m3
TMCLKL	HY/2012/08	2019-07-16	AQMS1	Sunny	13:55	1-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2019-07-16	AQMS1	Sunny	14:57	1-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2019-07-16	AQMS1	Sunny	15:59	1-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2019-07-16	ASR1	Sunny	13:42	1-hour TSP	82	ug/m3
TMCLKL	HY/2012/08	2019-07-16	ASR1	Sunny	14:44	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2019-07-16	ASR1	Sunny	15:46	1-hour TSP	85	ug/m3
TMCLKL	HY/2012/08	2019-07-16	ASR10	Sunny	13:09	1-hour TSP	79	ug/m3
TMCLKL	HY/2012/08	2019-07-16	ASR10	Sunny	14:11	1-hour TSP	72	ug/m3
TMCLKL	HY/2012/08	2019-07-16	ASR10	Sunny	15:13	1-hour TSP	69	ug/m3
TMCLKL	HY/2012/08	2019-07-16	ASR5	Sunny	13:30	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2019-07-16	ASR5	Sunny	14:32	1-hour TSP	120	ug/m3
TMCLKL	HY/2012/08	2019-07-16	ASR5	Sunny	15:34	1-hour TSP	138	ug/m3
TMCLKL	HY/2012/08	2019-07-16	ASR6	Sunny	13:20	1-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2019-07-16	ASR6	Sunny	14:22	1-hour TSP	138	ug/m3
TMCLKL	HY/2012/08	2019-07-16	ASR6	Sunny	15:24	1-hour TSP	122	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-07-19	AQMS1	Sunny	09:12	1-hour TSP	101	ug/m3
TMCLKL	HY/2012/08	2019-07-19	AQMS1	Sunny	10:14	1-hour TSP	44	ug/m3
TMCLKL	HY/2012/08	2019-07-19	AQMS1	Sunny	11:16	1-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2019-07-19	ASR1	Sunny	09:00	1-hour TSP	118	ug/m3
TMCLKL	HY/2012/08	2019-07-19	ASR1	Sunny	10:02	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2019-07-19	ASR1	Sunny	11:04	1-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2019-07-19	ASR10	Sunny	08:27	1-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2019-07-19	ASR10	Sunny	09:29	1-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2019-07-19	ASR10	Sunny	10:31	1-hour TSP	35	ug/m3
TMCLKL	HY/2012/08	2019-07-19	ASR5	Sunny	08:49	1-hour TSP	197	ug/m3
TMCLKL	HY/2012/08	2019-07-19	ASR5	Sunny	09:51	1-hour TSP	111	ug/m3
TMCLKL	HY/2012/08	2019-07-19	ASR5	Sunny	10:53	1-hour TSP	94	ug/m3
TMCLKL	HY/2012/08	2019-07-19	ASR6	Sunny	08:38	1-hour TSP	107	ug/m3
TMCLKL	HY/2012/08	2019-07-19	ASR6	Sunny	09:40	1-hour TSP	78	ug/m3
TMCLKL	HY/2012/08	2019-07-19	ASR6	Sunny	10:42	1-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2019-07-22	AQMS1	Sunny	14:17	1-hour TSP	44	ug/m3
TMCLKL	HY/2012/08	2019-07-22	AQMS1	Sunny	15:19	1-hour TSP	46	ug/m3
TMCLKL	HY/2012/08	2019-07-22	AQMS1	Sunny	16:21	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR1	Sunny	14:05	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR1	Sunny	15:07	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR1	Sunny	16:09	1-hour TSP	46	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR10	Sunny	13:31	1-hour TSP	21	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR10	Sunny	14:33	1-hour TSP	35	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR10	Sunny	15:35	1-hour TSP	30	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR5	Sunny	13:54	1-hour TSP	120	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR5	Sunny	14:56	1-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR5	Sunny	15:58	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR6	Sunny	13:42	1-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR6	Sunny	14:44	1-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR6	Sunny	15:46	1-hour TSP	61	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-07-22	AQMS1	Sunny	14:17	1-hour TSP	44	ug/m3
TMCLKL	HY/2012/08	2019-07-22	AQMS1	Sunny	15:19	1-hour TSP	46	ug/m3
TMCLKL	HY/2012/08	2019-07-22	AQMS1	Sunny	16:21	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR1	Sunny	14:05	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR1	Sunny	15:07	1-hour TSP	73	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR1	Sunny	16:09	1-hour TSP	46	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR10	Sunny	13:31	1-hour TSP	21	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR10	Sunny	14:33	1-hour TSP	35	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR10	Sunny	15:35	1-hour TSP	30	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR5	Sunny	13:54	1-hour TSP	120	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR5	Sunny	14:56	1-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR5	Sunny	15:58	1-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR6	Sunny	13:42	1-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR6	Sunny	14:44	1-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR6	Sunny	15:46	1-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2019-07-25	AQMS1	Sunny	13:47	1-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2019-07-25	AQMS1	Sunny	14:49	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2019-07-25	AQMS1	Sunny	15:51	1-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2019-07-25	ASR1	Sunny	13:34	1-hour TSP	121	ug/m3
TMCLKL	HY/2012/08	2019-07-25	ASR1	Sunny	14:36	1-hour TSP	74	ug/m3
TMCLKL	HY/2012/08	2019-07-25	ASR1	Sunny	15:38	1-hour TSP	88	ug/m3
TMCLKL	HY/2012/08	2019-07-25	ASR10	Sunny	13:00	1-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2019-07-25	ASR10	Sunny	14:02	1-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2019-07-25	ASR10	Sunny	15:04	1-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2019-07-25	ASR5	Sunny	13:23	1-hour TSP	205	ug/m3
TMCLKL	HY/2012/08	2019-07-25	ASR5	Sunny	14:25	1-hour TSP	112	ug/m3
TMCLKL	HY/2012/08	2019-07-25	ASR5	Sunny	15:27	1-hour TSP	127	ug/m3
TMCLKL	HY/2012/08	2019-07-25	ASR6	Sunny	13:12	1-hour TSP	120	ug/m3
TMCLKL	HY/2012/08	2019-07-25	ASR6	Sunny	14:14	1-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2019-07-25	ASR6	Sunny	15:16	1-hour TSP	117	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-07-28	AQMS1	Sunny	08:51	1-hour TSP	37	ug/m3
TMCLKL	HY/2012/08	2019-07-28	AQMS1	Sunny	09:33	1-hour TSP	165	ug/m3
TMCLKL	HY/2012/08	2019-07-28	AQMS1	Sunny	10:55	1-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR1	Sunny	08:40	1-hour TSP	64	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR1	Sunny	09:42	1-hour TSP	646	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR1	Sunny	10:44	1-hour TSP	108	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR10	Sunny	08:05	1-hour TSP	21	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR10	Sunny	09:07	1-hour TSP	105	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR10	Sunny	10:09	1-hour TSP	35	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR5	Sunny	08:28	1-hour TSP	52	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR5	Sunny	09:30	1-hour TSP	410	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR5	Sunny	10:32	1-hour TSP	123	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR6	Sunny	08:16	1-hour TSP	37	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR6	Sunny	09:18	1-hour TSP	175	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR6	Sunny	10:20	1-hour TSP	152	ug/m3
TMCLKL	HY/2012/08	2019-07-01	AQMS1	Sunny	12:03	24-hour TSP	32	ug/m3
TMCLKL	HY/2012/08	2019-07-01	ASR1	Sunny	11:51	24-hour TSP	92	ug/m3
TMCLKL	HY/2012/08	2019-07-01	ASR10	Sunny	11:17	24-hour TSP	22	ug/m3
TMCLKL	HY/2012/08	2019-07-01	ASR5	Sunny	11:39	24-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2019-07-01	ASR6	Sunny	11:28	24-hour TSP	28	ug/m3
TMCLKL	HY/2012/08	2019-07-04	AQMS1	Sunny	17:04	24-hour TSP	42	ug/m3
TMCLKL	HY/2012/08	2019-07-04	ASR1	Sunny	16:53	24-hour TSP	40	ug/m3
TMCLKL	HY/2012/08	2019-07-04	ASR10	Sunny	16:19	24-hour TSP	32	ug/m3
TMCLKL	HY/2012/08	2019-07-04	ASR5	Sunny	16:42	24-hour TSP	70	ug/m3
TMCLKL	HY/2012/08	2019-07-04	ASR6	Sunny	16:30	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2019-07-07	AQMS1	Sunny	11:58	24-hour TSP	35	ug/m3
TMCLKL	HY/2012/08	2019-07-07	ASR1	Sunny	11:46	24-hour TSP	45	ug/m3
TMCLKL	HY/2012/08	2019-07-07	ASR10	Sunny	11:11	24-hour TSP	37	ug/m3
TMCLKL	HY/2012/08	2019-07-07	ASR5	Sunny	11:34	24-hour TSP	77	ug/m3
TMCLKL	HY/2012/08	2019-07-07	ASR6	Sunny	11:23	24-hour TSP	80	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-07-10	AQMS1	Rainy	16:55	24-hour TSP	41	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR1	Rainy	16:43	24-hour TSP	48	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR10	Rainy	16:08	24-hour TSP	27	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR5	Rainy	16:31	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2019-07-10	ASR6	Rainy	16:19	24-hour TSP	40	ug/m3
TMCLKL	HY/2012/08	2019-07-13	AQMS1	Sunny	12:04	24-hour TSP	55	ug/m3
TMCLKL	HY/2012/08	2019-07-13	ASR1	Sunny	11:53	24-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2019-07-13	ASR10	Sunny	11:19	24-hour TSP	53	ug/m3
TMCLKL	HY/2012/08	2019-07-13	ASR5	Sunny	11:41	24-hour TSP	83	ug/m3
TMCLKL	HY/2012/08	2019-07-13	ASR6	Sunny	11:30	24-hour TSP	81	ug/m3
TMCLKL	HY/2012/08	2019-07-16	AQMS1	Sunny	17:01	24-hour TSP	68	ug/m3
TMCLKL	HY/2012/08	2019-07-16	ASR1	Sunny	16:48	24-hour TSP	113	ug/m3
TMCLKL	HY/2012/08	2019-07-16	ASR10	Sunny	16:15	24-hour TSP	90	ug/m3
TMCLKL	HY/2012/08	2019-07-16	ASR5	Sunny	16:36	24-hour TSP	87	ug/m3
TMCLKL	HY/2012/08	2019-07-16	ASR6	Sunny	16:06	24-hour TSP	82	ug/m3
TMCLKL	HY/2012/08	2019-07-19	AQMS1	Sunny	12:18	24-hour TSP	40	ug/m3
TMCLKL	HY/2012/08	2019-07-19	ASR1	Sunny	12:06	24-hour TSP	51	ug/m3
TMCLKL	HY/2012/08	2019-07-19	ASR10	Sunny	11:33	24-hour TSP	33	ug/m3
TMCLKL	HY/2012/08	2019-07-19	ASR5	Sunny	11:55	24-hour TSP	61	ug/m3
TMCLKL	HY/2012/08	2019-07-19	ASR6	Sunny	11:44	24-hour TSP	54	ug/m3
TMCLKL	HY/2012/08	2019-07-22	AQMS1	Sunny	17:23	24-hour TSP	43	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR1	Sunny	17:11	24-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR10	Sunny	16:37	24-hour TSP	27	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR5	Sunny	17:00	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR6	Sunny	16:48	24-hour TSP	34	ug/m3
TMCLKL	HY/2012/08	2019-07-22	AQMS1	Sunny	17:23	24-hour TSP	43	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR1	Sunny	17:11	24-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR10	Sunny	16:37	24-hour TSP	27	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR5	Sunny	17:00	24-hour TSP	59	ug/m3
TMCLKL	HY/2012/08	2019-07-22	ASR6	Sunny	16:48	24-hour TSP	34	ug/m3

Project	Contract	Date	Station	Weather	Start time	Parameters	Results	units
TMCLKL	HY/2012/08	2019-07-25	AQMS1	Sunny	16:53	24-hour TSP	41	ug/m3
TMCLKL	HY/2012/08	2019-07-25	ASR1	Sunny	16:40	24-hour TSP	56	ug/m3
TMCLKL	HY/2012/08	2019-07-25	ASR10	Sunny	16:06	24-hour TSP	36	ug/m3
TMCLKL	HY/2012/08	2019-07-25	ASR5	Sunny	16:29	24-hour TSP	71	ug/m3
TMCLKL	HY/2012/08	2019-07-25	ASR6	Sunny	16:18	24-hour TSP	46	ug/m3
TMCLKL	HY/2012/08	2019-07-28	AQMS1	Sunny	11:57	24-hour TSP	39	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR1	Sunny	11:46	24-hour TSP	84	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR10	Sunny	11:11	24-hour TSP	23	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR5	Sunny	11:34	24-hour TSP	57	ug/m3
TMCLKL	HY/2012/08	2019-07-28	ASR6	Sunny	11:22	24-hour TSP	32	ug/m3