

**Figure G1 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters between 1 May 2015 and 5 June 2015 at CS4.** The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls






Figure G2 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters between 1 May 2015 and 5 June 2015 at CS6. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls






Figure G3 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters between 1 May 2015 and 5 June 2015 at IS12. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls






Figure G4 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters between 1 May 2015 and 5 June 2015 at IS13. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls






Figure G5 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters between 1 May 2015 and 5 June 2015 at IS14. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







Figure G6 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters between 1 May 2015 and 5 June 2015 at IS15. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls





**Figure G7 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters between 1 May 2015 and 5 June 2015 at SR10A.** The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls








Figure G8 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters between 1 May 2015 and 5 June 2015 at SR8. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls








**Figure G9 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in surface waters between 1 May 2015 and 5 June 2015 at SR9.** The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls






\*No data for Stations SR8 and SR9 due to shallow water depth (< 6m).

**Figure G10 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters between 1 May 2015 and 5 June 2015 at CS4. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.**

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







\*No data for Stations SR8 and SR9 due to shallow water depth (< 6m).

**Figure G11 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters between 1 May 2015 and 5 June 2015 at CS6. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.**

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







\*No data for Stations SR8 and SR9 due to shallow water depth (< 6m).

**Figure G12 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters between 1 May 2015 and 5 June 2015 at IS12. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.**

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls






\*No data for Stations SR8 and SR9 due to shallow water depth (< 6m).

**Figure G13 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters between 1 May 2015 and 5 June 2015 at IS13. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.**

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







\*No data for Stations SR8 and SR9 due to shallow water depth (< 6m).

**Figure G14 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters between 1 May 2015 and 5 June 2015 at IS14. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.**

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls






\*No data for Stations SR8 and SR9 due to shallow water depth (< 6m).

**Figure G15 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters between 1 May 2015 and 5 June 2015 at IS15. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.**

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls





\*No data for Stations SR8 and SR9 due to shallow water depth (< 6m).

**Figure G16 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in mid-depth waters between 1 May 2015 and 5 June 2015 at SR10A. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.**

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls








Figure G17 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom water between 1 May 2015 and 5 June 2015 at CS4. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls






Figure G18 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom water between 1 May 2015 and 5 June 2015 at CS6. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







Figure G19 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom water between 1 May 2015 and 5 June 2015 at IS12. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







Figure G20 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom water between 1 May 2015 and 5 June 2015 at IS13. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls








Figure G21 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom water between 1 May 2015 and 5 June 2015 at IS14. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







Figure G22 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom water between 1 May 2015 and 5 June 2015 at IS15. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls









Figure G23 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom water between 1 May 2015 and 5 June 2015 at SR10A. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls





**Figure G24 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom water between 1 May 2015 and 5 June 2015 at SR8. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.**

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls











Figure G25 Impact Monitoring - Mean Level of Dissolved Oxygen (mg/L) in bottom water between 1 May 2015 and 5 June 2015 at SR9. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







**Figure G26 Impact Monitoring - Mean Depth-averaged Level of Turbidity (NTU) between 1 May 2015 and 5 June 2015 at CS4.** The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







**Figure G27 Impact Monitoring - Mean Depth-averaged Level of Turbidity (NTU) between 1 May 2015 and 5 June 2015 at CS6. The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.**

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







**Figure G28 Impact Monitoring - Mean Depth-averaged Level of Turbidity (NTU) between 1 May 2015 and 5 June 2015 at IS12.** The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







**Figure G29 Impact Monitoring - Mean Depth-averaged Level of Turbidity (NTU) between 1 May 2015 and 5 June 2015 at IS13.** The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







**Figure G30 Impact Monitoring - Mean Depth-averaged Level of Turbidity (NTU) between 1 May 2015 and 5 June 2015 at IS14.** The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







**Figure G31 Impact Monitoring - Mean Depth-averaged Level of Turbidity (NTU) between 1 May 2015 and 5 June 2015 at IS15.** The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







**Figure G32 Impact Monitoring - Mean Depth-averaged Level of Turbidity (NTU) between 1 May 2015 and 5 June 2015 at SR10A.** The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls









**Figure G33 Impact Monitoring - Mean Depth-averaged Level of Turbidity (NTU) between 1 May 2015 and 5 June 2015 at SR8.** The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.


Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







**Figure G34 Impact Monitoring - Mean Depth-averaged Level of Turbidity (NTU) between 1 May 2015 and 5 June 2015 at SR9.** The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







**Figure G35 Impact Monitoring – Mean Depth-averaged Level of Suspended Solids (mg/L) between 1 May 2015 and 5 June 2015 at CS4.** The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







**Figure G36 Impact Monitoring – Mean Depth-averaged Level of Suspended Solids (mg/L) between 1 May 2015 and 5 June 2015 at CS6.** The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







**Figure G37 Impact Monitoring – Mean Depth-averaged Level of Suspended Solids (mg/L) between 1 May 2015 and 5 June 2015 at IS12.** The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls









**Figure G39 Impact Monitoring – Mean Depth-averaged Level of Suspended Solids (mg/L) between 1 May 2015 and 5 June 2015 at IS14.** The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







**Figure G40 Impact Monitoring – Mean Depth-averaged Level of Suspended Solids (mg/L) between 1 May 2015 and 5 June 2015 at IS15.** The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls









**Figure G41 Impact Monitoring – Mean Depth-averaged Level of Suspended Solids (mg/L) between 1 May 2015 and 5 June 2015 at SR10A.** The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls







**Figure G42 Impact Monitoring – Mean Depth-averaged Level of Suspended Solids (mg/L) between 1 May 2015 and 5 June 2015 at SR8.** The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls





**Figure G43 Impact Monitoring – Mean Depth-averaged Level of Suspended Solids (mg/L) between 1 May 2015 and 5 June 2015 at SR9.** The weather conditions during the monitoring period varied mostly from sunny to cloudy. No marine works was undertaken during the reporting period.

Ref: 0212330\_Impact-WQM\_Aug2015\_graphs\_Rev a.xls

